

# INTERNATIONAL COUNCIL FOR HARMONISATION OF TECHNICAL REQUIREMENTS FOR PHARMACEUTICALS FOR HUMAN USE

#### ICH HARMONISED GUIDELINE

# CLINICAL ELECTRONIC STRUCTURED HARMONISED PROTOCOL (CESHARP)

### **M11 TECHNICAL SPECIFICATION**

Draft version

Endorsed on 27 September 2022

Currently under public consultation

At Step 2 of the ICH Process, a consensus draft text or guideline, agreed by the appropriate ICH Expert Working Group, is transmitted by the ICH Assembly to the regulatory authorities of the ICH regions for internal and external consultation, according to national or regional procedures.

# M11 Technical Specification Document History

| Code | History   | Date                 |
|------|---|----------------------|
| M11  | Endorsement by the Members of the ICH Assembly under <i>Step 2</i> and release for public consultation (document dated 6 September 2022). <i>Minor editorial changes made pre-publication (document dated 14 October 2022).</i> | 27 September<br>2022 |

Legal notice: This document is protected by copyright and may, with the exception of the ICH logo, be used, reproduced, incorporated into other works, adapted, modified, translated or distributed under a public license provided that ICH's copyright in the document is acknowledged at all times. In case of any adaption, modification or translation of the document, reasonable steps must be taken to clearly label, demarcate or otherwise identify that changes were made to or based on the original document. Any impression that the adaption, modification or translation of the original document is endorsed or sponsored by the ICH must be avoided.

The document is provided "as is" without warranty of any kind. In no event shall the ICH or the authors of the original document be liable for any claim, damages or other liability arising from the use of the document.

The above-mentioned permissions do not apply to content supplied by third parties. Therefore, for documents where the copyright vests in a third party, permission for reproduction must be obtained from this copyright holder.

#### 1 Technical Specification

- 2 The purpose of this document is to serve as a technical representation of the ICH M11
- 3 protocol template. This Technical Specification (TS) is to be aligned with the latest version of
- 4 the ICH M11 Guideline and protocol template, but with flexibility in addressing data
- 5 exchange needs per ICH and those of regional authorities.
- 6 NOTE: Following the public comment period, the M11 Guideline and template may be
- 7 updated along with the Technical Specification. The M11 EWG recognises that the Technical
- 8 Specification is at an early stage of maturity as certain terms (variables) in this version (e.g.,
- 9 Cardinality, Definition, Relationship to Conceptual Model) are to be addressed post the public
- 10 comment period and as the M11 EWG progresses through the ICH Step process.

#### 11 Appendix 1: Detailed Descriptions of Information Components

#### 12 Overall Rules

| Term (Variable)   | Overall rules                                     |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Rules   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | All document                                      |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | REQUIRED Level 1 and Level 2 headings             |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

## **0. Foreword**

| Term (Variable)   | Foreword   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Section heading  |
| User Guidance   |  |
| Conformance   | Not required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | 0. Foreword  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Foreword   |
| Business rules  | Value Allowed: Yes Relationship: Not transferred Concept: Protocol title |
| Duplicate field in other sections                                 | •  |

# **0.1** Template Revision History

| Term (Variable)  | Template Revision History     |
|--|-------------------------------|
| Data Type  | Text                          |
| Topic, Value or<br>Header  | Н                             |
| Definition   | Section heading               |
| User Guidance  |                               |
| Conformance  | Not required                  |
| Cardinality  |                               |
| Relationship content from ToC representing the protocol hierarchy Relationship | Foreword                      |
| (reference to high<br>level conceptual<br>model)                               |                               |
| Value  | Template Revision History     |
| Business rules   | Value Allowed: Yes            |
|  | Relationship: Not transferred |
|  | Concept: Protocol title       |
| Duplicate field in other sections  |                               |

| Term (Variable)   | Date   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Table column heading   |
| User Guidance   |  |
| Conformance   | Not required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Foreword   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Date   |
| Business rules  | Value Allowed: Yes Relationship: Table column heading Concept: n/a |
| Duplicate field in other sections                                 | •  |

| Term (Variable)         | Date of Revision                          |
|-------------------------|---|
| Data Type               | Text                                      |
| Topic, Value or         | D   |
| Header                  |   |
| Definition              | Date of Revision                          |
| User Guidance           |   |
| Conformance             | Not required                              |
| Cardinality             |   |
| Relationship content    | Foreword                                  |
| from ToC                |   |
| representing the        |   |
| protocol hierarchy      |   |
| Relationship            |   |
| (reference to high      |   |
| level conceptual model) |   |
| Value                   | Date                                      |
| Business rules          | Value Allowed: Yes                        |
| Business rules          |   |
|                         | Relationship: Repeating for each new date |
|                         | Not transferred                           |
|                         | Concept: n/a                              |
| Duplicate field in      |   |
| other sections          |   |

| Term (Variable)   | Description of Revision  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Table column heading   |
| User Guidance   |  |
| Conformance   | Not required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Foreword   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Table column heading   |
| Business rules  | Value Allowed: Yes Relationship: Table column heading Not transferred Concept: n/a |
| Duplicate field in other sections                                 |  |

| Term (Variable)                                | Description of Revision                                  |
|--|--|
| Data Type                                      | Text   |
| Topic, Value or<br>Header                      | D  |
| Definition                                     | Description of Revision                                  |
| User Guidance                                  |  |
| Conformance                                    | Not required   |
| Cardinality                                    |  |
| Relationship content from ToC representing the | Foreword   |
| protocol hierarchy                             |  |
| Relationship (reference to high                |  |
| level conceptual model)                        |  |
| Value  | Description of revision text                             |
| Business rules                                 | Value Allowed: Yes                                       |
|  | Relationship: Repeating for each description of revision |
|  | Not transferred  |
|  | Concept: n/a   |
| Duplicate field in other sections              |  |

# **0.2 Intended Use of Template**

| Term (Variable)  | Intended Use of Template |
|--|--------------------------|
| Data Type  | Text                     |
| Topic, Value or<br>Header  | Н                        |
| Definition   | Section heading          |
| User Guidance  |                          |
| Conformance  | Not required             |
| Cardinality  |                          |
| Relationship content from ToC representing the protocol hierarchy Relationship | Foreword                 |
| (reference to high<br>level conceptual<br>model)                               |                          |
| Value  | Intended Use of Template |
| Business rules   | Value Allowed: Yes       |
|  | Relationship: n/a        |
|  | Concept: n/a             |
| Duplicate field in other sections  |                          |

| Term (Variable)   | Intended Use of Templates     |
|---|-------------------------------|
| Data Type   | Text                          |
| Topic, Value or<br>Header   | D                             |
| Definition  | Section heading               |
| User Guidance   |                               |
| Conformance   | Not required                  |
| Cardinality   |                               |
| Relationship content from ToC representing the protocol hierarchy | Foreword                      |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                               |
| Value   | Intended Use of Template      |
| Business rules  | Value Allowed: Yes            |
|   | Relationship: Not transferred |
|   | Concept: n/a                  |
| Duplicate field in other sections                                 |                               |

# **0.3** Template Conventions and General Instruction

| Term (Variable)   | Template Conventions and General Instruction     |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Section heading                                  |
| User Guidance   |  |
| Conformance   | Not required                                     |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Foreword   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | 0.3 Template Conventions and General Instruction |
| Business rules  | Value Allowed: Yes                               |
|   | Relationship: Not transferred                    |
|   | Concept: n/a                                     |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | Description of Conventions                   |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   | Explains conventions and general instruction |
| User Guidance  |  |
| Conformance  | Not required                                 |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Foreword                                     |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  | Description of conventions                   |
| Business rules   | Value Allowed: Yes                           |
|  | Relationship: Not transferred                |
|  | Concept: n/a                                 |
| Duplicate field in other sections  |  |

| Term (Variable)   | Description of conventions                                    |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  | Explains conventions and general instruction                  |
| User Guidance   |   |
| Conformance   | Not required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Foreword  |
| Relationship (reference to high level conceptual model)  Value    |   |
| Business rules  | Value Allawada Vas  |
| Business rules  | Value Allowed: Yes Relationship: Not transferred Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)                     | Heading Structure and Flexibility |
|-------------------------------------|-----------------------------------|
| Data Type                           | Text                              |
| Topic, Value or                     | Н                                 |
| Header                              |                                   |
| Definition                          |                                   |
| User Guidance                       |                                   |
| Conformance                         | Not required                      |
| Cardinality                         |                                   |
| Relationship content                | Foreword                          |
| from ToC                            |                                   |
| representing the protocol hierarchy |                                   |
| Relationship                        |                                   |
| (reference to high                  |                                   |
| level conceptual                    |                                   |
| model)                              |                                   |
| Value                               | Heading structure and flexibility |
|                                     |                                   |
| Business rules                      | Value Allowed: Yes                |
|                                     | Relationship: Not transferred     |
|                                     | Concept: n/a                      |
| Duplicate field in                  |                                   |
| other sections                      |                                   |

| Term (Variable)  | Heading Structure and Flexibility |
|--|-----------------------------------|
| Data Type  | Text                              |
| Topic, Value or<br>Header  | D                                 |
| Definition   |                                   |
| User Guidance  |                                   |
| Conformance  | Not required                      |
| Cardinality  |                                   |
| Relationship content from ToC                                    | Foreword                          |
| representing the protocol hierarchy                              |                                   |
| Relationship<br>(reference to high<br>level conceptual<br>model) |                                   |
| Value  |                                   |
| Business rules   | Value Allowed: Yes                |
|  | Relationship: Not transferred     |
|  | Concept: n/a                      |
| Duplicate field in other sections                                |                                   |

| Term (Variable)                   | Table and Figure Numbering    |
|-----------------------------------|-------------------------------|
| Data Type                         | Text                          |
| Topic, Value or                   | Н                             |
| Header                            |                               |
| Definition                        |                               |
| User Guidance                     |                               |
| Conformance                       | Not required                  |
| Cardinality                       |                               |
| Relationship content              | Foreword                      |
| from ToC                          |                               |
| representing the                  |                               |
| protocol hierarchy                |                               |
| Relationship                      |                               |
| (reference to high                |                               |
| level conceptual                  |                               |
| model)                            |                               |
| Value                             | Table and figure numbering    |
| Business rules                    | Value Allowed: Yes            |
|                                   | Relationship: Not transferred |
|                                   | Concept: n/a                  |
| Duplicate field in other sections |                               |

| Term (Variable)  | Table and Figure Numbering                                    |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Not required  |
| Cardinality  |   |
| Relationship content from ToC representing the                   | Foreword  |
| protocol hierarchy   |   |
| Relationship<br>(reference to high<br>level conceptual<br>model) |   |
| Value  |   |
| Business rules   | Value Allowed: Yes Relationship: Not transferred Concept: n/a |
| Duplicate field in other sections                                |   |

| Г                    | ·                             |
|----------------------|-------------------------------|
| Term (Variable)      | Terminology                   |
| Data Type            | Text                          |
| Topic, Value or      | Н                             |
| Header               |                               |
| Definition           |                               |
| User Guidance        |                               |
| Conformance          | Not required                  |
| Cardinality          |                               |
| Relationship content | Foreword                      |
| from ToC             |                               |
| representing the     |                               |
| protocol hierarchy   |                               |
| Relationship         |                               |
| (reference to high   |                               |
| level conceptual     |                               |
| model)               |                               |
| Value                | Terminology                   |
| Business rules       | Value Allowed: Yes            |
|                      | Relationship: Not transferred |
|                      | Concept: n/a                  |
| Duplicate field in   |                               |
| other sections       |                               |

| Term (Variable)  | Terminology   |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Not required  |
| Cardinality  |   |
| Relationship content from ToC                                    | Foreword  |
| representing the protocol hierarchy                              |   |
| Relationship<br>(reference to high<br>level conceptual<br>model) |   |
| Value  |   |
| Business rules   | Value Allowed: Yes Relationship: Not transferred Concept: n/a |
| Duplicate field in other sections                                |   |

| Term (Variable)      | Suggestion for Publishing a Paper or PDF Document |
|----------------------|---|
| Data Type            | Text  |
| Topic, Value or      | Н   |
| Header               |   |
| Definition           |   |
| User Guidance        |   |
| Conformance          | Not required                                      |
| Cardinality          |   |
| Relationship content | Foreword  |
| from ToC             |   |
| representing the     |   |
| protocol hierarchy   |   |
| Relationship         |   |
| (reference to high   |   |
| level conceptual     |   |
| model)               |   |
| Value                | Suggestion for publishing a paper or PDF document |
| Business rules       | Value Allowed: Yes                                |
|                      | Relationship: Not transferred                     |
|                      | Concept: n/a                                      |
| Duplicate field in   |   |
| other sections       |   |

| Term (Variable)  | Suggestion for Publishing a Paper or PDF Document |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Not required                                      |
| Cardinality  |   |
| Relationship content from ToC                                    | Foreword  |
| representing the protocol hierarchy                              |   |
| Relationship<br>(reference to high<br>level conceptual<br>model) |   |
| Value  |   |
| Business rules   | Value Allowed: Yes                                |
|  | Relationship: Not transferred                     |
|  | Concept: n/a                                      |
| Duplicate field in other sections                                |   |

| Term (Variable)                   | Abbreviations Used in this Template |
|-----------------------------------|-------------------------------------|
| Data Type                         | Text                                |
| Topic, Value or                   | Н                                   |
| Header                            |                                     |
| Definition                        |                                     |
| User Guidance                     |                                     |
| Conformance                       | Not required                        |
| Cardinality                       |                                     |
| Relationship content              | Foreword                            |
| from ToC                          |                                     |
| representing the                  |                                     |
| protocol hierarchy                |                                     |
| Relationship                      |                                     |
| (reference to high                |                                     |
| level conceptual                  |                                     |
| model)                            |                                     |
| Value                             | Abbreviations Used in this Template |
| Business rules                    | Value Allowed: Yes                  |
|                                   | Relationship: Not transferred       |
|                                   | Concept: n/a                        |
| Duplicate field in other sections |                                     |

| Term (Variable)   | Abbreviations Used in this Template                           |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Not required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Foreword  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: Yes Relationship: Not transferred Concept: n/a |
| Duplicate field in other sections                                 | -   |

## **Protocol Full Title**

| Term (Variable)   | Protocol Full Title             |
|---|---------------------------------|
| Data Type   | Text                            |
| Topic, Value or<br>Header   | Н                               |
| Definition  | Heading                         |
| User Guidance   |                                 |
| Conformance   | Required                        |
| Cardinality   |                                 |
| Relationship content from ToC representing the protocol hierarchy | Title Page                      |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                 |
| Value   | Protocol Full Title             |
| Business rules  | Value Allowed: Yes              |
|   | Relationship: Table row heading |
|   | Concept: n/a                    |
| Duplicate field in other sections                                 |                                 |

| Term (Variable)                 | Protocol Full Title   |
|---------------------------------|---|
| Data Type                       | Text  |
| Topic, Value or                 | D   |
| Header                          |   |
| Definition                      |   |
| User Guidance                   | The protocol should have a descriptive title that identifies the scientific |
|                                 | aspects of the trial sufficiently to ensure it is immediately evident what  |
|                                 | the trial is investigating and on whom, and to allow retrieval from         |
|                                 | literature or internet searches.  |
| Conformance                     | Required  |
| Cardinality                     |   |
| Relationship content            | Title page  |
| from ToC                        |   |
| representing the                |   |
| protocol hierarchy Relationship |   |
| (reference to high              |   |
| level conceptual                |   |
| model)                          |   |
| Value                           | 4000 Eudra characters   |
|                                 | 600 ct.gov  |
|                                 | UTF 8 - Special   |
| Business rules                  | Value Allowed: Yes  |
|                                 | Relationship: n/a   |
|                                 | Concept: Protocol Title   |
| Duplicate field in              |   |
| other sections                  |   |

| 1 | $\boldsymbol{\cap}$ |
|---|---------------------|
|   | 9                   |

|  | <del>-</del>                      |
|--|-----------------------------------|
| Term (Variable)  | Sponsor Confidentiality Statement |
| Data Type  | Text                              |
| Topic, Value or<br>Header  | Н                                 |
| Definition   | Heading                           |
| User Guidance  |                                   |
| Conformance  | Optional                          |
| Cardinality  |                                   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship | Title Page                        |
| (reference to high level conceptual model)   |                                   |
| Value  | Sponsor confidentiality statement |
| Business rules   | Value Allowed: Yes                |
|  | Relationship: Table row heading   |
|  | Concept: n/a                      |
| Duplicate field in other sections  |                                   |

| Term (Variable)   | Sponsor Confidentiality Statement  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Insert a sponsor confidentiality statement, if applicable, otherwise delete. |
| Conformance   | Optional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Title page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a                            |
| Duplicate field in other sections                                 |  |

|  | T   |
|--|---|
| Term (Variable)  | Protocol Number   |
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   | Heading   |
| User Guidance  |   |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship<br>(reference to high | Title Page  |
| level conceptual model)  |   |
| Value  | Protocol number   |
| Business rules   | Value Allowed: Yes Relationship: Table row heading Concept: n/a |
| Duplicate field in other sections  |   |

| Term (Variable)                     | Protocol Number  |
|-------------------------------------|--|
| Data Type                           | Text   |
| Topic, Value or                     | D  |
| Header                              |  |
| Definition                          | A unique alphanumeric identifier for the trial.                            |
| User Guidance                       | A unique alphanumeric identifier for the trial, designated by the sponsor, |
|                                     | is a standard part of trial data, and should be included for most studies. |
|                                     | Some exceptions may exist, however, so this is an optional field.          |
| Conformance                         | Required   |
| Cardinality                         |  |
| Relationship content                | Title page   |
| from ToC                            |  |
| representing the protocol hierarchy |  |
| Relationship                        |  |
| (reference to high                  |  |
| level conceptual                    |  |
| model)                              |  |
| Value                               | AN   |
| Business rules                      | Value Allowed: Yes   |
|                                     | Relationship: n/a  |
|                                     | Concept: Protocol identifying number                                       |
|                                     |  |
|                                     | Note: May be blank (null)  |
| Duplicate field in                  |  |
| other sections                      |  |

| Term (Variable)   | Version   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Heading   |
| User Guidance   |   |
| Conformance   | Optional  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Title Page  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Version   |
| Business rules  | Value Allowed: Yes Relationship: Table row heading Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)  | Version   |
|--|---|
| Data Type  | Number  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  | An optional field for use by the sponsor at their discretion. |
| Conformance  | Optional  |
| Cardinality  |   |
| Relationship content from ToC                                    | Title page  |
| representing the protocol hierarchy                              |   |
| Relationship<br>(reference to high<br>level conceptual<br>model) |   |
| Value  | 10N   |
| Business rules   | Value Allowed: Yes  |
|  | Relationship: n/a   |
|  | Concept: Amendment number                                     |
| Duplicate field in other sections                                |   |

| Term (Variable)   | Amendment Number  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Heading   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Title page  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Amendment Number  |
| Business rules  | Value Allowed: Yes Relationship: Table row heading Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Amendment Number   |
|---|--|
| Data Type   | Number   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Enter the version, number, or amendment number. If this is the original instance of the protocol, indicate Not Applicable. |
| Conformance   | Conditional  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Title page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | 10N  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a  |
|   | Concept: Amendment number  |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Amendment Scope                 |
|---|---------------------------------|
| Data Type   | Text                            |
| Topic, Value or<br>Header   | Н                               |
| Definition  | Heading                         |
| User Guidance   |                                 |
| Conformance   | Required                        |
| Cardinality   |                                 |
| Relationship content from ToC representing the protocol hierarchy | Title Page                      |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                 |
| Value   | Amendment Scope                 |
| Business rules  | Value Allowed: Yes              |
|   | Relationship: Table row heading |
|   | Concept: n/a                    |
| Duplicate field in other sections                                 |                                 |

| Term (Variable)   | Amendment Scope   |
|---|---|
| Data Type   | Pick list   |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Acceptable entries for amendment scope are: "Global" or "Country-specific/Regional" |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Title page  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Global or Country-specific/Regional   |
| Business rules  | Value Allowed: Yes  |
|   | Relationship: n/a   |
|   | Concept: n/a  |
| Duplicate field in other sections                                 |   |

| Term (Variable)  | Country/Region or Local Identifier                                       |
|--|--|
| Data Type  | Pick list  |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | Use the ISO-3166 region or local identifier (i.e., DE or EU). For global |
|  | trials delete the Region or Local Identifier field.                      |
| Conformance  | Required/Conditional   |
| Cardinality  |  |
| Relationship content from ToC                                    | Title page   |
| representing the protocol hierarchy                              |  |
| Relationship<br>(reference to high<br>level conceptual<br>model) |  |
| Value  | ISO 3166 for country and region blank for global                         |
| Business rules   | Value Allowed: Yes   |
|  | Relationship: n/a  |
|  | Concept: n/a   |
| Duplicate field in other sections                                | Repeatable   |

| Term (Variable)      | Compound Number(s)              |
|----------------------|---------------------------------|
| Data Type            | Text                            |
| Topic, Value or      | Н                               |
| Header               |                                 |
| Definition           | Heading                         |
| User Guidance        |                                 |
| Conformance          | Required                        |
| Cardinality          |                                 |
| Relationship content | Title Page                      |
| from ToC             |                                 |
| representing the     |                                 |
| protocol hierarchy   |                                 |
| Relationship         |                                 |
| (reference to high   |                                 |
| level conceptual     |                                 |
| model)               |                                 |
| Value                | Compound Number                 |
| Business rules       | Value Allowed: Yes              |
|                      | Relationship: Table row heading |
|                      | Concept: n/a                    |
| Duplicate field in   |                                 |
| other sections       |                                 |

| Term (Variable)                   | Compound Number  |
|-----------------------------------|--|
| Data Type                         | Text   |
| Topic, Value or<br>Header         | D  |
| Definition                        |  |
| Deminion                          | Enter the Sponsor's unique identifier for investigational compound(s) in |
|                                   | the trial. Add or delete additional fields as needed.                    |
| User Guidance                     |  |
| Conformance                       | Optional   |
| Cardinality                       |  |
| Relationship content              | Title Page   |
| from ToC                          |  |
| representing the                  |  |
| protocol hierarchy                |  |
| Relationship                      |  |
| (reference to high                |  |
| level conceptual                  |  |
| model)                            |  |
| Value                             | AN   |
| Business rules                    | Value Allowed: Yes   |
|                                   | Relationship: n/a  |
|                                   | Concept: n/a   |
| Duplicate field in other sections | Repeatable   |

| Term (Variable)   | Compound Number  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Enter the Sponsor's unique identifier for investigational compound(s) in |
|   | the trial. Add or delete additional fields as needed.                    |
| User Guidance   |  |
| Conformance   | Optional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Title Page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | AN   |
| Business rules  | Value Allowed: Yes   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 | Repeatable   |

| _ | 1 |
|---|---|
|   |   |

| Term (Variable)   | Compound Name(s)                |
|---|---------------------------------|
| Data Type   | Text                            |
| Topic, Value or<br>Header   | Н                               |
| Definition  | Heading                         |
| User Guidance   |                                 |
| Conformance   | Optional                        |
| Cardinality   |                                 |
| Relationship content from ToC representing the protocol hierarchy | Title Page                      |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                 |
| Value   | Compound name(s)                |
| Business rules  | Value Allowed: n/a              |
|   | Relationship: Table row heading |
|   | Concept: n/a                    |
| Duplicate field in other sections                                 |                                 |

| Term (Variable)   | Nonproprietary Name  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Delete this line if a nonproprietary name has not yet been assigned.  Omit proprietary name fields if not yet established. |
| Conformance   | Optional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Title Page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | 300AN  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 | Repeatable   |

| _             | _                          |
|---------------|----------------------------|
| 7             | `                          |
| $\mathcal{L}$ | $\boldsymbol{\mathcal{I}}$ |

| Term (Variable)   | Proprietary Name   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Omit proprietary name fields if not yet established.               |
| Conformance   | Optional / Conditional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Title Page   |
| Relationship (reference to high level conceptual model) Value     |  |
| Business rules  | Value Allewedu n/a   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: Clinical trial phase |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | Additional Proprietary Name                          |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | Omit proprietary name fields if not yet established. |
| Conformance  | Optional / Conditional                               |
| Cardinality  |  |
| Relationship content from ToC                                    | Title Page   |
| representing the protocol hierarchy                              |  |
| Relationship<br>(reference to high<br>level conceptual<br>model) |  |
| Value  |  |
| Business rules   | Value Allowed: n/a                                   |
|  | Relationship: n/a                                    |
|  | Concept: n/a   |
| Duplicate field in other sections                                | Repeatable   |

| Term (Variable)  | Trial Phase                     |
|--|---------------------------------|
| Data Type  | Text                            |
| Topic, Value or<br>Header  | Н                               |
| Definition   | Heading                         |
| User Guidance  |                                 |
| Conformance  |                                 |
| Cardinality  |                                 |
| Relationship content from ToC representing the protocol hierarchy Relationship (reference to high level conceptual | Title Page                      |
| model)   |                                 |
| Value  | Trial phase                     |
| Business rules   | Value Allowed: Yes              |
|  | Relationship: Table row heading |
|  | Concept:                        |
| Duplicate field in other sections  |                                 |

| Term (Variable)                   | Trial Phase  |
|-----------------------------------|--|
| Data Type                         | Pick list  |
| Topic, Value or<br>Header         | D  |
| Definition                        |  |
| User Guidance                     | For trials combining investigational drugs or vaccines with devices, |
|                                   | classify according to the phase of drug development.                 |
| Conformance                       | Required   |
| Cardinality                       |  |
| Relationship content              | Title Page   |
| from ToC representing the         |  |
| protocol hierarchy                |  |
| Relationship                      |  |
| (reference to high                |  |
| level conceptual model)           |  |
| Value                             | Early Phase 1  |
| 14.40                             | Phase 1  |
|                                   | Phase 1/Phase 2  |
|                                   | Phase 2  |
|                                   | Phase 2/Phase 3  |
|                                   | Phase 3  |
|                                   | Phase 4  |
|                                   | Other  |
| Business rules                    | Value Allowed: yes   |
|                                   | Relationship: n/a  |
|                                   | Concept: Protocol short title  |
| Duplicate field in other sections |  |

| Term (Variable)  | Acronym   |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   | Heading   |
| User Guidance  |   |
| Conformance  | Optional  |
| Cardinality  |   |
| Relationship content from ToC                                    | Title Page  |
| representing the protocol hierarchy                              |   |
| Relationship<br>(reference to high<br>level conceptual<br>model) |   |
| Value  | Acronym   |
| Business rules   | Value Allowed: Yes Relationship: Table row heading Concept: n/a |
| Duplicate field in other sections                                |   |

|   | ,   |
|---|---|
| Term (Variable)   | Short Title   |
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Heading   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Title Page  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Short Title   |
| Business rules  | Value Allowed: Yes Relationship: Table row heading Concept: |
| Duplicate field in other sections                                 | •   |

| Term (Variable)   | Short Title  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Explains in plain language what the trial is about and is suitable for use as "Brief Title" or "Title in Plain Language" in global clinical trial registries. It can also be suitable for use with informed consents and ethics committee submissions. |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Title page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | 300AN  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: Sponsor  |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | Sponsor Name and Address       |
|--|--------------------------------|
| Data Type  | Text                           |
| Topic, Value or<br>Header  | Н                              |
| Definition   | Heading                        |
| User Guidance  |                                |
| Conformance  | Required                       |
| Cardinality  |                                |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship<br>(reference to high | Title page                     |
| level conceptual model)  |                                |
| Value  | Sponsor Name and Address       |
| Business rules   | Value Allowed: Yes             |
|  | Relationship Table row heading |
|  | Concept: Sponsor               |
| Duplicate field in other sections  |                                |

| Term (Variable)   | Sponsor Name  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  | The legal name of the individual or pharmaceutical or medical device company, governmental agency, academic institution, private organisation, or other organisation who takes primary responsibility for and initiates a clinical investigation. |
| User Guidance   | If more than one sponsor, list the Primary Sponsor in this field.   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy         | Title Page  |
| Relationship<br>(reference to high<br>level conceptual<br>model)<br>Value |   |
| Business rules  | Wales Allace de a /a  |
|   | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections   |   |

| <b>T</b> ()( : 11 )   |  |
|---|--|
| Term (Variable)   | Sponsor Legal Address  |
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Legal address  |
| User Guidance   | The legal address of the individual or pharmaceutical or medical device company, governmental agency, academic institution, private organisation, or other organisation who takes primary responsibility for and initiates a clinical investigation. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Title Page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

| Term (Variable)      | Local Sponsor Name and Address |
|----------------------|--------------------------------|
| Data Type            | Text                           |
| Topic, Value or      | Н                              |
| Header               |                                |
| Definition           | Heading                        |
| User Guidance        |                                |
| Conformance          | Optional                       |
| Cardinality          |                                |
| Relationship content | Title Page                     |
| from ToC             |                                |
| representing the     |                                |
| protocol hierarchy   |                                |
| Relationship         |                                |
| (reference to high   |                                |
| level conceptual     |                                |
| model)               |                                |
| Value                | Local Sponsor Name and Address |
| Business rules       | Value Allowed: Yes             |
|                      | Relationship: n/a              |
|                      | Concept: n/a                   |
| Duplicate field in   |                                |
| other sections       |                                |

| Tame (Variable)                   |  |
|-----------------------------------|--|
| Term (Variable)                   | Sponsor Local Name   |
| Data Type                         | Text   |
| Topic, Value or<br>Header         | D  |
| Definition                        | In some countries, the clinical trial Sponsor may be the local affiliate |
|                                   | company (or designee). In such cases, indicate in the Sponsor Local      |
|                                   | Name.  |
| User Guidance                     | If more than one sponsor, list the Primary Sponsor in this field.        |
| Conformance                       | Optional   |
| Cardinality                       |  |
| Relationship content from ToC     | Title page   |
| representing the                  |  |
| protocol hierarchy                |  |
| Relationship (reference to high   |  |
| level conceptual                  |  |
| model)                            |  |
| Value                             |  |
| Business rules                    | Value Allowed: n/a   |
|                                   | Relationship: n/a  |
|                                   | Concept: n/a   |
| Duplicate field in other sections |  |

| Term (Variable)  | Sponsor Local Address   |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   | Sponsor local registered address  |
| User Guidance  | In some countries, the clinical trial Sponsor may be the local affiliate company (or designee). In such cases, indicate in the Sponsor Local Address Field. |
| Conformance  | Optional  |
| Cardinality  |   |
| Relationship content from ToC representing the protocol hierarchy Relationship (reference to high level conceptual | Title page  |
| model)<br>Value  |   |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections  |   |

| - | $\cap$ |
|---|--------|
| n | ч      |

| Term (Variable)   | Manufacturer Name and Address                      |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Heading  |
| User Guidance   |  |
| Conformance   | Optional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Title Page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Manufacturer Name and Address                      |
| Business rules  | Value Allowed: Yes                                 |
|   | Relationship: Table row heading                    |
|   | Concept: Regulatory investigational product number |
| Duplicate field in other sections                                 | Repeatable   |

| Term (Variable)  | Device Manufacturer Name   |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | Manufacturer name and address information is required only for protocols that include investigational device(s) and should not be included for other protocols. Include the manufacturer address only if the manufacturer is different than the Sponsor listed above.  Add additional fields as needed if multiple investigational devices will be used in the trial. Delete this line from the table if not applicable. |
| Conformance  | Optional   |
| Cardinality  |  |
| Relationship content from ToC representing the                   | Title Page   |
| protocol hierarchy   |  |
| Relationship<br>(reference to high<br>level conceptual<br>model) |  |
| Value  |  |
| Business rules   | Value Allowed: n/a   |
|  | Relationship: n/a  |
|  | Concept: n/a   |
| Duplicate field in other sections                                | Repeatable   |

| Term (Variable)   | Device Manufacturer Address  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Manufacturer name and address information is required only for protocols that include investigational device(s) and should not be included for other protocols. Include the manufacturer address only if the manufacturer is different than the Sponsor listed above.  Add additional fields as needed if multiple investigational devices will be used in the trial. Delete this line from the table if not applicable. |
| Conformance   | Optional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy         | Title Page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)<br>Value |  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a Concept: n/a   |
| Duplicate field in other sections   | Repeatable   |

| Term (Variable)   | Regulatory Agency Identifier Number(s)   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   | Include all numbers that are applicable for the trial and available at the time of protocol or amendment finalisation. Delete prompts for numbers not available at the time of document finalisation. Delete unused fields. Add fields for "other" if more than one is needed. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Title Page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Regulatory Agency Identifier Number(s):  |
| Business rules  | Value Allowed: Yes   |
|   | Relationship: Table row heading  |
|   | Concept: Regulatory investigational product number   |
| Duplicate field in other sections                                 |  |

| 7 | 3 |
|---|---|
|   | _ |

| _                    | T                               |
|----------------------|---------------------------------|
| Term (Variable)      | EUDAMED                         |
| Data Type            | Text                            |
| Topic, Value or      | Н                               |
| Header               |                                 |
| Definition           |                                 |
| User Guidance        |                                 |
| Conformance          | Optional /                      |
| Cardinality          |                                 |
| Relationship content | Title Page                      |
| from ToC             |                                 |
| representing the     |                                 |
| protocol hierarchy   |                                 |
| Relationship         |                                 |
| (reference to high   |                                 |
| level conceptual     |                                 |
| model)               |                                 |
| Value                | EUDAMED                         |
| Business rules       | Value Allowed: Yes              |
|                      | Relationship: n/a               |
|                      | Concept: Protocol approval date |
| Duplicate field in   |                                 |
| other sections       |                                 |

| Term (Variable)      | EUDAMED Number         |
|----------------------|------------------------|
| Data Type            | Text                   |
| Topic, Value or      | D                      |
| Header               |                        |
| Definition           |                        |
| User Guidance        |                        |
| Conformance          | Optional / Conditional |
| Cardinality          |                        |
| Relationship content | Title Page             |
| from ToC             |                        |
| representing the     |                        |
| protocol hierarchy   |                        |
| Relationship         |                        |
| (reference to high   |                        |
| level conceptual     |                        |
| model)               |                        |
| Value                |                        |
| Business rules       | Value Allowed: n/a     |
|                      | Relationship: n/a      |
|                      | Concept: n/a           |
| Duplicate field in   |                        |
| other sections       |                        |

| Term (Variable)  | EudraCT Number   |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Optional   |
| Cardinality  |  |
| Relationship content from ToC representing the protocol hierarchy Relationship | Title Page   |
| (reference to high level conceptual model)                                     |  |
| Value  | EudraCT Number   |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: Protocol approval date |
| Duplicate field in other sections  | •  |

| Term (Variable)   | EudraCT Number         |
|---|------------------------|
| Data Type   | Text                   |
| Topic, Value or<br>Header   | D                      |
| Definition  |                        |
| User Guidance   |                        |
| Conformance   | Optional / Conditional |
| Cardinality   |                        |
| Relationship content from ToC representing the protocol hierarchy | Title Page             |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                        |
| Value   |                        |
| Business rules  | Value Allowed: n/a     |
|   | Relationship: n/a      |
|   | Concept: n/a           |
| Duplicate field in other sections                                 |                        |

| - 0/ 111  | T  |
|---|--|
| Term (Variable)   | EU Trial Number  |
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Optional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Title Page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | EU Trial Number  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: Protocol approval date |
| Duplicate field in other sections                                 |  |

| Term (Variable)      | EU Trial Number        |
|----------------------|------------------------|
| Data Type            | Text                   |
| Topic, Value or      | D                      |
| Header               |                        |
| Definition           |                        |
| User Guidance        |                        |
| Conformance          | Optional / Conditional |
| Cardinality          |                        |
| Relationship content | Title Page             |
| from ToC             |                        |
| representing the     |                        |
| protocol hierarchy   |                        |
| Relationship         |                        |
| (reference to high   |                        |
| level conceptual     |                        |
| model)               |                        |
| Value                |                        |
| Business rules       | Value Allowed: n/a     |
|                      | Relationship: n/a      |
|                      | Concept: n/a           |
| Duplicate field in   |                        |
| other sections       |                        |

|   | T  |
|---|--|
| Term (Variable)   | IDE  |
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Optional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Title page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | IDE  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: Protocol approval date |
| Duplicate field in other sections                                 |  |

| Term (Variable)      | IDE Number             |
|----------------------|------------------------|
| Data Type            | Text                   |
| Topic, Value or      | D                      |
| Header               |                        |
| Definition           |                        |
| User Guidance        |                        |
| Conformance          | Optional / Conditional |
| Cardinality          |                        |
| Relationship content | Title Page             |
| from ToC             |                        |
| representing the     |                        |
| protocol hierarchy   |                        |
| Relationship         |                        |
| (reference to high   |                        |
| level conceptual     |                        |
| model)               |                        |
| Value                |                        |
| Business rules       | Value Allowed: n/a     |
|                      | Relationship: n/a      |
|                      | Concept: n/a           |
| Duplicate field in   |                        |
| other sections       |                        |

| Torm (Variable)      |                                 |
|----------------------|---------------------------------|
| Term (Variable)      | IND Number                      |
| Data Type            |                                 |
| Topic, Value or      | Н                               |
| Header               |                                 |
| Definition           |                                 |
| User Guidance        |                                 |
| Conformance          | Optional                        |
| Cardinality          |                                 |
| Relationship content | Title Page                      |
| from ToC             |                                 |
| representing the     |                                 |
| protocol hierarchy   |                                 |
| Relationship         |                                 |
| (reference to high   |                                 |
| level conceptual     |                                 |
| model)               |                                 |
| Value                | IND                             |
| Business rules       | Value Allowed: Yes              |
|                      | Relationship: n/a               |
|                      | Concept: Protocol approval date |
| Duplicate field in   |                                 |
| other sections       |                                 |

| Term (Variable)      | IND Number             |
|----------------------|------------------------|
| Data Type            | Text                   |
| Topic, Value or      | D                      |
| Header               |                        |
| Definition           |                        |
| User Guidance        |                        |
| Conformance          | Optional / Conditional |
| Cardinality          |                        |
| Relationship content | Title page             |
| from ToC             |                        |
| representing the     |                        |
| protocol hierarchy   |                        |
| Relationship         |                        |
| (reference to high   |                        |
| level conceptual     |                        |
| model)               |                        |
| Value                |                        |
| Business rules       | Value Allowed: n/a     |
|                      | Relationship: n/a      |
|                      | Concept: n/a           |
| Duplicate field in   |                        |
| other sections       |                        |

|   | <del>-</del>   |
|---|--|
| Term (Variable)   | jRCT   |
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Optional /   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Title Page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | jRCT   |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: Protocol approval date |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | jRCT Number                                       |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Optional / Conditional                            |
| Cardinality  |   |
| Relationship content from ToC                                    | Title Page  |
| representing the protocol hierarchy                              |   |
| Relationship<br>(reference to high<br>level conceptual<br>model) |   |
| Value  |   |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                |   |

| - 0/ 1113   |  |
|---|--|
| Term (Variable)   | NCT  |
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Optional /   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Title page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | NTC  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: Protocol approval date |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | NCT Number  |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Optional / Conditional                            |
| Cardinality  |   |
| Relationship content from ToC                                    | Title Page  |
| representing the protocol hierarchy                              |   |
| Relationship<br>(reference to high<br>level conceptual<br>model) |   |
| Value  |   |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                |   |

| Term (Variable)   | NMPA IND   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Optional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Title Page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | NMPA IND   |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: Protocol approval date |
| Duplicate field in other sections                                 | · · · · · · · · · · · · · · · · · · ·                                |

| Term (Variable)  | NMPA IND Number                 |
|--|---------------------------------|
| Data Type  | Text                            |
| Topic, Value or<br>Header  | D                               |
| Definition   |                                 |
| User Guidance  |                                 |
| Conformance  | Optional / Conditional          |
| Cardinality  |                                 |
| Relationship content from ToC                                    | Title Page                      |
| representing the protocol hierarchy                              |                                 |
| Relationship<br>(reference to high<br>level conceptual<br>model) |                                 |
| Value  |                                 |
| Business rules   | Value Allowed: n/a              |
|  | Relationship: n/a               |
|  | Concept: Protocol approval date |
| Duplicate field in other sections                                |                                 |

| T ()/!- - -               | T                               |
|---------------------------|---------------------------------|
| Term (Variable)           | WHO                             |
| Data Type                 | Text                            |
| Topic, Value or<br>Header | Н                               |
|                           |                                 |
| Definition                |                                 |
| User Guidance             |                                 |
| Conformance               | Optional /                      |
| Cardinality               |                                 |
| Relationship content      | Title Page                      |
| from ToC                  |                                 |
| representing the          |                                 |
| protocol hierarchy        |                                 |
| Relationship              |                                 |
| (reference to high        |                                 |
| level conceptual          |                                 |
| model)                    |                                 |
| Value                     | WHO                             |
| Business rules            | Value Allowed: Yes              |
|                           | Relationship: n/a               |
|                           | Concept: Protocol approval date |
| Duplicate field in        |                                 |
| other sections            |                                 |

| Term (Variable)  | WHO Number  |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Optional / Conditional                            |
| Cardinality  |   |
| Relationship content from ToC                                    | Title Page  |
| representing the protocol hierarchy                              |   |
| Relationship<br>(reference to high<br>level conceptual<br>model) |   |
| Value  |   |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                |   |

| Term (Variable)  | Other  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Optional   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship | Title Page   |
| (reference to high level conceptual model)   |  |
| Value  | Other  |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: Protocol approval date |
| Duplicate field in other sections  |  |

| Term (Variable)  | Other Number           |
|--|------------------------|
| Data Type  | Text                   |
| Topic, Value or<br>Header  | D                      |
| Definition   |                        |
| User Guidance  |                        |
| Conformance  | Optional / Conditional |
| Cardinality  |                        |
| Relationship content from ToC                                    | Title Page             |
| representing the protocol hierarchy                              |                        |
| Relationship<br>(reference to high<br>level conceptual<br>model) |                        |
| Value  |                        |
| Business rules   | Value Allowed: n/a     |
|  | Relationship: n/a      |
|  | Concept: n/a           |
| Duplicate field in other sections                                | Repeatable             |

| T ()/!- - -)   |   |
|--|---|
| Term (Variable)  | Sponsor Approval Date   |
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   | Heading   |
| User Guidance  |   |
| Conformance  | Required / Required   |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship | Title page  |
| (reference to high level conceptual model)   |   |
| Value  | Sponsor Approval Date   |
| Business rules   | Value Allowed: Yes Relationship: Table row heading Concept: n/a |
| Duplicate field in other sections  |   |

| Term (Variable)  | Approval Date  |
|--|--|
| Data Type  | Date   |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | All versions should be uniquely identifiable. Use the date format (dd/mmm/yyyy, for example 07/JUN/2015) to indicate the date the protocol (or amendment) was approved by the Sponsor. |
| Conformance  | Required Choice  |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship | Title Page   |
| (reference to high level conceptual model)   |  |
| Value  | dd/mmm/yyyy date format  |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections  |  |

| $\sim$ | _ |
|--------|---|
|        |   |
|        |   |

| Term (Variable)   | The approval date is included with the electronic signature, located |
|---|--|
|   | {describe location}  |
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required / Choice  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Title page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: Sponsor representative |
| Duplicate field in other sections                                 | · · · · · · · · · · · · · · · · · · ·                                |

| Term (Variable)  | Sponsor Signatory  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   | Function(s) and roles authorised by the sponsor to sign the protocol and any substantial amendments.                   |
| User Guidance  |  |
| Conformance  | Conditional  |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship | Title Page   |
| (reference to high level conceptual model)   |  |
| Value  | Sponsor Signatory  |
| Business rules   | Value Allowed: Yes Relationship: IF "CHOICE, THEN approval date is included with the electronic signature Concept: n/a |
| Duplicate field in other sections  |  |

| $\alpha$ | 1 |
|----------|---|
| u        | , |

| Term (Variable)  | Wet Signature image  |
|--|--|
| Data Type  | Image  |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | Where allowed, an electronic/digital signature may be used for approval rather than a wet signature. In such cases, replace the signature block with appropriate description of the electronic/digital approval and the location of relevant information for traceability. |
| Conformance  | Optional   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Title Page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  |  |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections  |  |

| Term (Variable)   | Digital Signature                                 |
|---|---|
| Data Type   | Image   |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Optional  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Title Page  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 | -   |

| Term (Variable)   | Name  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Optional  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Title page  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)      | Title of Sponsor Signatory |
|----------------------|----------------------------|
| Data Type            | Text                       |
| Topic, Value or      | D                          |
| Header               |                            |
| Definition           |                            |
| User Guidance        |                            |
| Conformance          | Optional                   |
| Cardinality          |                            |
| Relationship content | Title Page                 |
| from ToC             |                            |
| representing the     |                            |
| protocol hierarchy   |                            |
| Relationship         |                            |
| (reference to high   |                            |
| level conceptual     |                            |
| model)               |                            |
| Value                |                            |
| Business rules       | Value Allowed: n/a         |
|                      | Relationship: n/a          |
|                      | Concept: n/a               |
| Duplicate field in   |                            |
| other sections       |                            |

| Term (Variable)  | Sponsor Signatory Date                            |
|--|---|
| Data Type  | Date  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Optional  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Title Page  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  | dd/mmm/yyyy date format                           |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections  |   |

| Term (Variable)  | [This protocol was approved via {describe method} as described on the  |
|--|--|
|  | approval page appended to the document]  |
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | Where allowed, an electronic/digital signature may be used for approval rather than a wet signature. In such cases, replace the signature block with appropriate description of the electronic/digital approval and the location of relevant information for traceability. |
| Conformance  | Optional   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Title Page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  | [This protocol was approved via {describe method} as described on the approval page appended to the document]  |
| Business rules   | Value Allowed: Yes   |
|  | Relationship: n/a  |
|  | Concept: n/a   |
| Duplicate field in other sections  |  |

| 1 | $\cap$ | 1 |
|---|--------|---|
|   |        | 1 |

| Term (Variable)   | {describe method}  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Where allowed, an electronic/digital signature may be used for approval rather than a wet signature. In such cases, replace the signature block with appropriate description of the electronic/digital approval and the location of relevant information for traceability. |
| Conformance   | Optional / Conditional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Investigator Signature Page  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Not transferred during IND/CTA process   |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Medical Monitor Name and Contact Information |
|---|--|
| Data Type   |  |
| Topic, Value or   |  |
| Header  |  |
| Definition  |  |
| User Guidance   |  |
| Conformance   |  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Investigator Signature Page                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  |  |
| Duplicate field in other sections                                 |  |

| Term (Variable)      | The Park March To 19 Hard Name         |
|----------------------|--|
| , ,                  | Medical Monitor Institution Name       |
| Data Type            |  |
| Topic, Value or      |  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          |  |
| Cardinality          |  |
| Relationship content | Investigator Signature Page            |
| from ToC             |  |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                |  |
| Business rules       | Not transferred during IND/CTA process |
| Duplicate field in   |  |
| other sections       |  |

| Term (Variable)   | Medical Monitor Institution Address |
|---|-------------------------------------|
| Data Type   |                                     |
| Topic, Value or<br>Header   |                                     |
| Definition  |                                     |
| User Guidance   |                                     |
| Conformance   |                                     |
| Cardinality   |                                     |
| Relationship content from ToC representing the protocol hierarchy | Investigator Signature Page         |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                     |
| Value   |                                     |
| Business rules  |                                     |
| Duplicate field in other sections                                 |                                     |

| Torm (Variable)      |   |
|----------------------|---|
| Term (Variable)      | Provided Separately/can be found {describe location}] |
| Data Type            |   |
| Topic, Value or      |   |
| Header               |   |
| Definition           |   |
| User Guidance        |   |
| Conformance          |   |
| Cardinality          |   |
| Relationship content | Investigator Signature Page                           |
| from ToC             |   |
| representing the     |   |
| protocol hierarchy   |   |
| Relationship         |   |
| (reference to high   |   |
| level conceptual     |   |
| model)               |   |
| Value                |   |
| Business rules       | Not transferred during IND/CTA process                |
| Duplicate field in   |   |
| other sections       |   |

| Term (Variable)   | {describe location}                    |
|---|--|
| Data Type   |  |
| Topic, Value or<br>Header   |  |
| Definition  |  |
| User Guidance   |  |
| Conformance   |  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Investigator Signature Page            |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Not transferred during IND/CTA process |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | Report Serious Adverse Events within 24 hours {via E-mail/fax provided  |
|--|---|
| , ,  | in the site manual. /per the options below:}  |
| Data Type  | Text  |
| Topic, Value or<br>Header  | H   |
| Definition   | Heading   |
| User Guidance  |   |
| Conformance  | Required / Required   |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Investigator Signature Page   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  | Report Serious Adverse Events within 24 hours {via E-mail/fax provided in the site manual. /per the options below:} |
| Business rules   | Value Allowed: Not transferred during IND/CTA process Relationship: n/a Concept: n/a                                |
| Duplicate field in other sections  |   |

| Term (Variable)         | Email                                  |
|-------------------------|--|
| Data Type               |  |
| Topic, Value or         |  |
| Header                  |  |
| Definition              |  |
| User Guidance           |  |
| Conformance             |  |
| Cardinality             |  |
| Relationship content    | Investigator Signature Page            |
| from ToC                |  |
| representing the        |  |
| protocol hierarchy      |  |
| Relationship            |  |
| (reference to high      |  |
| level conceptual model) |  |
| Value                   |  |
|                         | Email:                                 |
| Business rules          | Not transferred during IND/CTA process |
| Duplicate field in      |  |
| other sections          |  |

| Term (Variable)      |  |
|----------------------|--|
| · · ·                | {Rapid Alert email address}            |
| Data Type            |  |
| Topic, Value or      |  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          |  |
| Cardinality          |  |
| Relationship content | Investigator Signature Page            |
| from ToC             |  |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                |  |
| Business rules       | Not transferred during IND/CTA process |
| Duplicate field in   |  |
| other sections       |  |

| Term (Variable)   | Fax                                    |
|---|--|
| Data Type   |  |
| Topic, Value or<br>Header   |  |
| Definition  |  |
| User Guidance   |  |
| Conformance   |  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Investigator Signature Page            |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Not transferred during IND/CTA process |
| Duplicate field in other sections                                 |  |

| _                    | T                                      |
|----------------------|--|
| Term (Variable)      | Rapid Alert Fax Number"                |
| Data Type            |  |
| Topic, Value or      |  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          |  |
| Cardinality          |  |
| Relationship content | Investigator Signature Page            |
| from ToC             |  |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                |  |
| Business rules       | Not transferred during IND/CTA process |
|                      |  |
|                      |  |
| Duplicate field in   |  |
| other sections       |  |

| Term (Variable)  | Amendment Details  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  | Delete this entire section if this is the original protocol. |
| Conformance  | Required / Required  |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Amendment Details  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  | Amendment Details  |
| Business rules   | Value Allowed: Yes   |
|  | Relationship: n/a  |
|  | Concept: n/a   |
| Duplicate field in other sections  | Not required for original                                    |

| Term (Variable)   | History of Amendment  |  |
|---|---|--|
| Data Type   | Text  |  |
| Topic, Value or<br>Header   | Н   |  |
| Definition  | Heading   |  |
| User Guidance   | Do not include the current amendment in the table below, as final approval dates are often difficult to predict during document preparation. Previous amendments, including regional amendments, should appear in reverse chronological order with the most recent at the top (for example, Amendment 3, 2, 1). Delete lines not needed, add lines as needed.   |  |
|   | Some regulatory agencies find the approximate number or percent of enrollment at the time of each amendment to be helpful, and the information can be repurposed in final trial reports; however, it is neither a protocol requirement of any agency nor expected universally. If including the column with enrollment numbers, list approximate global enrollment total or percentage at the time of the amendment and select "globally". For local amendments, list the approximate local enrollment total or percentage at the time of the amendment and select "locally". |  |
| Conformance   | Required  |  |
| Cardinality   |   |  |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details   |  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |  |
| Value   | History of Amendment  |  |
| Business rules  | Value Allowed: Yes  |  |
|   | Relationship: n/a   |  |
|   | Concept: n/a  |  |
| Duplicate field in other sections                                 |   |  |

| Term (Variable)  | {#/A total of #} prior {global} amendments have occurred, as shown in   |  |
|--|---|--|
| the table below:   |   |  |
| Data Type  |   |  |
| Data Type  | Text  |  |
| Topic, Value or<br>Header  | Н   |  |
| Definition   |   |  |
| User Guidance  | Do not include the current amendment in the table below, as final approval dates are often difficult to predict during document preparation. Previous amendments should appear in reverse chronological order with the most recent at the top (for example, Amendment 3, 2, 1). Delete lines not needed, add lines as needed. Inclusion of regional-, country-, and site-specific amendments in the table is optional. If included, ensure that the scope is clearly distinguishable from global amendments. If including the column with enrollment numbers, follow the instructions below.  • For global amendments, list approximate global enrollment total or percentage at the time of the amendment and select "globally".  • For local amendments, list the approximate local enrollment total or percentage at the time of the amendment and select "locally". |  |
| Conformance  | Required  |  |
| Cardinality  |   |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Amendment Details   |  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |  |
| Value  | {#/A total of #} prior {global} amendments have occurred, as shown in the table below:  |  |
| Business rules   | Value Allowed: Yes  |  |
| Relationship: n/a  |   |  |
|  | Concept: n/a  |  |
| Duplicate field in other sections  |   |  |

| Term (Variable)      | prior amendments have occurred as shown in table below: |  |
|----------------------|---|--|
| Data Type            | Number  |  |
| Topic, Value or      | D   |  |
| Header               |   |  |
| Definition           |   |  |
| User Guidance        |   |  |
| Conformance          | Required / Required                                     |  |
| Cardinality          |   |  |
| Relationship content | Amendment Details                                       |  |
| from ToC             |   |  |
| representing the     |   |  |
| protocol hierarchy   |   |  |
| Relationship         |   |  |
| (reference to high   |   |  |
| level conceptual     |   |  |
| model)               |   |  |
| Value                |   |  |
| Business rules       | Value Allowed: n/a                                      |  |
|                      | Relationship: n/a                                       |  |
|                      | Concept: n/a  |  |
| Duplicate field in   |   |  |
| other sections       |   |  |

|   | <del>-</del>   |
|---|--|
| Term (Variable)   | Document   |
| Data Type   | Table col head   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required / Required  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Document   |
| Business rules  | Value Allowed: Yes Relationship: row title Concept: Amendment Date |
| Duplicate field in other sections                                 |  |

| Term (Variable)      | Sponsor Approval Date (dd/mm/yyyy) |  |
|----------------------|------------------------------------|--|
| Data Type            | Text                               |  |
| Topic, Value or      | Н                                  |  |
| Header               |                                    |  |
| Definition           |                                    |  |
| User Guidance        |                                    |  |
| Conformance          | Required                           |  |
| Cardinality          |                                    |  |
| Relationship content | Amendment Details                  |  |
| from ToC             |                                    |  |
| representing the     |                                    |  |
| protocol hierarchy   |                                    |  |
| Relationship         |                                    |  |
| (reference to high   |                                    |  |
| level conceptual     |                                    |  |
| model)               |                                    |  |
| Value                | Sponsor Approval Date (dd/mm/yyyy) |  |
| Business rules       | Value Allowed: Yes                 |  |
|                      | Relationship: Row title            |  |
|                      | Concept: n/a                       |  |
| Duplicate field in   |                                    |  |
| other sections       |                                    |  |

| _   |   |
|---|---|
| Term (Variable)   | Approximate {(#/%)} enrolled                            |
| Data Type   | Table col head  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details                                       |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Approximate {(#/%)} enrolled                            |
| Business rules  | Value Allowed: Yes Relationship: Row title Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)                   | Original or Amendment X   |  |
|-----------------------------------|---------------------------|--|
| Data Type                         | Text                      |  |
| Topic, Value or                   | Н                         |  |
| Header                            |                           |  |
| Definition                        | Heading                   |  |
| User Guidance                     |                           |  |
| Conformance                       | Required / Repeatable     |  |
| Cardinality                       |                           |  |
| Relationship content              | Amendment Details         |  |
| from ToC                          |                           |  |
| representing the                  |                           |  |
| protocol hierarchy                |                           |  |
| Relationship                      |                           |  |
| (reference to high                |                           |  |
| level conceptual                  |                           |  |
| model)                            |                           |  |
| Value                             | Original or Amendment     |  |
| Business rules                    | Value Allowed: Yes        |  |
|                                   | Relationship: Row title   |  |
|                                   | Concept: n/a              |  |
| Duplicate field in other sections | Repeat for each amendment |  |

| Term (Variable)           | X                          |
|---------------------------|----------------------------|
| Data Type                 | integer                    |
| Topic, Value or<br>Header | D                          |
| Definition                |                            |
|                           |                            |
| User Guidance             |                            |
| Conformance               | Conditional / Required     |
| Cardinality               |                            |
| Relationship content      | Amendment Details          |
| from ToC                  |                            |
| representing the          |                            |
| protocol hierarchy        |                            |
| Relationship              |                            |
| (reference to high        |                            |
| level conceptual          |                            |
| model)                    |                            |
| Value                     |                            |
| Business rules            | Value Allowed: n/a         |
|                           | Relationship: Rows content |
|                           | Concept: n/a               |
| Duplicate field in        | Repeat for each amendment  |
| other sections            |                            |

| Term (Variable)  | Amendment X Date           |
|--|----------------------------|
| Data Type  | date dd/mmm/yyyy           |
| Topic, Value or<br>Header  | D                          |
| Definition   |                            |
| User Guidance  |                            |
| Conformance  | Conditional / Required     |
| Cardinality  |                            |
| Relationship content from ToC representing the                   | Amendment Details          |
| protocol hierarchy   |                            |
| Relationship<br>(reference to high<br>level conceptual<br>model) |                            |
| Value  |                            |
| Business rules   | Value Allowed: n/a         |
|  | Relationship: Rows content |
|  | Concept: n/a               |
| Duplicate field in other sections                                | Repeat for each amendment  |

| 1 | 25 |
|---|----|
| 1 | 20 |

| T   |   |
|---|---|
| Term (Variable)   | {(#/%)} {globally/locally}}   |
| Data Type   | integer   |
| Topic, Value or<br>Header   | D   |
| Definition  | Estimated # of participants enrolled as a percentage of the expected total.   |
| User Guidance   | Good estimates are adequate, as precise enrolment figures will likely be changing while an amendment is being prepared. |
| Conformance   | Conditional / Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | " " %   |
| Business rules  | Value Allowed: Yes Relationship: Rows content Concept: n/a  |
| Duplicate field in other sections                                 | Repeat for each amendment   |

| Term (Variable)                   | {(#/%)} {globally/locally}} |
|-----------------------------------|-----------------------------|
| Data Type                         | Pick list                   |
| Topic, Value or                   | D                           |
| Header                            |                             |
| Definition                        |                             |
| User Guidance                     |                             |
| Conformance                       | Conditional / Required      |
| Cardinality                       |                             |
| Relationship content              | Amendment Details           |
| from ToC                          |                             |
| representing the                  |                             |
| protocol hierarchy                |                             |
| Relationship                      |                             |
| (reference to high                |                             |
| level conceptual                  |                             |
| model)                            |                             |
| Value                             | Global                      |
|                                   | Local                       |
| Business rules                    | Value Allowed: Yes          |
|                                   | Relationship: Rows content  |
|                                   | Concept: n/a                |
| Duplicate field in other sections | Repeat for each amendment   |

| Term (Variable)  | Current Amendment  |
|--|--------------------|
| Data Type  | Text               |
| Topic, Value or<br>Header  | Н                  |
| Definition   | Heading            |
| User Guidance  |                    |
| Conformance  | Required           |
| Cardinality  |                    |
| Relationship content from ToC representing the protocol hierarchy Relationship | Amendment Details  |
| (reference to high<br>level conceptual<br>model)                               |                    |
| Value  | Current Amendment  |
| Business rules   | Value Allowed: Yes |
|  | Relationship: n/a  |
|  | Concept: n/a       |
| Duplicate field in other sections  |                    |

| Term (Variable)                 | The table below provides an overview of the current amendment |
|---------------------------------|---|
| Data Type                       | Text  |
| Topic, Value or                 | Н   |
| Header                          |   |
| Definition                      |   |
| User Guidance                   |   |
| Conformance                     | Optional  |
| Cardinality                     |   |
| Relationship content            | Amendment Details   |
| from ToC                        |   |
| representing the                |   |
| protocol hierarchy              |   |
| Relationship (reference to high |   |
| level conceptual                |   |
| model)                          |   |
| Value                           | The table below provides an overview of the current amendment |
| Business rules                  | Value Allowed: Yes  |
|                                 | Relationship: n/a   |
|                                 | Concept: n/a  |
| Duplicate field in              | Not included in original                                      |
| other sections                  | _   |

| Term (Variable)  | Amendment Number                                  |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content from ToC representing the protocol hierarchy Relationship (reference to high level conceptual | Amendment Details                                 |
| model)   |   |
| Value  | Amendment Number                                  |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections  |   |

| Term (Variable)                   | Amendment Number   |
|-----------------------------------|--------------------|
| Data Type                         | Text               |
| Topic, Value or                   | D                  |
| Header                            |                    |
| Definition                        |                    |
| User Guidance                     |                    |
| Conformance                       | Required           |
| Cardinality                       |                    |
| Relationship content              | Amendment Details  |
| from ToC                          |                    |
| representing the                  |                    |
| protocol hierarchy                |                    |
| Relationship                      |                    |
| (reference to high                |                    |
| level conceptual                  |                    |
| model)                            |                    |
| Value                             |                    |
| Business rules                    | Value Allowed: n/a |
|                                   | Relationship: n/a  |
|                                   | Concept: n/a       |
| Duplicate field in other sections | Row 23 in BoR      |

|   | <del>-</del>                                      |
|---|---|
| Term (Variable)   | Approximate {(#/%)} enrolled                      |
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details                                 |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Approximate {(#/%)} enrolled                      |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Number or %   |
|---|---|
| Data Type   | Integer   |
| Topic, Value or<br>Header   | D   |
| Definition  | Estimated # of participants enrolled as a percentage of the expected total.   |
| User Guidance   | Good estimates are adequate, as precise enrolment figures will likely be changing while an amendment is being prepared. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details   |
| Relationship (reference to high level conceptual model) Value     |   |
| Business rules  | Value Alleweds n/a  |
| Dusiness rules  | Value Allowed: n/a Relationship: n/a  |
|   | Concept: n/a  |
| Duplicate field in other sections                                 | Row 101 of BoR  |

|                      | T                        |
|----------------------|--------------------------|
| Term (Variable)      | Reason(s) for Amendment  |
| Data Type            | Text                     |
| Topic, Value or      | Н                        |
| Header               |                          |
| Definition           |                          |
| User Guidance        |                          |
| Conformance          | Required                 |
| Cardinality          |                          |
| Relationship content | Amendment Details        |
| from ToC             |                          |
| representing the     |                          |
| protocol hierarchy   |                          |
| Relationship         |                          |
| (reference to high   |                          |
| level conceptual     |                          |
| model)               |                          |
| Value                | Reason(s) for Amendment: |
| Business rules       | Value Allowed: Yes       |
|                      | Relationship: n/a        |
|                      | Concept: n/a             |
| Duplicate field in   |                          |
| other sections       |                          |

| Term (Variable)   | Primary   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details                                 |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Primary:  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)  | Primary Reason for Amendment  |
|--|---|
| Data Type  | Pick list   |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  | Choose from the available categories as the primary reason for the amendment. Select the closest match among the choices. Changes to key measures or endpoints should be listed as a change of strategy/objective. If none apply, choose "other" and provide a description. Categories are derived from Getz, et al., DIA TIRS, 2016 "The Impact of Protocol Amendments on Clinical Trial Performance and Cost".  |
| Conformance  | Required  |
| Cardinality  | Amendment Details   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy |   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  | <ul> <li>Regulatory agency request to amend</li> <li>New regulatory guidance</li> <li>IRB/IEC feedback</li> <li>New safety information available</li> <li>Manufacturing change</li> <li>Adaptive clinical trial IMP addition</li> <li>Change in strategy</li> <li>Change in standard of care</li> <li>New data available (other than safety data)</li> <li>Investigator/site feedback</li> <li>Recruitment difficulty</li> <li>Inconsistency and/or error in the protocol</li> <li>Protocol design error</li> </ul> |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a   |
| Duplicate field in other sections  | Multiple accepted   |

| Term (Variable)  | Other   |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Optional  |
| Cardinality  |   |
| Relationship content from ToC                                    | Amendment Details                                 |
| representing the protocol hierarchy                              |   |
| Relationship<br>(reference to high<br>level conceptual<br>model) |   |
| Value  | Other:  |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                |   |

| Term (Variable)   | Other description                                 |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Optional  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details                                 |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Primary Reason for Amendment  |
|---|---|
| Data Type   | Pick List   |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required / Required   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | <ul> <li>Regulatory agency request to amend</li> <li>New regulatory guidance</li> <li>IRB/IEC feedback</li> <li>New safety information available</li> <li>Manufacturing change</li> <li>Adaptive clinical trial IMP addition</li> <li>Change in strategy</li> <li>Change in standard of care</li> <li>New data available (other than safety data)</li> <li>Investigator/site feedback</li> <li>Recruitment difficulty</li> <li>Inconsistency and/or error in the protocol</li> <li>Protocol design error</li> </ul> |
| Business rules  | Value Allowed: Yes  |
|   | Relationship: n/a   |
|   | Concept: n/a  |
| Duplicate field in other sections                                 | Multiple accepted   |

| Term (Variable)   | Other   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Conditional / Optional                            |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details                                 |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Other:  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Other description                                 |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Conditional / Optional                            |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details                                 |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Summary of Amendment                              |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Conditional / Required                            |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details                                 |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Summary of Amendment                              |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Summary of Amendment                              |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Conditional / Required                            |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details                                 |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)  | Question   |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Conditional / Required   |
| Cardinality  |  |
| Relationship content from ToC                                    | Amendment Details  |
| representing the protocol hierarchy                              |  |
| Relationship<br>(reference to high<br>level conceptual<br>model) |  |
| Value  | Is this amendment likely to have a substantial impact on  safety or rights of the subjects, or  on the reliability and robustness of the data generated in the clinical trial? |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                |  |

| Term (Variable)      | Yes/No                 |
|----------------------|------------------------|
| Data Type            | Pick list              |
| Topic, Value or      | D                      |
| Header               |                        |
| Definition           |                        |
| User Guidance        |                        |
| Conformance          | Conditional / Required |
| Cardinality          |                        |
| Relationship content | Amendment Details      |
| from ToC             |                        |
| representing the     |                        |
| protocol hierarchy   |                        |
| Relationship         |                        |
| (reference to high   |                        |
| level conceptual     |                        |
| model)               |                        |
| Value                | Yes                    |
|                      | No                     |
| Business rules       | Value Allowed: Yes     |
|                      | Relationship: n/a      |
|                      | Concept: n/a           |
| Duplicate field in   |                        |
| other sections       |                        |

| Term (Variable)  | Summary of Changes in Current Amendment   |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   | Section heading   |
| User Guidance  | Follow the steps below to prepare the summary of changes.  If a Summary of Changes already exists from a prior amendment, move it to Section 12.5, History of Previous Amendments, and populate a clean summary table for the present amendment.  List the changes that apply to the current amendment. Provide a brief description of the change(s) and a brief scientific rationale for specific changes (for example, change to individual inclusion/exclusion criteria).  Tabular presentation is common but not required. The page can be changed to landscape orientation if necessary. |
| Conformance  | Conditional / Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Amendment Details   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  | Summary of Changes in Current Amendment   |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: Protocol short title  |
| Duplicate field in other sections  |   |

| Term (Variable)                   | Section # and Name             |
|-----------------------------------|--------------------------------|
| Data Type                         | Text                           |
| Topic, Value or                   | Н                              |
| Header                            |                                |
| Definition                        |                                |
| User Guidance                     |                                |
| Conformance                       | Required                       |
| Cardinality                       |                                |
| Relationship content              | Amendment Details              |
| from ToC                          |                                |
| representing the                  |                                |
| protocol hierarchy                |                                |
| Relationship                      |                                |
| (reference to high                |                                |
| level conceptual                  |                                |
| model)                            |                                |
| Value                             | Section # and Name             |
| Business rules                    | Value Allowed: Yes             |
|                                   | Relationship: Rows content     |
|                                   | Concept: Trial purpose summary |
| Duplicate field in other sections | Repeat until complete          |

| Term (Variable)   | Location of Change             |
|---|--------------------------------|
| Data Type   | Text                           |
| Topic, Value or<br>Header   | D                              |
| Definition  |                                |
| User Guidance   |                                |
| Conformance   | Required                       |
| Cardinality   |                                |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details              |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                |
| Value   |                                |
| Business rules  | Value Allowed: n/a             |
|   | Relationship: Rows content     |
|   | Concept: Trial purpose summary |
| Duplicate field in other sections                                 | Repeat until complete          |

| Term (Variable)   | Description of Change      |
|---|----------------------------|
| Data Type   | Text                       |
| Topic, Value or<br>Header   | Н                          |
| Definition  |                            |
| User Guidance   |                            |
| Conformance   | Required                   |
| Cardinality   |                            |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details          |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                            |
| Value   | Description of Change      |
| Business rules  | Value Allowed: Yes         |
|   | Relationship: Rows content |
|   | Concept: Primary Objective |
| Duplicate field in other sections                                 | Repeat until complete      |

| Term (Variable)   | Description of Change                                |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details                                    |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a  Polationship: Pows content       |
|   | Relationship: Rows content Concept: Primary endpoint |
| Duplicate field in other sections                                 | Repeat until complete                                |

| Term (Variable)      | Brief Rationale for Change |
|----------------------|----------------------------|
| Data Type            | Text                       |
| Topic, Value or      | Н                          |
| Header               |                            |
| Definition           |                            |
| User Guidance        |                            |
| Conformance          | Required                   |
| Cardinality          |                            |
| Relationship content | Amendment Details          |
| from ToC             |                            |
| representing the     |                            |
| protocol hierarchy   |                            |
| Relationship         |                            |
| (reference to high   |                            |
| level conceptual     |                            |
| model)               |                            |
| Value                | Brief Rationale for Change |
| Business rules       | Value Allowed: Yes         |
|                      | Relationship: Rows content |
|                      | Concept: Primary endpoint  |
| Duplicate field in   | Repeat until complete      |
| other sections       |                            |

|   | 1   |
|---|---|
| Term (Variable)   | Brief Rationale for Change                    |
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required                                      |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Amendment Details                             |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: Rows content |
|   | Concept: n/a                                  |
| Duplicate field in other sections                                 | Repeat until complete                         |

| Term (Variable)   | Table of Contents                                 |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Heading   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Table of Contents                                 |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Table of Contents                                 |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)      | Table of Contents     |
|----------------------|-----------------------|
| Data Type            |                       |
| Topic, Value or      |                       |
| Header Definition    |                       |
|                      |                       |
| User Guidance        |                       |
| Conformance          | Generated / Generated |
| Cardinality          |                       |
| Relationship content |                       |
| from ToC             |                       |
| representing the     |                       |
| protocol hierarchy   |                       |
| Relationship         |                       |
| (reference to high   |                       |
| level conceptual     |                       |
| model)               |                       |
| Value                |                       |
| Business rules       | Value Allowed: n/a    |
|                      | Relationship: n/a     |
|                      | Concept: n/a          |
| Duplicate field in   |                       |
| other sections       |                       |

## **1. Protocol Summary**

| Term (Variable)  | Protocol Summary                       |
|--|--|
| Data Type  | Text                                   |
| Topic, Value or<br>Header  | Н                                      |
| Definition   |  |
| User Guidance  | No text is intended here (header only) |
| Conformance  | Required                               |
| Cardinality  |  |
| Relationship content from ToC representing the protocol hierarchy Relationship | Protocol Summary                       |
| (reference to high level conceptual model)                                     |  |
| Value  | 1. Protocol Summary                    |
| Business rules   | Value Allowed: Yes                     |
|  | Relationship: n/a                      |
|  | Concept: n/a                           |
| Duplicate field in other sections  |  |

## 156 1.1 Protocol Synopsis

| Term (Variable)   | 1.1 Protocol Synopsis   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Header  |
| User Guidance   | The protocol synopsis is a short summary of the key points of the trial.  No text is intended here (header only). |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | 1.1 Protocol Synopsis   |
| Business rules  | Value Allowed: Yes  |
|   | Relationship: n/a   |
|   | Concept: Secondary endpoint(s)  |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Primary Objective                            |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Heading                                      |
| User Guidance   |  |
| Conformance   | Required                                     |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary                             |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Primary Objective                            |
| Business rules  | Value Allowed: Yes                           |
|   | Relationship: Table header                   |
|   | Concept: n/a                                 |
| Duplicate field in other sections                                 | Section 3.1 replicated for primary/secondary |

| Term (Variable)   | Objective X  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Define the primary objective(s) and the rationale for the objective(s). Where applicable, provide information about the relevance of the objective. For multi-arm studies, ensure that each objective clarifies the way in which all of the intervention groups will be compared (e.g., A versus B, A versus C). |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: Relate endpoint Concept: n/a  |
| Duplicate field in other sections                                 | Repeat as needed   |

| Term (Variable)   | Primary Endpoint   |
|---|--------------------|
| Data Type   | Text               |
| Topic, Value or<br>Header   | Н                  |
| Definition  | Section Heading    |
| User Guidance   |                    |
| Conformance   | Required           |
| Cardinality   |                    |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                    |
| Value   | Primary Endpoint   |
| Business rules  | Value Allowed: Yes |
|   | Relationship: n/a  |
|   | Concept: n/a       |
| Duplicate field in other sections                                 |                    |

| Term (Variable)   | Endpoint X  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Define each primary endpoint(s) and the rationale for each endpoint(s). The endpoint is the variable of interest that will be obtained for each participant. The endpoint should be a clear, unambiguous, quantitative measure directly related to the corresponding objective. It may be pertinent to list the additional time points at which the endpoint/outcome will be measured if it is possible to be measured more than once during the trial. |
| Conformance   | Conditional / Conditional   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a  |
|   | Relationship: Relate to objective   |
|   | Concept: n/a  |
| Duplicate field in other sections                                 | Must be at least one endpoint per objective May be more than one endpoint per objective Repeat as needed  |

| Term (Variable)  | Secondary Objective  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   | Heading  |
| User Guidance  |  |
| Conformance  | Required / Required  |
| Cardinality  |  |
| Relationship content from ToC representing the protocol hierarchy Relationship | Protocol Summary   |
| (reference to high<br>level conceptual<br>model)                               |  |
| Value  | Secondary Objective  |
| Business rules   | Value Allowed: Yes Relationship: Table header Concept: n/a |
| Duplicate field in other sections  | Section 3.1 replicated for primary/secondary               |

| Tames (Manialala)   |   |
|---|---|
| Term (Variable)   | Objective X   |
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Define the secondary objective(s) and the rationale for the objective(s). Where applicable, provide information about the relevance of the objective. |
| Conformance   | Required / Required   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: Relate endpoint Concept: n/a   |
| Duplicate field in other sections                                 | Repeat as needed  |

| Term (Variable)      | Secondary Endpoint |
|----------------------|--------------------|
| Data Type            | Text               |
| Topic, Value or      | Н                  |
| Header               |                    |
| Definition           | Heading            |
| User Guidance        |                    |
| Conformance          | Required           |
| Cardinality          |                    |
| Relationship content | Protocol Summary   |
| from ToC             |                    |
| representing the     |                    |
| protocol hierarchy   |                    |
| Relationship         |                    |
| (reference to high   |                    |
| level conceptual     |                    |
| model)               |                    |
| Value                | Secondary Endpoint |
| Business rules       | Value Allowed: Yes |
|                      | Relationship: n/a  |
|                      | Concept: n/a       |
| Duplicate field in   |                    |
| other sections       |                    |
| Other Sections       |                    |

| Term (Variable)   | Endnaint V   |
|---|--|
| ` '   | Endpoint X   |
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Define each secondary endpoint(s) and the rationale for each endpoint(s).                                |
| Conformance   | Conditional / Conditional  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: Relate to object   |
|   | Concept: n/a   |
| Duplicate field in other sections                                 | Must be at least one endpoint per objective May be more than one endpoint per objective repeat as needed |

| Term (Variable)   | Overall Design                                    |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Heading   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary                                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Overall Design                                    |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)  | Several key aspects of the trial design are summarised below |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content from ToC representing the protocol hierarchy Relationship | Protocol Summary   |
| (reference to high<br>level conceptual<br>model)                               |  |
| Value  | Several key aspects of the trial design are summarised below |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a            |
| Duplicate field in other sections  | • '  |

| Term (Variable)      | Intervention Model             |
|----------------------|--------------------------------|
| Data Type            | Text                           |
| Topic, Value or      | Н                              |
| Header               |                                |
| Definition           |                                |
| User Guidance        |                                |
| Conformance          | Required                       |
| Cardinality          |                                |
| Relationship content | Protocol Summary               |
| from ToC             | ,                              |
| representing the     |                                |
| protocol hierarchy   |                                |
| Relationship         |                                |
| (reference to high   |                                |
| level conceptual     |                                |
| model)               |                                |
| Value                | Intervention Model             |
| Business rules       | Value Allowed: Yes             |
|                      | Relationship: Table Cell title |
|                      | Concept: n/a                   |
| Duplicate field in   |                                |
| other sections       |                                |
| Other Scotions       |                                |

| _                               |  |
|---------------------------------|--|
| Term (Variable)                 | Intervention Model   |
| Data Type                       | Pick List  |
| Topic, Value or                 | D  |
| Header                          |  |
| Definition                      |  |
| User Guidance                   | Intervention model (for example, single group, parallel group, cross-  |
|                                 | over, factorial, sequential, other)                                    |
| Conformance                     | Required   |
| Cardinality                     |  |
| Relationship content            | Protocol Summary   |
| from ToC                        |  |
| representing the                |  |
| protocol hierarchy              |  |
| Relationship (reference to high |  |
| level conceptual                |  |
| model)                          |  |
| Value                           | Single group, parallel group, cross-over, factorial, sequential, other |
| Business rules                  | Value Allowed: Yes   |
|                                 | Relationship: n/a  |
|                                 | Concept: n/a   |
| Duplicate field in              |  |
| other sections                  |  |

| Term (Variable)   | Population Type  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Population Type  |
| Business rules  | Value Allowed: Yes Relationship: Table Cell title Concept: n/a |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | Population Type  |
|--|--|
| Data Type  | Pick List  |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content from ToC representing the protocol hierarchy Relationship | Protocol Summary   |
| (reference to high level conceptual model)                                     |  |
| Value  | healthy volunteers, adult patients, paediatric patients, other |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a              |
| Duplicate field in other sections  | • '  |

| Term (Variable)      | Control                        |
|----------------------|--------------------------------|
| Data Type            | Text                           |
| Topic, Value or      | Н                              |
| Header               |                                |
| Definition           |                                |
| User Guidance        |                                |
| Conformance          | Required                       |
| Cardinality          |                                |
| Relationship content | Protocol Summary               |
| from ToC             |                                |
| representing the     |                                |
| protocol hierarchy   |                                |
| Relationship         |                                |
| (reference to high   |                                |
| level conceptual     |                                |
| model)               |                                |
| Value                | Control                        |
| Business rules       | Value Allowed: Yes             |
|                      | Relationship: Table cell title |
|                      | Concept: n/a                   |
| Duplicate field in   |                                |
| other sections       |                                |

| Term (Variable)  | Control  |
|--|--|
| Data Type  | Pick List  |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | Control method (for example, placebo, active comparator, low dose, historical, standard of care, sham procedure, or none [uncontrolled]) |
| Conformance  | Required   |
| Cardinality  | ·  |
| Relationship content from ToC                                    | Protocol Summary   |
| representing the protocol hierarchy                              |  |
| Relationship<br>(reference to high<br>level conceptual<br>model) |  |
| Value  | placebo, active comparator, low dose, historical, standard of care, sham procedure, or none [uncontrolled]                               |
| Business rules   | Value Allowed: Yes   |
|  | Relationship: n/a  |
|  | Concept: n/a   |
| Duplicate field in other sections                                |  |

| Term (Variable)  | Population Diagnosis or Condition |
|--|-----------------------------------|
| Data Type  | Text                              |
| Topic, Value or<br>Header  | Н                                 |
| Definition   |                                   |
| User Guidance  |                                   |
| Conformance  | Required                          |
| Cardinality  |                                   |
| Relationship content from ToC representing the protocol hierarchy Relationship | Protocol Summary                  |
| (reference to high level conceptual model)                                     |                                   |
| Value  | Population Diagnosis or Condition |
| Business rules   | Value Allowed: Yes                |
|  | Relationship: Table cell title    |
|  | Concept: n/a                      |
| Duplicate field in other sections  |                                   |

| Term (Variable)  | Population Diagnosis or Condition  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | Control method (for example, placebo, active comparator, low dose, historical, standard of care, sham procedure, or none [uncontrolled]) |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content from ToC                                    | Protocol Summary   |
| representing the protocol hierarchy                              |  |
| Relationship<br>(reference to high<br>level conceptual<br>model) |  |
| Value  | CT: "acute lung injury," or a specific biomarker profile); indicate "N/A – Healthy" for studies in healthy volunteers                    |
| Business rules   | Value Allowed: Yes   |
|  | Relationship: n/a  |
|  | Concept: n/a   |
| Duplicate field in other sections                                |  |

| Term (Variable)      | Active Comparator              |
|----------------------|--------------------------------|
| Data Type            | Text                           |
| Topic, Value or      | Н                              |
| Header               |                                |
| Definition           |                                |
| User Guidance        |                                |
| Conformance          | Required                       |
| Cardinality          |                                |
| Relationship content | Protocol Summary               |
| from ToC             |                                |
| representing the     |                                |
| protocol hierarchy   |                                |
| Relationship         |                                |
| (reference to high   |                                |
| level conceptual     |                                |
| model)               |                                |
| Value                | Active Comparator              |
| Business rules       | Value Allowed: Yes             |
|                      | Relationship: Table Cell title |
|                      | Concept: n/a                   |
| Duplicate field in   |                                |
| other sections       |                                |

| Towns (Veriable)  |   |
|---|---|
| Term (Variable)   | Active Comparator   |
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Active comparator, if applicable; indicate N/A if not applicable. |
| Conformance   | Conditional/ Required   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | If applicable; indicate N/A if not applicable                     |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a                 |
| Duplicate field in other sections                                 | • '   |

| Term (Variable)   | Population Age  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   | Population age range (for example 0-3 mos, 18-80 years old). List N/A if a maximum or minimum age limit does not apply. For trials in which multiple age ranges may be eligible (for example, a younger cohort and an older cohort), indicate the minimum and maximum ages for the trial overall, with an additional comment for any excluded age ranges. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Population Age  |
| Business rules  | Value Allowed: Yes Relationship: Table cell title Concept: n/a  |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Minimum                        |
|---|--------------------------------|
| Data Type   | Text                           |
| Topic, Value or<br>Header   | Н                              |
| Definition  |                                |
| User Guidance   |                                |
| Conformance   | Required                       |
| Cardinality   |                                |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary               |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                |
| Value   | Minimum                        |
| Business rules  | Value Allowed: Yes             |
|   | Relationship: Table cell entry |
|   | Concept: n/a                   |
| Duplicate field in other sections                                 |                                |

| Term (Variable)      | Minimum age  |
|----------------------|--|
| Data Type            | Integer  |
| Topic, Value or      | D  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          | Required   |
| Cardinality          |  |
| Relationship content | Protocol Summary   |
| from ToC             | , and the second |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                |  |
| Business rules       | Value Allowed: n/a   |
|                      | Relationship: n/a  |
|                      | Concept: n/a   |
| Duplicate field in   |  |
| other sections       |  |

| Term (Variable)  | Maximum  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  | Maximum  |
| Business rules   | Value Allowed: Yes Relationship: Table Cell entry Concept: n/a |
| Duplicate field in other sections  |  |

| Term (Variable)      | Maximum age        |
|----------------------|--------------------|
| Data Type            | Integer            |
| Topic, Value or      | D                  |
| Header               |                    |
| Definition           |                    |
| User Guidance        |                    |
| Conformance          | Required           |
| Cardinality          |                    |
| Relationship content | Protocol Summary   |
| from ToC             | ·                  |
| representing the     |                    |
| protocol hierarchy   |                    |
| Relationship         |                    |
| (reference to high   |                    |
| level conceptual     |                    |
| model)               |                    |
| Value                |                    |
| Business rules       | Value Allowed: n/a |
|                      | Relationship: n/a  |
|                      | Concept: n/a       |
| Duplicate field in   |                    |
| other sections       |                    |

| Term (Variable)  | Age units   |
|--|---|
| Data Type  | Pick List   |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Protocol Summary                                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  | Weeks, months, years                              |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections  |   |

| Term (Variable)      | Trial Intervention Assignment Method |
|----------------------|--------------------------------------|
| Data Type            | Text                                 |
| Topic, Value or      | Н                                    |
| Header               |                                      |
| Definition           |                                      |
| User Guidance        |                                      |
| Conformance          | Required                             |
| Cardinality          |                                      |
| Relationship content | Protocol Summary                     |
| from ToC             |                                      |
| representing the     |                                      |
| protocol hierarchy   |                                      |
| Relationship         |                                      |
| (reference to high   |                                      |
| level conceptual     |                                      |
| model)               |                                      |
| Value                | Trial Intervention Assignment Method |
| Business rules       | Value Allowed: Yes                   |
|                      | Relationship: n/a                    |
|                      | Concept: n/a                         |
| Duplicate field in   |                                      |
| other sections       |                                      |

| Term (Variable)   | Trial Intervention Assignment Method  |
|---|---|
| Data Type   | Pick List   |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Trial intervention assignment method (for example, randomisation, stratification, or both). Do NOT state block size. If assignment to intervention is by randomisation, describe when randomisation occurs relative to screening. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Randomisation, stratification, or both randomisation and stratification   |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Randomisation time  |
|---|---|
| Data Type   |   |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Conditional   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Relative to screening                                       |
| Business rules  | Value Allowed: Yes Relationship: Randomisation Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Site Distribution                                 |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary                                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Site Distribution                                 |
| Business rules  | Value Allowed: Yes Relationship: N/A Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Geographic scope   |
|---|--|
| Data Type   | Pick List  |
| Topic, Value or<br>Header   | D  |
| Definition  | Geographic scope of trial  |
| User Guidance   | Geographic scope of trial (select from: single-centre, multi-centre, or multi-centre and multi-national). If none of these applies, indicate other and describe. |
| Conformance   | Required / Required  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Examples: single-center, multi-center, or multi-center, multi-national   |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 | •  |

| Term (Variable)   | Geographic scope other                            |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Conditional / Required                            |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary                                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | ISO Country Code List                             |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)      | Number of Arms     |
|----------------------|--------------------|
| Data Type            | Text               |
| Topic, Value or      | Н                  |
| Header               |                    |
| Definition           |                    |
| User Guidance        |                    |
| Conformance          | Required           |
| Cardinality          |                    |
| Relationship content | Protocol Summary   |
| from ToC             | ,                  |
| representing the     |                    |
| protocol hierarchy   |                    |
| Relationship         |                    |
| (reference to high   |                    |
| level conceptual     |                    |
| model)               |                    |
| Value                | Number of Arms     |
| Business rules       | Value Allowed: Yes |
|                      | Relationship: n/a  |
|                      | Concept: n/a       |
| Duplicate field in   |                    |
| other sections       |                    |

| Term (Variable)   | Number of Arms  |
|---|---|
| Data Type   | integer   |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Enter the numeric value for the number of arms in the trial. For trials with a different number of arms in different periods, populate this field based on the period with the greatest number of arms. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Greatest number of arms   |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Blinding  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary                                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Blinding  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| T () (                  |   |
|-------------------------|---|
| Term (Variable)         | The following roles indicated below will not be made aware of the |
|                         | treatment group assignment during the trial                       |
| Data Type               | Text  |
| Topic, Value or         | Н   |
| Header                  |   |
| Definition              |   |
| User Guidance           |   |
| Conformance             | Required  |
| Cardinality             |   |
| Relationship content    | Protocol Summary  |
| from ToC                |   |
| representing the        |   |
| protocol hierarchy      |   |
| Relationship            |   |
| (reference to high      |   |
| level conceptual model) |   |
| Value                   | The following roles indicated below will not be made aware of the |
|                         | treatment group assignment during the trial                       |
| Business rules          | Value Allowed: Yes  |
| Buomoco i ulco          |   |
|                         | Relationship: n/a   |
|                         | Concept: n/a  |
| Duplicate field in      |   |
| other sections          |   |

| Term (Variable)   | Blinding roles   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | For trial designs in which these details may differ in one or more trial periods, answer according to the portion of the trial in which the greatest blinding occurs. More details can be provided in the main body of the protocol. Note that this list does not include Sponsor staff or their designees who are routinely unmasked to complete ongoing safety oversight and surveillance reporting. |
| Conformance   | Required / Conditional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Participant, Care Provider, Investigator, Outcomes Assessor, Not applicable, No Blinding   |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

| Term (Variable)      | Number of participants |
|----------------------|------------------------|
| Data Type            | Text                   |
| Topic, Value or      | Н                      |
| Header               |                        |
| Definition           |                        |
| User Guidance        |                        |
| Conformance          | Required               |
| Cardinality          |                        |
| Relationship content | Protocol Summary       |
| from ToC             | ·                      |
| representing the     |                        |
| protocol hierarchy   |                        |
| Relationship         |                        |
| (reference to high   |                        |
| level conceptual     |                        |
| model)               |                        |
| Value                |                        |
| Business rules       | Value Allowed: n/a     |
|                      | Relationship: n/a      |
|                      | Concept: n/a           |
| Duplicate field in   | - Concepting a         |
| other sections       |                        |
|                      |                        |

| Term (Variable)   | Number  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   | State the expected number of participants to be assigned to trial intervention. Indicate whether the number provided is the target or maximum number of individuals to be enrolled. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Number  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | [randomly assigned to trial intervention/enrolled] |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary                                   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Randomly assigned to Trial intervention/ enrolled  |
| Business rules  | Value Allowed: Yes                                 |
|   | Relationship: n/a Concept: n/a                     |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | {x}                            |
|---|--------------------------------|
| Data Type   | Integer                        |
| Topic, Value or<br>Header   | D                              |
| Definition  |                                |
| User Guidance   |                                |
| Conformance   | Required                       |
| Cardinality   |                                |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary               |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                |
| Value   |                                |
| Business rules  | Value Allowed: Yes             |
|   | Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |                                |

| Term (Variable)   | [Target/Maximum]                                  |
|---|---|
| Data Type   | Integer   |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary                                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Target/Maximum                                    |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 | .,  |

| Term (Variable)   | Arms and Duration   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   | Select the text that applies to the trial. Note that total duration of participation should include any washout and any follow-up periods in which the participant is not receiving trial intervention. Where the total durations can be provided, indicate whether the duration is approximate, and delete terms that are not applicable (for example, for a trial of only a few days, delete the years and months terms). When duration cannot be approximated, provide a short explanation (for example, "event-driven" or "adaptive design"). |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Arms and Duration   |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Total duration of trial intervention for each participant: |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary   |
| Relationship (reference to high level conceptual model)           |  |
| Value   | Total duration of trial intervention for each participant: |
| Business rules  | Value Allowed: Yes   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Approximately                  |
|---|--------------------------------|
| Data Type   | Text                           |
| Topic, Value or<br>Header   | D                              |
| Definition  |                                |
| User Guidance   |                                |
| Conformance   | Choice 1 / Required            |
| Cardinality   |                                |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary               |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                |
| Value   | Approximately                  |
| Business rules  | Value Allowed: Yes             |
|   | Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |                                |

| Term (Variable)   | X   |
|---|---|
| Data Type   | Integer   |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary                                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Year(s)/[x] Month(s)/[x] Day(s) |
|---|---------------------------------|
| Data Type   | Pick List                       |
| Topic, Value or<br>Header   | D                               |
| Definition  |                                 |
| User Guidance   |                                 |
| Conformance   | Required                        |
| Cardinality   |                                 |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary                |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                 |
| Value   |                                 |
| Business rules  | Value Allowed: n/a              |
|   | Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |                                 |

| Term (Variable)   | Duration will vary |
|---|--------------------|
| Data Type   | Text               |
| Topic, Value or<br>Header   | D                  |
| Definition  |                    |
| User Guidance   |                    |
| Conformance   | Choice 2           |
| Cardinality   |                    |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                    |
| Value   | Duration will vary |
| Business rules  | Value Allowed: Yes |
|   | Relationship: n/a  |
|   | Concept: n/a       |
| Duplicate field in other sections                                 |                    |

| Term (Variable)      | Reason duration of trial participation will vary   |
|----------------------|--|
| Data Type            | Pick List  |
| Topic, Value or      | D  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          | Required   |
| Cardinality          |  |
| Relationship content | Protocol Summary   |
| from ToC             | , and the second |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                | "Event-driven" or "adaptive design   |
| Business rules       | Value Allowed: Yes   |
|                      | Relationship: Complete   |
|                      | Concept: n/a   |
| Duplicate field in   |  |
| other sections       |  |

| Term (Variable)   | Arms and Duration Description |
|---|-------------------------------|
| Data Type   | Text                          |
| Topic, Value or<br>Header   | Н                             |
| Definition  |                               |
| User Guidance   |                               |
| Conformance   | Optional                      |
| Cardinality   |                               |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary              |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                               |
| Value   | Arms and Duration Description |
| Business rules  | Value Allowed: Yes            |
|   | Relationship: n/a             |
|   | Concept: n/a                  |
| Duplicate field in other sections                                 |                               |

| Term (Variable)   | Total duration of trial participation for each participant with sequence |
|---|--|
|   | and duration of trial periods (for example, screening, run-in, fixed     |
|   | dose/titration, follow-up/washout periods                                |
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Optional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a                        |
| Duplicate field in other sections                                 | •  |

| <b>T</b> ()/ : !! )                 |  |
|-------------------------------------|--|
| Term (Variable)                     | Dose regimens in each trial period and stage (if applicable) including   |
|                                     | frequency (for example, twice daily) and route of administration and   |
|                                     | criteria for individualised dosing (for example, participant weight or   |
|                                     | plasma concentrations), if applicable.   |
| Data Type                           | Text   |
| Topic, Value or<br>Header           | D  |
| Definition                          |  |
| User Guidance                       |  |
| Conformance                         | Optional   |
| Cardinality                         |  |
| Relationship content                | Protocol Summary   |
| from ToC                            | , and the second |
| representing the protocol hierarchy |  |
| Relationship                        |  |
| (reference to high                  |  |
| level conceptual                    |  |
| model)<br>Value                     |  |
| Value Business rules                |  |
| Business rules                      | Value Allowed: n/a   |
|                                     | Relationship: n/a  |
|                                     | Concept: n/a   |
| Duplicate field in                  |  |
| other sections                      |  |

| Term (Variable)   | Rules/procedures for any dose changes/adjustments including flexible dosing; dose reductions, dose interruptions, or tapering; discontinuation; and any circumstances for resuming trial intervention, as applicable |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Optional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Committee  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   | Indicate whether any committee(s) will be reviewing data while the trial is ongoing, and the type of committee. Common examples include Data Monitoring Committee, Dose Escalation Committee, or Endpoint Adjudication Committee; describe others, if applicable. List independent committees in the space indicated. Other committees may be included at the Sponsor's discretion in the separate space provided. Committees listed here should be fully described in Section 10.3, Committees Structure. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Committee  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Committee Name   |
|---|--|
| Data Type   | Pick List  |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Data Monitoring Committee, Dose Escalation Committee, or Endpoint Adjudication Committee, other none |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | sponsor committee                                 |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Optional  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary                                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 | Repeat as needed                                  |

| Term (Variable)   | Independent Committees:        |
|---|--------------------------------|
| Data Type   | Text                           |
| Topic, Value or<br>Header   | Н                              |
| Definition  |                                |
| User Guidance   |                                |
| Conformance   | Required                       |
| Cardinality   |                                |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary               |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                |
| Value   | Independent Committees:        |
| Business rules  | Value Allowed: Yes             |
|   | Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |                                |

| Term (Variable)      | Independent Committee Name |
|----------------------|----------------------------|
| Data Type            | Text                       |
| Topic, Value or      | D                          |
| Header               |                            |
| Definition           |                            |
| User Guidance        |                            |
| Conformance          | Required                   |
| Cardinality          |                            |
| Relationship content | Protocol Summary           |
| from ToC             | ,                          |
| representing the     |                            |
| protocol hierarchy   |                            |
| Relationship         |                            |
| (reference to high   |                            |
| level conceptual     |                            |
| model)               |                            |
| Value                | n/a or text value          |
| Business rules       | Value Allowed: Yes         |
|                      | Relationship: n/a          |
|                      | Concept: n/a               |
| Duplicate field in   | Repeat as needed           |
| other sections       |                            |

| Term (Variable)   | Independent Other committee    |
|---|--------------------------------|
| Data Type   | Text                           |
| Topic, Value or<br>Header   | D                              |
| Definition  |                                |
| User Guidance   |                                |
| Conformance   | Optional                       |
| Cardinality   |                                |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary               |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                |
| Value   |                                |
| Business rules  | Value Allowed: n/a             |
|   | Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 | Repeat as needed               |

| Term (Variable)   | other Committees:  |
|---|--------------------|
| Data Type   | Text               |
| Topic, Value or<br>Header   | Н                  |
| Definition  |                    |
| User Guidance   |                    |
| Conformance   | Optional           |
| Cardinality   |                    |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                    |
| Value   | other Committees:  |
| Business rules  | Value Allowed: Yes |
|   | Relationship: n/a  |
|   | Concept: n/a       |
| Duplicate field in  |                    |
| other sections  |                    |

| Term (Variable)   | Other Committee Name                              |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Optional  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary                                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

### 221 1.2 Trial Schema

| Term (Variable)   | Trial Schema   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Heading  |
| User Guidance   | The purpose of this section is to provide a visual depiction of the trial design, orienting users of the protocol to the key features of the trial design. The schema depicts the trial arms, the flow of individual participants through the progression of trial period(s)/epochs (such as screening, washout/run-in, intervention, and key milestones [for example, randomisation, cross-over, end of treatment]). For complex trials, additional schemas may be added to describe activities or trial periods in greater detail. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Trial Schema   |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | Trial Schema   |
|--|--|
| Data Type  | Image  |
| Topic, Value or<br>Header  | D  |
| Definition   | Visual depiction of the trial design, orienting users of the protocol to the key features of the trial design. The schema depicts the flow of individual participants through the progression of trialtrial period(s)/epochs (such as screening, washout/run-in, intervention, and key milestones (for example, randomisation, crossover, end of treatment).   |
| User Guidance  | Key visits may also be included to aid understanding and accurate execution of the trial and should correspond to the details presented in the Schedule of Activities. Reviewers will appreciate information regarding the number of subjects per treatment group, number of treatment groups, how participants are randomised to treatment groups, and duration of trial. Usually, trial schemas are presented with time progressing from left to right. The page can be changed to landscape orientation, if necessary.  The schema should fit onto a single page and reflect the entire duration of the trial. For complex trials, additional schemas may be added to describe activities or trial periods in greater detail. |
| Conformance  | Required   |
| Cardinality  | ·  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)<br>Value  |  |
| Business rules   | Value Allewade v /a  |
| Dusiliess luies  | Value Allowed: n/a Relationship: n/a   |
|  | Concept: n/a   |
| Duplicate field in other sections  | Concept nya  |

| Term (Variable)   | Trial Schema discussion                           |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Optional  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary                                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

### 225 1.3 Schedule of Activities

| Term (Variable)   | Schedule of Activities   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Heading  |
| User Guidance   | The schedule of activities must capture the procedures that will be accomplished at each trial visit, and all contact with trial participants, for example, telephone contacts. This includes any tests that are used for eligibility, participant randomisation or stratification, or decisions on trial intervention discontinuation. Allowable windows should be stated for all visits. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Schedule of Activities   |
| Business rules  | Value Allowed: Yes   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Schedule of Activities         |
|---|--------------------------------|
| Data Type   | Text                           |
| Topic, Value or<br>Header   | D                              |
| Definition  |                                |
| User Guidance   |                                |
| Conformance   | Required                       |
| Cardinality   |                                |
| Relationship content from ToC representing the protocol hierarchy | Protocol Summary               |
| Relationship (reference to high level conceptual model)  Value    |                                |
| Business rules  | Value Allowed: n/a             |
|   | Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 | • .                            |

### **2.** Introduction

| Term (Variable)  | Introduction       |
|--|--------------------|
| Data Type  | Text               |
| Topic, Value or<br>Header  | Н                  |
| Definition   | Heading            |
| User Guidance  |                    |
| Conformance  | Required           |
| Cardinality  |                    |
| Relationship content from ToC representing the protocol hierarchy Relationship | Introduction       |
| (reference to high level conceptual model)                                     |                    |
| Value  | Introduction       |
| Business rules   | Value Allowed: Yes |
|  | Relationship: n/a  |
|  | Concept: n/a       |
| Duplicate field in other sections  |                    |

### **2.1 Purpose of Trial**

| Term (Variable)  | Purpose of Trial   |
|--|--------------------|
| Data Type  | Text               |
| Topic, Value or<br>Header  | Н                  |
| Definition   | Heading            |
| User Guidance  |                    |
| Conformance  | Required           |
| Cardinality  |                    |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship<br>(reference to high | Introduction       |
| level conceptual model)  |                    |
| Value  | Purpose of Trial   |
| Business rules   | Value Allowed: Yes |
|  | Relationship: n/a  |
|  | Concept: n/a       |
| Duplicate field in other sections  |                    |

| Term (Variable)  | Purpose of Trial  |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   | Clear explanation of the research question/hypothesis and the justification of the trial i.e. why the question is worth asking and, through consultation with public and patient groups, why answering this question is worthwhile to patients.   |
| User Guidance  | Explain why the trial is needed, why the research questions being asked are important and, where applicable, why closely related questions are not being covered. Do not restate the IB.  |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Introduction  |
| Relationship<br>(reference to high<br>level conceptual<br>model)<br>Value  |   |
| Business rules   | No. 1 and 1 |
| Duplicate field in   | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| other sections   |   |

## **2.2 Summary of Benefits and Risks**

| Term (Variable)   | Summary of Benefits and Risks                     |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Heading   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Introduction                                      |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Summary of Benefits and Risks                     |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Benefit Summary                                   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Introduction                                      |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Benefit Summary                                   |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Benefit Summary   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | The benefit summary should be written from the perspective of an individual participant, and should describe any physical, psychological, social, legal, or any other potential benefits to individual participants as a result of participating in the trial, addressing immediate potential benefits and/or long-range potential benefits. Clearly state if no benefits to an individual participant can be anticipated, or if potential benefits are unknown. For early clinical studies such as Phase 1, benefits for an individual participant (other than those of altruism) are expected to be minimal.  Benefits to society in general may also be included but should be discussed separately. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Introduction  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a  |
|   | Relationship: n/a   |
|   | Concept: n/a  |
| Duplicate field in other sections                                 |   |

| Term (Variable)      | Risk Summary and Mitigation Strategy |
|----------------------|--------------------------------------|
| Data Type            | Text                                 |
| Topic, Value or      | Н                                    |
| Header               |                                      |
| Definition           | Heading                              |
| User Guidance        |                                      |
| Conformance          | Required                             |
| Cardinality          |                                      |
| Relationship content | Introduction                         |
| from ToC             |                                      |
| representing the     |                                      |
| protocol hierarchy   |                                      |
| Relationship         |                                      |
| (reference to high   |                                      |
| level conceptual     |                                      |
| model)               |                                      |
| Value                | Risk Summary and Mitigation Strategy |
| Business rules       | Value Allowed: Yes                   |
|                      | Relationship: n/a                    |
|                      | Concept: n/a                         |
| Duplicate field in   |                                      |
| other sections       |                                      |

| Term (Variable)  | Trial Specific Discussion of intervention Risks and Mitigation   |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | Trial Intervention – Discuss risks related to trial-specific treatments and interventions. For the protocol, focus discussion only on the relevant key risks for THIS trial. Provide a brief description of strategies to mitigate identified risks or provide a cross-reference to the relevant protocol section. |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Introduction   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  |  |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections  |  |

| Term (Variable)   | Trial Specific discussion of Procedure (s) Risks and Mitigation  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Trial Procedures – Consider risks associated with the trial design and procedures specific to THIS trial (for example, biopsies) or design (for example, placebo arm), and any measures to control the risks. Provide a brief description of strategies to mitigate identified risks or provide a cross-reference to the relevant protocol section. This is not intended to be an exhaustive list of all possible risks associated with trial procedures but should focus on the unique risks inherent in the design or less common or high-risk procedures. As above, provide a brief description of strategies to mitigate identified risks or provide a cross-reference to the relevant protocol section. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Introduction   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Trial specific Discussion of other Risks and Mitigations  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Other – Consider risks associated with other items (for example, comparators, challenge agents, imaging agents, medical devices).  Insert a line for each, as needed. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy Relationship (reference to high | Introduction  |
| level conceptual model)   |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections   | • •   |

| Term (Variable)   | Overall Benefit: Risk Conclusion                  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Heading   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Introduction                                      |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Overall Benefit: Risk Conclusion                  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Overall Benefit: Risk Conclusion   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Succinct, concluding statement on the perceived balance between risks that have been identified from cumulative safety data, protocol procedures and anticipated efficacy/benefits within the context of the proposed trial.   |
| User Guidance   | Risks need to be weighed against the benefits for the individual participant.  |
|   | Clinical trials should generally pose only minimal risks to incapacitated subjects, minors, pregnant or breastfeeding women, and clinical trials conducted in emergency situations. Refer to local guidelines for specific requirements or benefit/risk thresholds in these populations and ensure that these are addressed here, if applicable. |
|   | Outcomes of discussions with regulatory authorities as related to benefit/risk and reporting may be summarised here if it provides useful insights for the investigator.   |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Introduction   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

## **3.** Trial Objectives, Endpoints and Estimands

| Term (Variable)   | Trial Objectives, Endpoints, and Estimands  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Heading   |
| User Guidance   | In this section, precisely define each clinical question of interest by stating each trial objective and specifying the endpoint(s) and estimand(s) that correspond to each trial objective. Ensure alignment with every other section of the protocol.  Include additional level 2 headers under Section 3 Trial Objectives, Endpoints, and Estimands as needed. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Objectives, Endpoints, and Estimands  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Trial Objectives, Endpoints, and Estimands  |
| Business rules  | Value Allowed: Yes Relationship: Master for Summary of Changes in Current Amendment Concept: n/a  |
| Duplicate field in other sections                                 |   |

# 3.1 {Primary/Secondary/Exploratory} Objective + Associated Endpoint {and Estimand}

| Term (Variable)  | {Primary/Secondary/Exploratory} Objective + Associated Endpoint {and               |
|--|--|
|  | Estimand}  |
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required / Repeated  |
| Cardinality  |  |
| Relationship content from ToC                                    | Trial Objectives, Endpoints, and Estimands   |
| representing the protocol hierarchy                              |  |
| Relationship<br>(reference to high<br>level conceptual<br>model) |  |
| Value  | 3.X {Primary/Secondary/Exploratory} Objective + Associated Endpoint {and Estimand} |
| Business rules   | Value Allowed: Yes   |
|  | Relationship: Repeats for Primary, Secondary, Exploratory                          |
|  | Concept: n/a   |
| Duplicate field in other sections                                | Repeated and numbered for each objective-endpoint(s) combination                   |

246

| Term (Variable)                   | (Duine am / Canandam / Evalametam ) Objective                    |
|-----------------------------------|--|
| ` '                               | {Primary/Secondary/Exploratory} Objective                        |
| Data Type                         | Text   |
| Topic, Value or                   | H  |
| Header                            |  |
| Definition                        |  |
| User Guidance                     |  |
| Conformance                       | Required / Repeated  |
| Cardinality                       |  |
| Relationship content              | Trial Objectives, Endpoints, and Estimands                       |
| from ToC                          |  |
| representing the                  |  |
| protocol hierarchy                |  |
| Relationship                      |  |
| (reference to high                |  |
| level conceptual                  |  |
| model)                            |  |
| Value                             | {Primary/Secondary/Exploratory} Objective                        |
| Business rules                    | Value Allowed: Yes   |
|                                   | Relationship: "Table Headers                                     |
|                                   | Repeats for primary, Secondary, Exploratory"                     |
|                                   | Concept: n/a   |
| Duplicate field in other sections | Repeated and numbered for each objective-endpoint(s) Combination |

| Term (Variable)   | {Primary/Secondary/Exploratory} Endpoint  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required / Repeated   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Objectives, Endpoints, and Estimands  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | {Primary/Secondary/Exploratory} Endpoint  |
| Business rules  | Value Allowed: Yes Relationship: Table Headers Repeats for primary, Secondary, Exploratory Concept: n/a |
| Duplicate field in other sections                                 | Repeated and numbered for each objective-endpoint(s) Combination  |

| Term (Variable)      | [Objective]  |
|----------------------|--|
| Data Type            | Text   |
| Topic, Value or      | D  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          | Required / one per number  |
| Cardinality          |  |
| Relationship content | Trial Objectives, Endpoints, and Estimands                       |
| from ToC             |  |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model) Value         |  |
|                      |  |
| Business rules       | Value Allowed: n/a   |
|                      | Relationship: "Table Entry one per number                        |
|                      | Repeats for additional"  |
|                      | Concept: n/a   |
| Duplicate field in   | Multiple relates to objective                                    |
| other sections       | Repeated and numbered for each objective-endpoint(s) combination |

| Term (Variable)                     | [Endpoint]   |
|-------------------------------------|--|
| Data Type                           | Text   |
| Topic, Value or                     | D  |
| Header                              |  |
| Definition                          |  |
| User Guidance                       |  |
| Conformance                         | Required / Repeated  |
| Cardinality                         |  |
| Relationship content                | Trial Objectives, Endpoints, and Estimands                                   |
| from ToC                            |  |
| representing the protocol hierarchy |  |
| Relationship                        |  |
| (reference to high                  |  |
| level conceptual                    |  |
| model)<br>Value                     |  |
| Business rules                      |  |
| Business rules                      | Value Allowed: n/a   |
|                                     | <b>Relationship:</b> Table entry relates to objective multiple for objective |
|                                     | Repeats as aligned with objective  |
|                                     | Repeats  |
|                                     | Concept: n/a   |
| Duplicate field in                  | One per number area  |
| other sections                      | Repeated and numbered for each objective-endpoint(s) combination             |

|  | <del>,</del>   |
|--|--|
| Term (Variable)  | {Primary/Secondary/Exploratory} Estimand                         |
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   | Heading  |
| User Guidance  |  |
| Conformance  | Required / Repeated  |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Objectives, Endpoints, and Estimands                       |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  | {Primary/Secondary/Exploratory} Estimand                         |
| Business rules   | Value Allowed: Yes   |
|  | Relationship: Repeat for   |
|  | Concept: n/a   |
| Duplicate field in other sections  | Repeated and numbered for each objective-endpoint(s) combination |

| Term (Variable)   | [Estimand Description]  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Describe the attributes that construct the estimand: the treatment condition of interest, the population of patients targeted by the clinical question of interest, other intercurrent events (if applicable), a population level summary, and the endpoint (or variable) specified in the table above. |
| Conformance   | Required / Repeat for   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Objectives, Endpoints, and Estimands  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a  |
|   | Relationship: Repeat for  |
|   | Concept: n/a  |
| Duplicate field in other sections                                 | Repeated and numbered for each objective-endpoint(s) Combination  |

### 253 4. Trial Design

| Term (Variable)  | Trial Design   |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   | Heading  |
| User Guidance  | In this section, describe the trial design with specific mention, as applicable, of the components of an adequate and well-controlled trial. The description of the trial design should be concise and consistent across Section 1.1, Protocol Synopsis and Section 1.2, Trial Schema. |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Design   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  | Trial Design   |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections  |  |

## 4.1 Description of Trial Design

| Term (Variable)   | Description of Trial Design  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | heading  |
| User Guidance   | Describe the trial intervention model (for example, single group, parallel group, cross-over, factorial, sequential), the expected number of participants, and the control method (for example, placebo, active comparator, low dose, historical, standard of care, sham procedure, or none [uncontrolled]).  If applicable, indicate the type of trial (for example, superiority, non-inferiority, dose escalation, or equivalence).  If the trial will have an adaptive or novel design (for example, the trial will be conducted under a master protocol), provide a summary of these design aspects. |
| Conformance   | Required /   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Design   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Description of Trial Design  |
| Business rules  | Value Allowed: Yes   |
|   | Relationship: n/a<br>Concept: n/a  |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Expected Number of Participants |
|---|---------------------------------|
| Data Type   | Number                          |
| Topic, Value or<br>Header   | D                               |
| Definition  |                                 |
| User Guidance   |                                 |
| Conformance   | Required                        |
| Cardinality   |                                 |
| Relationship content from ToC representing the protocol hierarchy         | Trial Design                    |
| Relationship<br>(reference to high<br>level conceptual<br>model)<br>Value |                                 |
| Business rules  | Value Allowed: Yes              |
|   | Relationship: n/a Concept: n/a  |
| Duplicate field in other sections   |                                 |

|                      | T  |
|----------------------|--|
| Term (Variable)      | Control Mechanism  |
| Data Type            | List   |
| Topic, Value or      | D  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          | Required   |
| Cardinality          |  |
| Relationship content | Trial Design   |
| from ToC             |  |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                | Placebo, active comparator, low dose, historical, standard of care, sham |
|                      | procedure, or none [uncontrolled]  |
| Business rules       | Value Allowed: Yes   |
|                      | Relationship: n/a  |
|                      | Concept: n/a   |
| Duplicate field in   |  |
| other sections       |  |

| Term (Variable)   | Type of Trial   |
|---|---|
| Data Type   | List  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Design  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Superiority, non-inferiority, dose escalation, or equivalence |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a             |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Adaptive Trial                                    |
|---|---|
| Data Type   | List  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Design                                      |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Boolean (Yes/No)                                  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)      | Novel Design       |
|----------------------|--------------------|
| Data Type            | List               |
| Topic, Value or      | D                  |
| Header               |                    |
| Definition           |                    |
| User Guidance        |                    |
| Conformance          | Required           |
| Cardinality          |                    |
| Relationship content | Trial Design       |
| from ToC             |                    |
| representing the     |                    |
| protocol hierarchy   |                    |
| Relationship         |                    |
| (reference to high   |                    |
| level conceptual     |                    |
| model)               |                    |
| Value                | Boolean (Yes/No)   |
| Business rules       | Value Allowed: Yes |
|                      | Relationship: n/a  |
|                      | Concept: n/a       |
| Duplicate field in   |                    |
| other sections       |                    |

| Term (Variable)   | Under Master       |
|---|--------------------|
| Data Type   | List               |
| Topic, Value or<br>Header   | D                  |
| Definition  |                    |
| User Guidance   |                    |
| Conformance   | Required           |
| Cardinality   |                    |
| Relationship content from ToC representing the protocol hierarchy | Trial Design       |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                    |
| Value   | Boolean (Yes/No)   |
| Business rules  | Value Allowed: Yes |
|   | Relationship: n/a  |
|   | Concept: n/a       |
| Duplicate field in other sections                                 |                    |

| Term (Variable)  | [Description of Johannachian Madel]   |
|--|---|
| ` '  | [Description of Intervention Model]   |
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  | Describe the trial duration with reference to Section 1.2, Trial Schema. Explain what the overall trial duration for an individual participant is anticipated to be and why, including the sequence and duration of trial periods (for example, screening, run-in, randomisation, treatment [fixed dose/titration], follow-up/washout periods). Where applicable, include discussion of sentinel dosing (or lack thereof), dose escalation, and cohort expansion. If dose modification decisions are dependent upon review by a committee, include details in Section 10.3, Committees Structure. |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Design  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  |   |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections  |   |

| Term (Variable)   | [Description of Trial Duration]  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Describe the method of assignment to trial intervention (for example, stratified randomisation). If assignment to trial intervention is by randomisation, describe when randomisation occurs relative to screening.  Describe the level and method of blinding, for example, single-blind, double-blind, [including Sponsor unblinded], matching placebo, double-dummy, or open-label). Include mention of measures taken to minimise bias on the part of participants, investigators, and analysts.  If applicable, describe within-trial transition rules, for example, transitions involving cohorts or trial parts. Dose escalation or doseranging details should also be described. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Design   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a  |
|   | Concept: Trial Population  |
| Duplicate field in other sections                                 |  |

| Term (Variable)                 | Randomisation      |
|---------------------------------|--------------------|
| Data Type                       | Text               |
| Topic, Value or<br>Header       | D                  |
| Definition Definition           |                    |
|                                 |                    |
| User Guidance                   |                    |
| Conformance                     | Required           |
| Cardinality                     |                    |
| Relationship content            | Trial Design       |
| from ToC                        |                    |
| representing the                |                    |
| protocol hierarchy              |                    |
| Relationship (reference to high |                    |
| level conceptual                |                    |
| model)                          |                    |
| Value                           |                    |
| Business rules                  | Value Allowed: n/a |
|                                 | Relationship: n/a  |
|                                 | _ · · ·            |
| 5 " ( " ) ! !                   | Concept:           |
| Duplicate field in              |                    |
| other sections                  |                    |

| Term (Variable)                     | Method and Level of Blinding   |
|-------------------------------------|--|
| Data Type                           | List   |
| Topic, Value or<br>Header           | D  |
| Definition                          |  |
| User Guidance                       |  |
| Conformance                         | Required/Multiple  |
| Cardinality                         |  |
| Relationship content from ToC       | Trial Design   |
| representing the protocol hierarchy |  |
| Relationship (reference to high     |  |
| level conceptual model)             |  |
| Value                               | Single-blind, double-blind, [including Sponsor unblinded], matching placebo, double-dummy, or open-label |
| Business rules                      | Value Allowed: Yes   |
|                                     | Relationship: n/a  |
|                                     | Concept:   |
| Duplicate field in other sections   |  |

| Term (Variable)      | Measures to Minimise Bias |
|----------------------|---------------------------|
| Data Type            | Text                      |
| Topic, Value or      | D                         |
| Header               |                           |
| Definition           |                           |
| User Guidance        |                           |
| Conformance          | Required                  |
| Cardinality          |                           |
| Relationship content | Trial Design              |
| from ToC             |                           |
| representing the     |                           |
| protocol hierarchy   |                           |
| Relationship         |                           |
| (reference to high   |                           |
| level conceptual     |                           |
| model)               |                           |
| Value                |                           |
| Business rules       | Value Allowed: Yes        |
|                      | Relationship: n/a         |
|                      | Concept:                  |
| Duplicate field in   |                           |
| other sections       |                           |

| Term (Variable)   | Trial Transition Rules                        |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Optional                                      |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Design                                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: |
| Duplicate field in other sections                                 |   |

| Term (Variable)  | [Method of Assignment to Trial Intervention]  |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  | <ul> <li>Discuss important aspects of trial design, including:         <ul> <li>Geographic scope of trial (for example, single-centre, multicentre, or multi-centre and multi-national).</li> <li>Planned use of a Data Monitoring Committee, or similar review group and cross-reference Section 10.3, Committees Structure, for details.</li> </ul> </li> <li>Whether an interim analysis is planned and, if so, refer to details in Section 9.7, Interim Analysis</li> </ul> |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Design  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  |   |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections  |   |

| Term (Variable)   | Geographic Scope   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Discuss important aspects of trial design, including:  Geographic scope of trial (for example, single-centre, multicentre, or multi-centre and multi-national).  Planned use of a Data Monitoring Committee, or similar review group and cross-reference Section 10.3, Committees Structure, for details.  Whether an interim analysis is planned and, if so, refer to details in Section 9.7, Interim Analysis. |
| Conformance   | Required   |
| Cardinality   | ·  |
| Relationship content from ToC representing the protocol hierarchy | Trial Design   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Single-centre, multi-centre, or multi-centre and multi-national  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

| Term (Variable)      | Decentralise Process, Tools, or Features |
|----------------------|--|
| Data Type            | Text                                     |
| Topic, Value or      | D  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          | Optional                                 |
| Cardinality          |  |
| Relationship content | Trial Design                             |
| from ToC             |  |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                |  |
| Business rules       | Value Allowed: Yes                       |
|                      | Relationship: n/a                        |
|                      | Concept: n/a                             |
| Duplicate field in   |  |
| other sections       |  |

| Term (Variable)  | Committees  |
|--|---|
| Data Type  | List  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Required/Multiple                                 |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship | Trial Design                                      |
| (reference to high level conceptual model)   |   |
| Value  | No, Data Monitoring Committee                     |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections  |   |

| Term (Variable)      | Interim Analyses   |
|----------------------|--------------------|
| Data Type            | List               |
| Topic, Value or      | D                  |
| Header               |                    |
| Definition           |                    |
| User Guidance        |                    |
| Conformance          | Required           |
| Cardinality          |                    |
| Relationship content | Trial Design       |
| from ToC             |                    |
| representing the     |                    |
| protocol hierarchy   |                    |
| Relationship         |                    |
| (reference to high   |                    |
| level conceptual     |                    |
| model)               |                    |
| Value                | Yes, No            |
| Business rules       | Value Allowed: Yes |
|                      | Relationship: n/a  |
|                      | Concept: n/a       |
| Duplicate field in   |                    |
| other sections       |                    |

|   | ,   |
|---|---|
| Term (Variable)   | Number if Interim Analyses                        |
| Data Type   | Number  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Design                                      |
| Relationship (reference to high level conceptual model) Value     |   |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 | •   |

| Term (Variable)   | Planned Extension   |
|---|---|
| Data Type   | List  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Design  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | No, planned extension Trial, long-term follow-up/registry, or post-Trial sample analysis or other data-related activities |
| Business rules  | Value Allowed: Yes  |
|   | Relationship: n/a   |
|   | Concept: n/a  |
| Duplicate field in other sections                                 |   |

| Term (Variable)  | [Additional Description of Trial Design] |
|--|--|
| Data Type  | Text                                     |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required                                 |
| Cardinality  |  |
| Relationship content from ToC                                    | Trial Design                             |
| representing the protocol hierarchy                              |  |
| Relationship<br>(reference to high<br>level conceptual<br>model) |  |
| Value  |  |
| Business rules   | Value Allowed: Yes                       |
|  | Relationship: n/a                        |
|  | Concept: n/a                             |
| Duplicate field in other sections                                | Protocol Synopsis / Overall Design       |

#### 276 4.1.1 Participant Input into Design

| 4.1.1 Participant input into Design                               |  |  |
|---|--|--|
| Term (Variable)   | Participant Input into Design  |  |
| Data Type   | Text   |  |
| Topic, Value or<br>Header   | Н  |  |
| Definition  | Heading  |  |
| User Guidance   | If applicable, describe any participant involvement in the design of the clinical trial and any participant suggestions implemented. |  |
| Conformance   | Required   |  |
| Cardinality   |  |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Design   |  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |  |
| Value   | Participant Input into Design  |  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |  |
| Duplicate field in other sections                                 |  |  |

| Term (Variable)   | Participant Input  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Heading  |
| User Guidance   | If applicable, describe any participant involvement in the design of the clinical trial and any participant suggestions implemented. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Design   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

## **4.2 Rationale for Trial Design**

| Town (Verieble)      |                            |
|----------------------|----------------------------|
| Term (Variable)      | Rationale for Trial Design |
| Data Type            | Text                       |
| Topic, Value or      | Н                          |
| Header               |                            |
| Definition           |                            |
| User Guidance        |                            |
| Conformance          | Required                   |
| Cardinality          |                            |
| Relationship content | Trial Design               |
| from ToC             |                            |
| representing the     |                            |
| protocol hierarchy   |                            |
| Relationship         |                            |
| (reference to high   |                            |
| level conceptual     |                            |
| model)               |                            |
| Value                | Rationale for Trial Design |
| Business rules       | Value Allowed: Yes         |
|                      | Relationship: n/a          |
|                      | Concept: n/a               |
| Duplicate field in   |                            |
| other sections       |                            |

| Term (Variable)   | [Rationale for Intervention Model]   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Provide a rationale for the trial intervention model selected in Section 4.1, Description of Trial Design. A rationale for the choice of comparator, if applicable, should be described separately in Section 4.2.1, Rationale for Comparator. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Design   |
| Relationship (reference to high level conceptual model) Value     |  |
|   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Thurst C. Title and I   |
|---|---|
| · ·   | [Rationale for Trial Duration]  |
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Provide a rationale that the trial duration is appropriate to show a reliable and relevant effect of the trial intervention per the trial objective(s). |
| Conformance   | Required  |
| Cardinality   | ·   |
| Relationship content from ToC representing the protocol hierarchy | Trial Design  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | [Rationale for Trial Duration]   |
|---|--|
| Data Type   | Text   |
| Topic, Value or   | D  |
| Header  |  |
| Definition  |  |
| User Guidance   | Provide a rationale that the trial endpoint(s) described in Section 3, Trial Objectives, Endpoints, and Estimands, are clinically relevant and provide a reliable and valid measurement of the intended intervention effect. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Design   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | [Interim Analysis]   |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | If applicable, provide a rationale for any interim analysis planned with respect to its purpose (for example, stopping the trial early for efficacy or futility) and timing. |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Design   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  |  |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections  |  |

### **4.2.1 Rationale for Comparator**

| - 0/ 111             |                          |
|----------------------|--------------------------|
| Term (Variable)      | Rationale for Comparator |
| Data Type            | Text                     |
| Topic, Value or      | Н                        |
| Header               |                          |
| Definition           |                          |
| User Guidance        |                          |
| Conformance          | Optional                 |
| Cardinality          |                          |
| Relationship content | Trial Design             |
| from ToC             |                          |
| representing the     |                          |
| protocol hierarchy   |                          |
| Relationship         |                          |
| (reference to high   |                          |
| level conceptual     |                          |
| model)               |                          |
| Value                | Rationale for Comparator |
| Business rules       | Value Allowed: Yes       |
|                      | Relationship: n/a        |
|                      | Concept: n/a             |
| Duplicate field in   |                          |
| other sections       |                          |

| Term (Variable)   | [Rationale for Comparator]   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | If applicable, provide a rationale for the type of control selected for the trial (for example, placebo, active drug, combination, historical). Discuss any known or potential problems associated with the control group selected in light of the specific disease and intervention(s) being studied. If comparators will differ by region, describe. Describe prior studies that support the dose and/or dose regimen. |
| Conformance   | Conditional  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Design   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  Duplicate field in                                | Value Allowed: n/a Relationship: Control Mechanism Concept: n/a  |
| other sections  |  |

### **4.2.2 Rationale for Adaptive or Novel Trial Design**

| Term (Variable)   | Rationale for Adaptive or Novel Trial Design |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Heading                                      |
| User Guidance   |  |
| Conformance   | Optional                                     |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Design                                 |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Rationale for Adaptive or Novel Trial Design |
| Business rules  | Value Allowed: Yes                           |
|   | Relationship: n/a                            |
|   | Concept: n/a                                 |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | [Rationale for Adaptive or Novel Trial Design]                                       |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | If applicable, provide a rationale for the use of an adaptive or novel trial design. |
| Conformance   | Conditional  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Design   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a                                    |
| Duplicate field in other sections                                 |  |

# **4.2.3** Other Trial Design Considerations

| Term (Variable)      | Other Trial Design Considerations |
|----------------------|-----------------------------------|
| ,                    |                                   |
| Data Type            | Text                              |
| Topic, Value or      | H                                 |
| Header               |                                   |
| Definition           | Heading                           |
| User Guidance        |                                   |
| Conformance          | Optional                          |
| Cardinality          |                                   |
| Relationship content | Trial Design                      |
| from ToC             |                                   |
| representing the     |                                   |
| protocol hierarchy   |                                   |
| Relationship         |                                   |
| (reference to high   |                                   |
| level conceptual     |                                   |
| model)               |                                   |
| Value                | Other Trial Design Considerations |
| Business rules       | Value Allowed: Yes                |
|                      | Relationship: n/a                 |
|                      | Concept: n/a                      |
| Duplicate field in   |                                   |
| other sections       |                                   |

| Term (Variable)      | [Other Trial Design Considerations]                                 |
|----------------------|---|
| Data Type            | Text  |
| Topic, Value or      | D   |
| Header               |   |
| Definition           |   |
| User Guidance        | Discuss any additional aspects of trial design not addressed above. |
| Conformance          | Conditional   |
| Cardinality          |   |
| Relationship content | Trial Design  |
| from ToC             |   |
| representing the     |   |
| protocol hierarchy   |   |
| Relationship         |   |
| (reference to high   |   |
| level conceptual     |   |
| model)               |   |
| Value                |   |
| Business rules       | Value Allowed: n/a  |
|                      | Relationship: n/a   |
|                      | Concept: n/a  |
| Duplicate field in   |   |
| other sections       |   |

#### 290 4.3 Access to Trial Intervention After End of Trial

| _   |   |
|---|---|
| Term (Variable)   | Access to Trial Intervention After End of Trial |
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Heading   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Design                                    |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Access to Trial Intervention After End of Trial |
| Business rules  | Value Allowed: Yes                              |
|   | Relationship: n/a                               |
|   | Concept: n/a                                    |
| Duplicate field in other sections                                 |   |

| Term (Variable)  | Access to Trial Intervention After End of Trial   |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  | If applicable, describe any possibilities for access to trial intervention, if any, beyond completion of the trial. Planned extension trials, if described above in Section 4.1 do not need to be repeated. |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship<br>(reference to high | Trial Design  |
| level conceptual model)  |   |
| Value  |   |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections  | •   |

#### 293 4.4 Start of Trial and End of Trial

|   | <del>,</del>                    |
|---|---------------------------------|
| Term (Variable)   | Start of Trial and End of Trial |
| Data Type   | Text                            |
| Topic, Value or<br>Header   | H                               |
| Definition  | Heading                         |
| User Guidance   |                                 |
| Conformance   | Required                        |
| Cardinality   |                                 |
| Relationship content from ToC representing the protocol hierarchy | Trial Design                    |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                 |
| Value   | Start of Trial and End of Trial |
| Business rules  | Value Allowed: Yes              |
|   | Relationship: n/a               |
|   | Concept: n/a                    |
| Duplicate field in other sections                                 |                                 |

| Term (Variable)   | [Trial Start and End]   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Provide definitions of the start and end of the trial. These definitions should consider local regulatory requirements.  If applicable, describe any planned extension trial, long-term follow-up/registry, or post-trial sample analysis or other data-related activities. Refer to Section 7.5, Access to Trial Intervention, for a description of plans for post-trial access to trial intervention. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Design  |
| Relationship (reference to high level conceptual model)  Value    |   |
|   | <u> </u>  |
| Business rules  Duplicate field in                                | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| other sections  |   |

### **5. Trial Population**

| Term (Variable)  | Trial Population  |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | H   |
| Definition   |   |
| User Guidance  | In this section, describe the trial population. Use the following guidance when developing participant eligibility criteria to be listed in Section 5.3, Inclusion Criteria, and Section 5.4, Exclusion Criteria.  List the criteria necessary for participation in the trial. Ensure that each criterion can be easily assessed on the basis of measurable data and answered with yes/no responses.  If participants require screening, distinguish between screening vs enrolling participants. Identify specific laboratory tests or clinical characteristics that will be used as criteria for enrollment or exclusion. If permitting existing medical diagnosis, imaging, genetic tests, or laboratory results, state any required window or acceptable test type.  If measures to enrich the trial population for pre-specified subgroups of interest are used, these should be described |
| Conformance  | Required  |
| Cardinality  | ·   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Population  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  | Trial Population  |
| Business rules   | Value Allowed: Yes  |
|  | Relationship: n/a   |
|  | Concept: n/a  |
| Duplicate field in other sections  |   |

### **5.1 Selection of Trial Population**

| Term (Variable)  | Selection of Trial Population |
|--|-------------------------------|
| Data Type  | Text                          |
| Topic, Value or<br>Header  | Н                             |
| Definition   | Heading                       |
| User Guidance  |                               |
| Conformance  | Required                      |
| Cardinality  |                               |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Population              |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |                               |
| Value  | Selection of Trial Population |
| Business rules   | Value Allowed: Yes            |
|  | Relationship: n/a             |
|  | Concept: n/a                  |
| Duplicate field in other sections  |                               |

| Term (Variable)   | [Selection of Trial Population]   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Describe the trial population selected (for example, healthy volunteers, adult participants, paediatric participants). Specify the population age range (for example, 0 to 3 months, 18 to 80 years old) and any key diagnostic criteria for the population (for example, "acute lung injury", or a specific biomarker profile). If applicable, describe similar conditions or diseases and their differential diagnosis. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Population  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  Duplicate field in                                | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| other sections  |   |

### **5.2 Rationale for Trial Population**

| Term (Variable)   | Rationale for Trial Population                    |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Heading   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Population                                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Rationale for Trial Population                    |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 | •   |

| Tames (Vanialala)               |   |
|---------------------------------|---|
| Term (Variable)                 | [Rationale for Trial Population]  |
| Data Type                       | Text  |
| Topic, Value or                 | D   |
| Header<br>Definition            |   |
|                                 |   |
| User Guidance                   | Provide a rationale for the trial population ensuring that the trial        |
|                                 | population selected is well defined and clinically recognisable. Justify    |
|                                 | whether the trial intervention is to be evaluated in children, in adults    |
|                                 | unable to consent for themselves, other vulnerable participant              |
|                                 | populations, or those that may respond to the trial intervention            |
|                                 | differently (for example, females, elderly, hepatic or renally impaired, or |
|                                 | immunocompromised participants).  |
| Conformance                     | Required  |
| Cardinality                     |   |
| Relationship content            | Trial Population  |
| from ToC                        |   |
| representing the                |   |
| protocol hierarchy Relationship |   |
| (reference to high              |   |
| level conceptual                |   |
| model)                          |   |
| Value                           |   |
| Business rules                  | Value Allowed: n/a  |
|                                 | Relationship: n/a   |
|                                 | Concept: n/a  |
| Duplicate field in              |   |
| other sections                  |   |

| Term (Variable)      | Individuals who do not most criteria for trial eligibility must not be |
|----------------------|--|
| Tom (variable)       | Individuals who do not meet criteria for trial eligibility must not be |
|                      | enrolled via protocol waivers or exemptions                            |
| Data Type            | Text   |
| Topic, Value or      | Н  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          | Required   |
| Cardinality          |  |
| Relationship content | Trial Population   |
| from ToC             | ·  |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                | Individuals who do not meet criteria for trial eligibility must not be |
|                      | enrolled via protocol waivers or exemptions                            |
| Business rules       | Value Allowed: Yes   |
|                      | Relationship: n/a  |
|                      | Concept: n/a   |
| Duplicate field in   |  |
| other sections       |  |

#### **5.3 Inclusion Criteria**

| Term (Variable)  | Inclusion Criteria                                |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   | Heading   |
| User Guidance  |   |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship<br>(reference to high | Trial Population                                  |
| level conceptual model)  |   |
| Value  | Inclusion Criteria                                |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections  |   |

| Term (Variable)  | To be eligible to participate in this trial, an individual must meet all the                     |
|--|--|
|  | following criteria:  |
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Population   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  | To be eligible to participate in this trial, an individual must meet all the following criteria: |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections  | •  |

| Term (Variable)                     | # Inclusion Criteria  |
|-------------------------------------|---|
| Data Type                           | Number  |
| Topic, Value or                     | D   |
| Header                              |   |
| Definition                          | Inclusion criteria are characteristics that define the population under     |
|                                     | trial, for example, those criteria that every potential participant must    |
|                                     | satisfy, to qualify for trial entry.  |
| User Guidance                       |   |
| Conformance                         | Required  |
| Cardinality                         |   |
| Relationship content                | Trial Population  |
| from ToC                            |   |
| representing the protocol hierarchy |   |
| Relationship                        |   |
| (reference to high                  |   |
| level conceptual                    |   |
| model)                              |   |
| Value                               |   |
| Business rules                      | Value Allowed: n/a  |
|                                     | Relationship: n/a   |
|                                     | Concept: n/a  |
| Duplicate field in                  | number consecutively, repeat for each inclusion criteria, if deleted do not |
| other sections                      | replace, do not duplicate   |

| Term (Variable)   | Inclusion Criteria  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   |   |
| Definition  | Inclusion criteria are characteristics that define the population under trial, for example, those criteria that every potential participant must satisfy, to qualify for trial entry. |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Population  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

#### **5.4 Exclusion Criteria**

| Term (Variable)  | Exclusion Criteria                                |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   | Heading   |
| User Guidance  |   |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship<br>(reference to high | Trial Population                                  |
| level conceptual model)  |   |
| Value  | Exclusion Criteria                                |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections  |   |

| Term (Variable)   | An individual who meets any of the following criteria will be excluded                                   |
|---|--|
|   | from participation in this trial:  |
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Population   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | An individual who meets any of the following criteria will be excluded from participation in this trial: |
| Business rules  | Value Allowed: Yes   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | # Exclusion Criteria  |
|---|---|
| Data Type   | Number  |
| Topic, Value or<br>Header   | D   |
| Definition  | Exclusion criteria are characteristics that make an individual ineligible for trial participation     |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Population  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a  |
|   | Relationship: n/a   |
|   | Concept: n/a  |
| Duplicate field in other sections                                 | Number consecutively, repeat for each inclusion criteria, if deleted do not replace, do not duplicate |

# **5.5 Lifestyle Considerations**

| Term (Variable)      | Lifestyle Considerations |
|----------------------|--------------------------|
| Data Type            | Text                     |
| Topic, Value or      | Н                        |
| Header               |                          |
| Definition           | Heading                  |
| User Guidance        |                          |
| Conformance          | Required                 |
| Cardinality          |                          |
| Relationship content | Trial Population         |
| from ToC             |                          |
| representing the     |                          |
| protocol hierarchy   |                          |
| Relationship         |                          |
| (reference to high   |                          |
| level conceptual     |                          |
| model)               |                          |
| Value                | Lifestyle Considerations |
| Business rules       | Value Allowed: Yes       |
|                      | Relationship: n/a        |
|                      | Concept: n/a             |
| Duplicate field in   |                          |
| other sections       |                          |

| Term (Variable)   | [Lifestyle Considerations]   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | In the following subsections, describe any restrictions during the trial pertaining to lifestyle and/or diet, intake of caffeine, alcohol, or tobacco, or physical and other activities. If not applicable, include a statement that no restrictions are required. |
| Conformance   | Required (at least one item and repeat for each item)  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Population   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

### **5.5.1 Meals and Dietary Restrictions**

| Term (Variable)   | Meals and Dietary Restrictions |
|---|--------------------------------|
| Data Type   | Text                           |
| Topic, Value or<br>Header   | Н                              |
| Definition  | Heading                        |
| User Guidance   |                                |
| Conformance   | Required                       |
| Cardinality   |                                |
| Relationship content from ToC representing the protocol hierarchy | Trial Population               |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                |
| Value   | Meals and Dietary Restrictions |
| Business rules  | Value Allowed: Yes             |
|   | Relationship: n/a              |
|   | Concept: n/a                   |
| Duplicate field in other sections                                 |                                |

| Term (Variable)   | [Meals and Dietary Restrictions]   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | If applicable, describe any restrictions on diet (for example, food and drink restrictions, timing of meals relative to dosing). |
| Conformance   | Optional (repeat for each item)  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Population   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

### **5.5.2 Caffeine, Alcohol, Tobacco, and Other Habits**

| Term (Variable)      | Caffeine, Alcohol, Tobacco, and Other Habits |
|----------------------|--|
| <u> </u>             |  |
| Data Type            | Text   |
| Topic, Value or      | H  |
| Header               |  |
| Definition           | Heading                                      |
| User Guidance        |  |
| Conformance          | Required                                     |
| Cardinality          |  |
| Relationship content | Trial Population                             |
| from ToC             |  |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                | Caffeine, Alcohol, Tobacco, and Other Habits |
| Business rules       | Value Allowed: Yes                           |
|                      | Relationship: n/a                            |
|                      | Concept: n/a                                 |
| Duplicate field in   |  |
| other sections       |  |

| Term (Variable)   | [Caffeine, Alcohol, Tobacco, and Other Habits]   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | If applicable, describe any restrictions on the intake of caffeine, alcohol, tobacco, or other restrictions. |
| Conformance   | Optional (repeat for each item)  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Population   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

## **5.5.3 Physical Activity**

| Term (Variable)  | Physical Activity                                 |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content from ToC representing the protocol hierarchy Relationship | Trial Population                                  |
| (reference to high level conceptual model)                                     |   |
| Value  | Physical Activity                                 |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections  |   |

| Term (Variable)   | [Physical Activity]   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | If applicable, describe any restrictions on activity (for example, in first-in-human studies, activity may be restricted by ensuring participants remain in bed for 4 to 6 hours after dosing); or any other activity restrictions, such as on driving, heavy machinery use, or sun exposure. |
| Conformance   | Optional (repeat for each item)   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Population  |
| Relationship (reference to high level conceptual model)  Value    |   |
| Business rules  | Value Allowed: n/a  |
| 2333333   | Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |   |

## **5.5.4 Other Activity**

| Term (Variable)   | Other Activity                                    |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Heading   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Population                                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Other Activity                                    |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | [Other Activity]  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | If applicable, describe restrictions on any other activity (for example, blood or tissue donation); or any other activity restrictions, such as on driving, heavy machinery use, or sun exposure. |
| Conformance   | Optional (repeat for each item)   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Population  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 | •   |

#### **5.6** Screen Failures

| Term (Variable)           | Screen failures    |
|---------------------------|--------------------|
| Data Type                 |                    |
|                           | Text               |
| Topic, Value or<br>Header | H                  |
| Definition                | Heading            |
| User Guidance             |                    |
| Conformance               | Required           |
| Cardinality               |                    |
| Relationship content      | Trial Population   |
| from ToC                  |                    |
| representing the          |                    |
| protocol hierarchy        |                    |
| Relationship              |                    |
| (reference to high        |                    |
| level conceptual model)   |                    |
| Value                     | Screen failures    |
| Business rules            | Value Allowed: n/a |
|                           | Relationship: n/a  |
|                           | Concept: n/a       |
| Duplicate field in        | -                  |
| other sections            |                    |

| Term (Variable)   | [Screen Failure]  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Indicate how screen failure will be handled in the trial, including conditions and criteria upon which rescreening is acceptable. If applicable, indicate the circumstances and time window under which a repeat procedure is allowed for screen failure relating to specific inclusion/exclusion criteria for the trial. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Population  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

### **6.** Trial Intervention and Concomitant Therapy

| Tarm (Variable)   |   |
|---|---|
| Term (Variable)   | Trial Intervention and Concomitant Therapy  |
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Heading   |
| User Guidance   | In this section, describe the trial intervention being tested and any control product being used. If multiple trial interventions are to be evaluated, Section 6.1, Description of Trial Intervention, Section 6.3, Dosing and Administration, and Section 6.5, Preparation, Handling, Storage, and Accountability should differentiate between each product. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Trial Intervention and Concomitant Therapy  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concentum/a  |
| Duplicate field in other sections                                 | Concept: n/a  |

## **6.1** Description of Trial Intervention

| Term (Variable)  | Description of Trial Intervention  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   | Heading  |
| User Guidance  | Describe the intervention to be administered in each arm of the trial and for each period of the trial including route and mode of administration, dose, dosage regimen, duration of intervention, packaging, labelling, and storage conditions. Include information for all trial interventions (experimental, placebo, active comparator, sham comparator). The trial intervention should be designated as an investigational medicinal product (IMP) or non-investigational medicinal product (NIMP)/auxiliary medicinal product (AxMP). It is suggested that the trial intervention(s) be described concisely in a table. Indicate whether an additional product will be provided as part of the trial and its intended use (background intervention, challenge agent, rescue medication, diagnostic, or other). If use of an additional product is planned, include dosing information. Refer to approved regional labelling or describe any differences.  For drug/device combination products, include details on the configuration and use of the device and device manufacturer. A device user manual may be referenced in this section |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Description of Trial Intervention  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  | Description of Trial Intervention  |
| Business rules   | Value Allowed: Description of Trial Intervention Relationship: Table row headers Concept: n/a  |
| Duplicate field in other sections  |  |

| Term (Variable)      | Arm Name                                   |
|----------------------|--|
| Data Type            | Text                                       |
| Topic, Value or      | Н  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          | Required                                   |
| Cardinality          |  |
| Relationship content | Trial Intervention and Concomitant Therapy |
| from ToC             |  |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                | Arm Name                                   |
| Business rules       | Value Allowed: Yes                         |
|                      | Relationship: Table header                 |
|                      | Concept: n/a                               |
| Duplicate field in   |  |
| other sections       |  |

|  | ,  |
|--|--|
| Term (Variable)  | Arm Type                                   |
| Data Type  | Text                                       |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required                                   |
| Cardinality  |  |
| Relationship content from ToC representing the protocol hierarchy Relationship | Trial Intervention and Concomitant Therapy |
| (reference to high<br>level conceptual<br>model)                               |  |
| Value  | Arm Type                                   |
| Business rules   | Value Allowed: Yes                         |
|  | Relationship: Table header                 |
|  | Concept: n/a                               |
| Duplicate field in other sections  |  |

| Term (Variable)  | Intervention Name  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Intervention and Concomitant Therapy                 |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  | Intervention Name  |
| Business rules   | Value Allowed: Yes Relationship: Table Header Concept: n/a |
| Duplicate field in other sections  |  |

| Term (Variable)      | Intervention Type                          |
|----------------------|--|
| Data Type            | Text                                       |
| Topic, Value or      | Н  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          | Required                                   |
| Cardinality          |  |
| Relationship content | Trial Intervention and Concomitant Therapy |
| from ToC             |  |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                | Intervention Type                          |
| Business rules       | Value Allowed: Yes                         |
|                      | Relationship: Table header                 |
|                      | Concept: n/a                               |
| Duplicate field in   |  |
| other sections       |  |

| Term (Variable)  | Use  |
|--|--|
| Data Type  | Text                                       |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required                                   |
| Cardinality  |  |
| Relationship content from ToC                                    | Trial Intervention and Concomitant Therapy |
| representing the protocol hierarchy                              |  |
| Relationship<br>(reference to high<br>level conceptual<br>model) |  |
| Value  | Use  |
| Business rules   | Value Allowed: Yes                         |
|  | Relationship: Table header                 |
|  | Concept: n/a                               |
| Duplicate field in other sections                                |  |

| - 0/ 111   | T  |
|--|--|
| Term (Variable)  | IMP/NIMP   |
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content from ToC representing the protocol hierarchy Relationship | Trial Intervention and Concomitant Therapy                 |
| (reference to high level conceptual model)                                     |  |
| Value  | IMP/NIMP   |
| Business rules   | Value Allowed: Yes Relationship: Table header Concept: n/a |
| Duplicate field in other sections  |  |

| Term (Variable)  | Formulation  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content from ToC                                    | Trial Intervention and Concomitant Therapy                 |
| representing the protocol hierarchy                              |  |
| Relationship<br>(reference to high<br>level conceptual<br>model) |  |
| Value  | Formulation  |
| Business rules   | Value Allowed: Yes Relationship: Table header Concept: n/a |
| Duplicate field in other sections                                |  |

| - 0/ 111   |  |
|--|--|
| Term (Variable)  | Unit Dose Strength   |
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content from ToC representing the protocol hierarchy Relationship | Trial Intervention and Concomitant Therapy                 |
| (reference to high level conceptual model)                                     |  |
| Value  | Unit Dose Strength   |
| Business rules   | Value Allowed: Yes Relationship: Table header Concept: n/a |
| Duplicate field in other sections  |  |

| Term (Variable)      | Dose Level                                 |
|----------------------|--|
| Data Type            | Text                                       |
| Topic, Value or      | Н  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          | Required                                   |
| Cardinality          |  |
| Relationship content | Trial Intervention and Concomitant Therapy |
| from ToC             |  |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                | Dose Level                                 |
| Business rules       | Value Allowed: Yes                         |
|                      | Relationship: Table header                 |
|                      | Concept: n/a                               |
| Duplicate field in   |  |
| other sections       |  |

| <b>-</b> 0/ 111 \  | T  |
|--|--|
| Term (Variable)  | Route of Administration                                    |
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship | Trial Intervention and Concomitant Therapy                 |
| (reference to high level conceptual model)   |  |
| Value  | Route of Administration                                    |
| Business rules   | Value Allowed: Yes Relationship: Table Header Concept: n/a |
| Duplicate field in other sections  | •  |

| Term (Variable)  | Regimen/Treatment Period                       |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required                                       |
| Cardinality  |  |
| Relationship content from ToC                                    | Trial Intervention and Concomitant Therapy     |
| representing the protocol hierarchy                              |  |
| Relationship<br>(reference to high<br>level conceptual<br>model) |  |
| Value  | Regimen/Treatment Period                       |
| Business rules   | Value Allowed: Yes Relationship: Table Heading |
| Duplicate field in other sections                                | Concept: n/a                                   |

| Term (Variable)  | Arm Name                                   |
|--|--|
| Data Type  | Text                                       |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required                                   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship | Trial Intervention and Concomitant Therapy |
| (reference to high level conceptual model)   |  |
| Value  | Text                                       |
| Business rules   | Value Allowed: Yes                         |
|  | Relationship: n/a                          |
|  | Concept: n/a                               |
| Duplicate field in other sections  |  |

| Term (Variable)                     | Arm Type   |
|-------------------------------------|--|
| Data Type                           | Pick List  |
| Topic, Value or<br>Header           | D  |
| Definition                          |  |
| User Guidance                       |  |
|                                     |  |
| Conformance                         | Required   |
| Cardinality                         |  |
| Relationship content from ToC       | Trial Intervention and Concomitant Therapy                       |
| representing the protocol hierarchy |  |
| Relationship                        |  |
| (reference to high                  |  |
| level conceptual                    |  |
| model)                              |  |
| Value                               | Experimental, Active Comparator, Placebo Comparator, Sham        |
|                                     | Comparator, No Intervention                                      |
| Business rules                      | Value Allowed: Yes   |
|                                     | Relationship: Relates to Arm and intervention formulation dosage |
|                                     | Concept: n/a   |
| Duplicate field in                  | Once for each arm  |
| other sections                      | Replicate for number of arms                                     |

| 34         | 1 |
|------------|---|
| <i>-</i> . | • |

| T   |  |
|---|--|
| Term (Variable)   | Intervention Name                          |
| Data Type   | Text                                       |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required                                   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a                         |
|   | Relationship: Relates to arm               |
|   | Concept: n/a                               |
| Duplicate field in other sections                                 | Relates to Arm                             |

| Term (Variable)                     | Intervention Type   |
|-------------------------------------|---|
| Data Type                           | Pick List   |
| Topic, Value or<br>Header           | D   |
| Definition                          |   |
| User Guidance                       |   |
|                                     |   |
| Conformance                         | Required  |
| Cardinality                         |   |
| Relationship content                | Trial Intervention and Concomitant Therapy                                |
| from ToC                            |   |
| representing the                    |   |
| protocol hierarchy                  |   |
| Relationship                        |   |
| (reference to high level conceptual |   |
| model)                              |   |
| Value                               | Drug, device, biologic/vaccine, procedure/surgery, radiation, behavioral, |
|                                     | genetic, dietary supplement, combination product, dietary                 |
| Business rules                      | Value Allowed: Yes  |
|                                     | Relationship: Relates to arm and intervention formulation dosage          |
|                                     | Concept: n/a  |
| Duplicate field in other sections   | Replicate for all interventions in the arm                                |

| 21         | 2      |
|------------|--------|
| <b>1</b> 4 | •      |
|            | $\sim$ |

| Term (Variable)   | Use   |
|---|---|
| Data Type   | Pick List   |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
|   |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Experimental, Placebo, rescue medicine, background treatment, challenge agent, diagnostic, systemic, all prescribed |
| Business rules  | Value Allowed: Yes  |
|   | <b>Relationship:</b> Relates to arm and intervention formulation dosage <b>Concept:</b> n/a                         |
| Duplicate field in other sections                                 | Replicate for all interventions in the arm  |

| Term (Variable)   | IMP/NIMP   |
|---|--|
| Data Type   | Pick List  |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | IMP, NIMP  |
| Business rules  | Value Allowed: Yes Relationship: Relates to arm and intervention formulation dosage Concept: n/a |
| Duplicate field in other sections                                 | Replicate for all interventions in the arm   |

| Term (Variable)   | Formulation   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Reference IDMP Codes  |
| Business rules  | Value Allowed: Yes Relationship: Relates to arm and intervention formulation dosage |
|   | Concept: n/a  |
| Duplicate field in other sections                                 | Replicate for all interventions in the arm  |

| Term (Variable)  | Unit Dose Strength  |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content from ToC                                    | Trial Intervention and Concomitant Therapy                                    |
| representing the protocol hierarchy                              |   |
| Relationship<br>(reference to high<br>level conceptual<br>model) |   |
| Value  | Reference IDMP Codes  |
| Business rules   | Value Allowed: n/a  |
|  | Relationship: Relates to Arm and intervention formulation dosage Concept: n/a |
| Duplicate field in other sections                                | Replicate for all interventions in the arm                                    |

| Term (Variable)   | Dose Level   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Reference IDMP Codes   |
| Business rules  | Value Allowed: n/a Relationship: Relates to arm and intervention formulation dosage Concept: n/a |
| Duplicate field in other sections                                 | Replicate for all interventions in the arm   |

| Term (Variable)   | Route of Administration  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Reference IDMP Codes   |
| Business rules  | Value Allowed: Yes Relationship: Relates to arm and intervention formulation dosage Concept: n/a |
| Duplicate field in other sections                                 | Replicate for all interventions in the arm   |

| Term (Variable)      | Regimen/Treatment Period   |
|----------------------|--|
| Data Type            | Text   |
| Topic, Value or      | D  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          | Required   |
| Cardinality          |  |
| Relationship content | Trial Intervention and Concomitant Therapy                       |
| from ToC             | ,                          |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                | Regimen/Treatment Period   |
| Business rules       | Value Allowed: Yes   |
|                      | Relationship: Relates to arm and intervention formulation dosage |
|                      | Concept: n/a   |
| Duplicate field in   | Replicate for all interventions in the arm                       |
| other sections       |  |

| Term (Variable)   | [Additional Text, if Needed]                      |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Optional  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy        |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

## **6.2 Rationale for Trial Intervention**

| Term (Variable)  | Rationale for Trial intervention           |
|--|--|
| Data Type  | Text                                       |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required                                   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship<br>(reference to high | Trial Intervention and Concomitant Therapy |
| level conceptual model)  |  |
| Value  | Rationale for Trial intervention           |
| Business rules   | Value Allowed: Yes                         |
|  | Relationship: n/a                          |
|  | Concept: n/a                               |
| Duplicate field in other sections  |  |

| Term (Variable)   | Rationale for Trial intervention  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Provide a rationale for the selection of the dose(s) or dose range, the route of administration, and dosing regimen (including starting dose, dose titration, dose interval) of the trial intervention and any control product. This rationale should include relevant results from previous preclinical and clinical studies that support selection of the dose and regimen. Include any information about age or sex-based pharmacokinetic or pharmacodynamic differences known from previous studies. If applicable, justify any differences in specifications, dose regimen, or therapeutic use relative to approved labelling. Include a rationale for prospective dose adjustments incorporated in the trial, if any; for example, as a result of interim analysis. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a  |
|   | Relationship: n/a   |
|   | Concept: n/a  |
| Duplicate field in other sections                                 |   |

# **6.3 Dosing and Administration**

| Term (Variable)      | Dosing and Administration                  |
|----------------------|--|
| Data Type            | Text                                       |
| Topic, Value or      | Н  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          | Required                                   |
| Cardinality          |  |
| Relationship content | Trial Intervention and Concomitant Therapy |
| from ToC             |  |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                | Dosing and Administration                  |
| Business rules       | Value Allowed: Yes                         |
|                      | Relationship: n/a                          |
|                      | Concept: n/a                               |
| Duplicate field in   |  |
| other sections       |  |

| Term (Variable)  | Dosing and Administration  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   | Describes the details of dosing and administration, schedule, as well as any specific instructions as listed below.  |
| User Guidance  | Describe the detailed procedures for administration of each participant's dose of trial intervention and control product. This may include the timing of dosing (for example, time of day, interval), the duration (for example, the length of time trial participants will be administered the trial intervention), the planned route of administration (for example, oral, nasal, intramuscular), and the timing of dosing relative to meals. Include any specific instructions to trial participants about when or how to prepare and take the dose(s) and how delayed or missed doses should be handled.  For an individual participant, describe dose modifications allowed. State any minimum period required before a participant's dose might be raised to the next higher dose or dose range. Include whether it is permissible to start and stop treatment and how dose reductions (if permitted) are to be managed.  Discussion of dose escalation or cohort expansion as part of the overall trial design should be covered in Section 4.2 (Trial Design). |
| Conformance  | Required   |
| Cardinality  | ·  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Intervention and Concomitant Therapy   |
| Relationship (reference to high level conceptual model)  Value             |  |
|  |  |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections  |  |

## **6.3.1 Trial Intervention Dose Modification**

| Term (Variable)   | Trial Intervention Dose Modification       |
|---|--|
| Data Type   | Text                                       |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required                                   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Trial Intervention Dose Modification       |
| Business rules  | Value Allowed: Yes                         |
|   | Relationship: n/a                          |
|   | Concept: n/a                               |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | Dose Modification  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   | Describes the conditions under which a dose modification will be made, particularly with regard to failure to respond or to toxic or untoward changes in stipulated indicators.  |
| User Guidance  | If applicable, the protocol should state the conditions under which a dose modification will be made for an individual participant, particularly regarding failure to respond or to toxic or untoward changes in stipulated indicators. This section can also include discussion of dose titration. Do not include information on stopping trial intervention for individual participants due to safety/other reasons as this is detailed in Section 7, Discontinuation of Trial Intervention and Participant Discontinuation/Withdrawal from the Trial. |
| Conformance  | Required   |
| Cardinality  | 1  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Intervention and Concomitant Therapy   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  |  |
| Business rules   | Value Allowed: n/a   |
|  | Relationship: n/a  |
|  | Concept: n/a   |
| Duplicate field in other sections  |  |

### **6.4 Treatment of Overdose**

| Term (Variable)   | Treatment of Overdose                      |
|---|--|
| Data Type   | Text                                       |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required                                   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Treatment of Overdose                      |
| Business rules  | Value Allowed: Yes                         |
|   | Relationship: n/a                          |
|   | Concept: n/a                               |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | Treatment of Overdose   |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   | Specifies what is meant by trial intervention overdose and any known antidote or therapies.   |
| User Guidance  | Although clinical experience with overdose is often limited in early phases of development, provide any available project-specific guidance and information; however, ensure consistency with and avoid unnecessary duplication with any overdose information in the Investigator's Brochure /package insert. Cross-reference these documents if appropriate. Refer to the approved product label of the comparator (as applicable) for advice on overdose. |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Intervention and Concomitant Therapy  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  |   |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections  |   |

## 363 6.5 Preparation, Handling, Storage and Accountability

| Term (Variable)   | Preparation, Handling, Storage, and Accountability |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy         |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Preparation, Handling, Storage, and Accountability |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

## **6.5.1 Preparation of Trial Intervention**

| Term (Variable)  | Preparation of Trial Intervention          |
|--|--|
| Data Type  | Text                                       |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required                                   |
| Cardinality  |  |
| Relationship content from ToC representing the protocol hierarchy Relationship | Trial Intervention and Concomitant Therapy |
| (reference to high level conceptual model)                                     |  |
| Value  | Preparation of Trial Intervention          |
| Business rules   | Value Allowed: Yes                         |
|  | Relationship: n/a                          |
|  | Concept: n/a                               |
| Duplicate field in other sections  |  |

| Term (Variable)  | [Trial Intervention Preparation]  |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   | Describe any preparation of the trial intervention and control product and by whom.   |
| User Guidance  | Discuss the maximum hold time once thawed/mixed, if appropriate, before administration. Include thawing, diluting, mixing, and reconstitution/preparation instructions in this section, as applicable. For drug/device combination products, include any relevant assembly or use instructions.  If the instructions are lengthy or complicated, it is acceptable to reference the label (if applicable) or include them as a separate document(s) provided to the site (for example, a pharmacy manual). If instructions are provided to the site as a separate document(s), this should be noted in here. |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Intervention and Concomitant Therapy  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  | [insert Trial Intervention Preparation text]  |
| Business rules   | Value Allowed: Yes  |
|  | Relationship: n/a   |
|  | Concept: n/a  |
| Duplicate field in other sections  |   |

# **6.5.2 Handling and Storage of Trial Intervention**

| Term (Variable)   | Handling and Storage of Trial Intervention |
|---|--|
| Data Type   | Text                                       |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required                                   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Storage and Handling of Trial Intervention |
| Business rules  | Value Allowed: Yes                         |
|   | Relationship: n/a                          |
|   | Concept: n/a                               |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | Trial Intervention Storage and Handling  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   | Describes storage and handling requirements (for example, protection from light, temperature, humidity) for the trial intervention and control product.  |
| User Guidance  | For studies in which multi-dose vials are utilised, provide additional information regarding stability and expiration time after initial use (for example, the seal is broken).  [Trial Intervention Storage and Handling]  State how the trial intervention and control product will be provided to the Investigator. If applicable, describe the kits, packaging, or other material of the trial intervention for blinding purposes. |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Intervention and Concomitant Therapy   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  | [insert Trial Intervention Storage and Handling text]  |
| Business rules   | Value Allowed: Yes   |
|  | Relationship: n/a  |
|  | Concept: n/a   |
| Duplicate field in other sections  |  |

# **6.5.3 Accountability of Trial Intervention**

| Term (Variable)   | Accountability of Trial Intervention              |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy        |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Accountability of Trial Intervention              |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 | • .   |

| Term (Variable)   | Accountability  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Describe the method by which the accountability will be achieved, including trial intervention will be distributed and related details, including:  • how and by whom the trial intervention will be distributed  • participation of a drug repository or pharmacy, if applicable,  • plans for disposal or return of unused product, and  • expectations for reconciliation. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | [Accountability Text]   |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

## **6.6 Participant Assignment, Randomisation and Blinding**

| Term (Variable)   | Participant Assignment, Randomisation and Blinding |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy         |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Participant Assignment, Randomisation and Blinding |
| Business rules  | Value Allowed: Yes                                 |
|   | Relationship: n/a                                  |
|   | Concept: n/a                                       |
| Duplicate field in other sections                                 |  |

# **6.6.1 Participant Assignment**

| Term (Variable)   | Participant Assignment                     |
|---|--|
| Data Type   | Text                                       |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required                                   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Participant Assignment                     |
| Business rules  | Value Allowed: Yes                         |
|   | Relationship: n/a                          |
|   | Concept: n/a                               |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Participant Assignment   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Describes the method of assigning participants to trial intervention   |
| User Guidance   | Describe the method of assigning participants to trial intervention without being so specific that blinding or randomisation might be compromised. If assignment to trial intervention is by randomisation, describe when randomisation occurs relative to screening. If participants will be assigned to intervention sequences as in a cross-over trial, then describe these sequences.  If adaptive randomisation or other methods of covariate balancing/minimisation are employed, include a cross-reference to the methods of analysis in Section 9, Statistical Considerations. As applicable, details regarding the implementation of procedures to minimise bias should be described. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

## **6.6.2 Randomisation**

| Term (Variable)   | Randomisation                              |
|---|--|
| Data Type   | Text                                       |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required                                   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Randomisation                              |
| Business rules  | Value Allowed: Yes                         |
|   | Relationship: n/a                          |
|   | Concept: n/a                               |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Randomisation  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Describe the randomisation procedures (for example, central randomisation procedures), the method used to generate the randomisation schedule (for example, computer generated), the source of the randomisation schedule (for example, Sponsor, Investigator, or other), and whether or not IVRS/IWRS will be used. |
| User Guidance   | To maintain the integrity of the blinding, do not include the block size.  Describe the use and validation of any computer systems or programs in randomisation, stratification, and unblinding.   |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  Duplicate field in                                | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| other sections  |  |

# **6.6.3 Blinding and Unblinding**

| Term (Variable)   | Blinding                                   |
|---|--|
| Data Type   | Text                                       |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required                                   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Blinding                                   |
| Business rules  | Value Allowed: Yes                         |
|   | Relationship: n/a                          |
|   | Concept: n/a                               |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | Blinding  |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   | Describe efforts to ensure that the trial intervention and control products are as indistinguishable as possible.   |
| User Guidance  | Plans for the maintenance of trial randomisation codes and appropriate blinding for the trial should be discussed. Procedures for planned and unplanned breaking of randomisation codes should be provided. If the trial allows for some investigators or other designated staff to remain unmasked (for example, to allow them to adjust medication), the means of maintaining the blinding for other investigators or staff should be explained. Measures to prevent unblinding by laboratory measurements, if used, should be described. |
| Conformance  | Required  |
| Cardinality  | ·   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Intervention and Concomitant Therapy  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  |   |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections  |   |

| Term (Variable)   | Emergency Unblinding                              |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy        |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Emergency Unblinding                              |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Town (Variable)   | Τ  |
|---|--|
| Term (Variable)   | Emergency Unblinding   |
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Describes the criteria for breaking the trial mask (blind) or participant code.  |
| User Guidance   | Discuss the circumstances in which the blinding would be broken for an individual or for all participants (for example, for SAEs) and who has responsibility. Include the procedure for emergency unblinding such as via IVRS/IWRS or code envelopes as well as documentation of unblinding. Indicate to whom the intentional and unintentional unblinding should be reported. |
| Conformance   | Required   |
| Cardinality   | ·  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy   |
| Relationship (reference to high level conceptual model) Value     |  |
| Business rules  | Value Allewedu n/a   |
| Dusiness fules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

# **6.7** Trial Intervention Compliance

| Term (Variable)      | Trial Intervention Compliance              |
|----------------------|--|
|                      |  |
| Data Type            | Text                                       |
| Topic, Value or      | Н  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          | Required                                   |
| Cardinality          |  |
| Relationship content | Trial Intervention and Concomitant Therapy |
| from ToC             | ,    |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                | Trial Intervention Compliance              |
| Business rules       | Value Allowed: Yes                         |
|                      | Relationship: n/a                          |
|                      | Concept: n/a                               |
| Duplicate field in   |  |
| other sections       |  |

386

| - 0/ : !!   |  |
|---|--|
| Term (Variable)   | Additional Trial Intervention Compliance   |
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Describe measures to ensure and document dosing information and trial intervention compliance (for example, accountability records, diary cards, concentration measurements).            |
| User Guidance   | Include a discussion of what documents are mandatory to complete (for example, participant drug log) and what source data/records will be used to document trial intervention compliance |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

# 6.8 Concomitant Therapy

| Term (Variable)   | Concomitant Therapy                        |
|---|--|
| Data Type   | Text                                       |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required                                   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Concomitant Therapy                        |
| Business rules  | Value Allowed: Yes                         |
|   | Relationship: n/a                          |
|   | Concept: n/a                               |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Concomitant Therapy  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Describes how allowed concomitant therapy might affect the outcome (for example, drug-drug interaction, direct effects on the trial endpoints) and how the independent effects of concomitant and trial interventions could be ascertained.  |
| User Guidance   | This section should be consistent with the medication restrictions in the inclusion/exclusion criteria previously listed. Describe the data (for example, dose and frequency, and any changes) that will be recorded related to permitted concomitant medications, supplements, complementary and alternative therapies, treatments, and/or procedures, and include details about when the information will be collected (for example, screening, all trial visits). |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

# **6.8.1 Prohibited Concomitant Therapy**

| Term (Variable)   | Prohibited Concomitant Therapy             |
|---|--|
| Data Type   | Text                                       |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required                                   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Prohibited Concomitant Therapy             |
| Business rules  | Value Allowed: Yes                         |
|   | Relationship: n/a                          |
|   | Concept: n/a                               |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Prohibited Concomitant Therapy   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Describes any prohibited concomitant therapy.                                    |
| User Guidance   | Include content in this section if applicable, otherwise note as not applicable. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy                                       |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

# **6.8.2 Permitted Concomitant Therapy**

| Term (Variable)  | Permitted Concomitant Therapy                     |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content from ToC representing the protocol hierarchy Relationship | Trial Intervention and Concomitant Therapy        |
| (reference to high level conceptual model)                                     |   |
| Value  | Permitted Concomitant Therapy                     |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections  | • •   |

| Term (Variable)   | Permitted Concomitant Therapy  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Describes any permitted concomitant therapy.                                     |
| User Guidance   | Include content in this section if applicable, otherwise note as not applicable. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy                                       |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a                                |
| Duplicate field in other sections                                 |  |

# **6.8.3 Rescue Therapy**

| Term (Variable)  | Rescue Therapy                                    |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content from ToC representing the protocol hierarchy Relationship | Trial Intervention and Concomitant Therapy        |
| (reference to high<br>level conceptual<br>model)                               |   |
| Value  | Rescue Therapy                                    |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections  |   |

| Term (Variable)   | Rescue Therapy   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Describes the circumstances under which use of rescue therapy is permitted.  |
| User Guidance   | List all medications, treatments, and/or procedures which may be provided during the trial for rescue therapy and provide relevant instructions about the administration of rescue medications. Describe the circumstances under which use of rescue therapy is permitted. If administration of rescue therapy leads to the temporary discontinuation of trial intervention or a participant's withdrawal from the trial, refer to Section 7, Discontinuation of Trial Intervention and Participant Discontinuation/Withdrawal from the Trial. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

## 6.8.4 Other Therapy

| Term (Variable)   | Other Therapy                                     |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy        |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Other Therapy                                     |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

399

| Term (Variable)   | Other Therapy  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Describes the circumstances under which use of other noninvestigational or auxiliary therapy are permitted, e.g. challenge agents. |
| User Guidance   | Include content in this section if applicable.   |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Intervention and Concomitant Therapy   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

# 7. Discontinuation of Trial Intervention and Participant Withdrawal from Trial

| Term (Variable)   | Discontinuation of Trial Intervention and Participant Withdrawal from  |
|---|--|
|   | Trial  |
| Data Type   |  |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   | This section must align with the intercurrent events introduced in Section 3, Trial Objectives, Endpoints, and Estimands, and the treatment described in Section 6 Trial Intervention and Concomitant Therapy. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Discontinuation of Trial Intervention  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Discontinuation of Trial Intervention and Participant Withdrawal from Trial  |
| Business rules  | Value Allowed: Yes   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

#### **7.1 Discontinuation of Trial Intervention**

| Term (Variable)   | Discontinuation of Trial Intervention  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   | Discontinuation of trial intervention for a participant occurs when trial intervention is stopped earlier than the protocol planned duration |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Discontinuation of Trial Intervention  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Discontinuation of Trial Intervention  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

#### **7.1.1** Criteria for Permanent Discontinuation of Trial Intervention

| Term (Variable)   | Criteria for Discontinuation of Trial Intervention |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Discontinuation of Trial Intervention              |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Criteria for Discontinuation of Trial Intervention |
| Business rules  | Value Allowed: Yes                                 |
|   | Relationship: n/a                                  |
|   | Concept: n/a                                       |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Criteria for Permanent Discontinuation of Trial Intervention  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  | Criteria's for discontinuation of a participant from trial intervention.  |
| User Guidance   | Describe the criteria for discontinuation of a participant from trial intervention, carefully evaluating which are appropriate for the participant population and therapy being studied.  Specify whether participants who discontinue trial intervention can or cannot continue the trial (continue trial visits). Refer to the SoA for assessments to be performed at the time of and following discontinuation of trial intervention |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy         | Discontinuation of Trial Intervention   |
| Relationship<br>(reference to high<br>level conceptual<br>model)<br>Value |   |
| Business rules  | Welve Allered de ve/e   |
| Duplicate field in  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| other sections  |   |

## **7.1.2 Temporary Discontinuation or Interruption of Trial Intervention**

| Term (Variable)      | Temporary Discontinuation or Interruption of Trial Intervention |
|----------------------|---|
| Data Type            | Text  |
| Topic, Value or      | Н   |
| Header               |   |
| Definition           |   |
| User Guidance        |   |
| Conformance          | Required  |
| Cardinality          |   |
| Relationship content | Discontinuation of Trial Intervention                           |
| from ToC             |   |
| representing the     |   |
| protocol hierarchy   |   |
| Relationship         |   |
| (reference to high   |   |
| level conceptual     |   |
| model)               |   |
| Value                | Temporary Discontinuation or Interruption of Trial Intervention |
| Business rules       | Value Allowed: Yes  |
|                      | Relationship: n/a   |
|                      | Concept: n/a  |
| Duplicate field in   |   |
| other sections       |   |

| Term (Variable)  | Temporary Discontinuation/Interruption of Trial Intervention  |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   | Specifics criteria for interrupting trial intervention  |
| User Guidance  | Describe  the criteria for temporary discontinuation or interruption of trial intervention for an individual participant  what to do and which restrictions still apply if the participant needs to temporarily discontinue or interrupt trial intervention  whether they will continue in the trial, and  whether all, or specify which, assessments will be performed for the stated duration of the trial.  Details of any rechallenge or restart after a safety-related event should be included in Section 7.1.3, Rechallenge. |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Discontinuation of Trial Intervention   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  |   |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections  |   |

### **7.1.3 Rechallenge**

| Term (Variable)   | Rechallenge                           |
|---|---------------------------------------|
| Data Type   | Text                                  |
| Topic, Value or<br>Header   | Н                                     |
| Definition  |                                       |
| User Guidance   |                                       |
| Conformance   | Required                              |
| Cardinality   |                                       |
| Relationship content from ToC representing the protocol hierarchy | Discontinuation of Trial Intervention |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                       |
| Value   | Rechallenge                           |
| Business rules  | Value Allowed: Yes                    |
|   | Relationship: n/a                     |
|   | Concept: n/a                          |
| Duplicate field in other sections                                 |                                       |

| Town (Variable)  | T  |
|--|--|
| Term (Variable)  | Rechallenge  |
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | Describe the criteria for rechallenge/restarting trial intervention, how to perform rechallenge, number of rechallenges allowed during the trial, and whether all, or specify which, assessments will be performed for the stated duration of the trial.  If rechallenge is not allowed, state this. |
| Conformance  | Required   |
| Cardinality  | •  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Discontinuation of Trial Intervention  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  |  |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections  |  |

# **7.2** Participant Withdrawal from the Trial

| Term (Variable)   | Participant Withdrawal from Trial                 |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Discontinuation of Trial Intervention             |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Participant Withdrawal from Trial                 |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)                       | Participant Withdrawal from Trial                                |
|---------------------------------------|--|
| · · · · · · · · · · · · · · · · · · · | Participant Withdrawal from Trial                                |
| Data Type                             | Text   |
| Topic, Value or                       | D  |
| Header                                |  |
| Definition                            |  |
| User Guidance                         | Describe the criteria for participant withdrawal from the trial. |
| Conformance                           | Required   |
| Cardinality                           |  |
| Relationship content                  | Discontinuation of Trial Intervention                            |
| from ToC                              |  |
| representing the                      |  |
| protocol hierarchy                    |  |
| Relationship                          |  |
| (reference to high                    |  |
| level conceptual                      |  |
| model)                                |  |
| Value                                 |  |
| Business rules                        | Value Allowed: n/a   |
|                                       | Relationship: n/a  |
|                                       | Concept: n/a   |
| Duplicate field in                    |  |
| other sections                        |  |

### **7.3** Lost to Follow-Up

| Term (Variable)   | Lost to Follow-Up                     |
|---|---------------------------------------|
| Data Type   | Text                                  |
| Topic, Value or<br>Header   | Н                                     |
| Definition  |                                       |
| User Guidance   |                                       |
| Conformance   | Required                              |
| Cardinality   |                                       |
| Relationship content from ToC representing the protocol hierarchy | Discontinuation of Trial Intervention |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                       |
| Value   | Lost to Follow-Up                     |
| Business rules  | Value Allowed: Yes                    |
|   | Relationship: n/a                     |
|   | Concept: n/a                          |
| Duplicate field in other sections                                 |                                       |

| Term (Variable)   | Lost to Follow-Up  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Describe how the trial will define and address participants who are lost to follow-up to help limit the amount and impact of missing data.  Describe the nature and duration of follow-up, as appropriate. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Discontinuation of Trial Intervention  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

### **7.4 Trial Stopping Rules**

| Term (Variable)  | Trial Stopping Rules                              |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Discontinuation of Trial Intervention             |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  | Trial Stopping Rules                              |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections  |   |

| Tames (Manialala)   |  |
|---|--|
| Term (Variable)   | Trial Stopping Rules   |
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | If applicable, describe or refer to any trial-specific stopping rules described in the protocol, including guidance on when the trial should be stopped for safety reasons, when a cohort or dose escalation should be terminated, and/or when a given treatment arm should be terminated. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Discontinuation of Trial Intervention  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

### **8. Trial Assessments and Procedures**

| Term (Variable)  | Trial Assessments and Procedures   |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  | <ul> <li>Describe the assessments and procedures required during each phase of the trial. Provide details that are not already presented in the SoA, taking care not to duplicate information.</li> <li>Describe methods, training, tools, instruments/questionnaires, calibration methods, etc. that will be used to record and assess data and ensure consistency across centres and participants. Include instructions on timing/conditions of assessments and if a specifically qualified person should be performing these assessments. Describe whether centralised readings and measurements will be utilised. Describe procedures to be used to maintain the blind.</li> <li>Reference the literature for the validation of scales/instruments/questionnaires/assays.</li> <li>Instructions or protocols for specialised tests may be presented in an appendix or a separate document and cross-referenced.</li> <li>If the trial includes qualitative interviews, describe these evaluations.</li> <li>If COA measures are utilised, include instructions for the investigators per local guidance. All COA parameters should be fully integrated into the appropriate sections of the protocol; separate COA sections should not be created in the protocol.</li> <li>Include minimums and limits for procedures (for example, volume of blood draws, number of imaging procedures/biopsies, radiation exposure, etc.) if appropriate to the trial.</li> </ul> |
| Conformance  | Required   |
| Cardinality  | ·  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Assessments and Procedures   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  | Trial Assessments and Procedures   |
| Business rules   | Value Allowed: Yes   |
|  | Relationship: n/a  |
|  | Concept: n/a   |
| Duplicate field in other sections  |  |

### **8.1 Screening/Baseline Assessments and Procedures**

| Term (Variable)   | Screening/Baseline Assessments and Procedures  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   | This section describes assessments and procedures that are unique to screening/baseline (for example, collection of data on participant characteristics, assessments/procedures performed for the purpose of determining eligibility or for stratification) in this section. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessment and Procedures  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Screening/Baseline Assessments and Procedures  |
| Business rules  | Value Allowed: Yes   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | Screening/Baseline Assessments and Procedures  |
|--|--|
|  | 5.   |
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | This section describes assessments and procedures that are unique to screening/baseline (for example, collection of data on participant characteristics, assessments/procedures performed for the purpose of determining eligibility or for stratification) in this section. |
| Conformance  |  |
|  | Optional/Repeated  |
| Cardinality  |  |
| Relationship content   | Screening/Baseline Assessments and Procedures  |
| from ToC   | Link to objective endpoint or estimand   |
| representing the protocol hierarchy                              | Link to objective enapoint of estimate   |
| Relationship<br>(reference to high<br>level conceptual<br>model) | Trial Assessment and Procedures  |
| Value  |  |
| Business rules   | Value Allowed: potential controlled terminology  |
|  | Relationship: n/a  |
|  | Concept: n/a   |
| Duplicate field in other sections                                | Repeat for each procedure  |

### **8.2** Efficacy Assessments and Procedures

| Term (Variable)      | FCC  |
|----------------------|--|
|                      | Efficacy Assessments and Procedures                        |
| Data Type            | Text   |
| Topic, Value or      | Н  |
| Header               |  |
| Definition           |  |
| User Guidance        | This section describes efficacy assessments and procedures |
| Conformance          | Required   |
| Cardinality          |  |
| Relationship content | Trial Assessment and Procedures                            |
| from ToC             |  |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                | Efficacy Assessments and Procedures                        |
| Business rules       | Value Allowed: Yes   |
|                      | Relationship: n/a  |
|                      | Concept: n/a   |
| Duplicate field in   |  |
| other sections       |  |

| Term (Variable)   | Efficacy Assessments and Procedures  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | This section describes efficacy assessments and procedures                 |
| Conformance   |  |
|   | Optional/Repeated  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessment and Procedures  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  | Efficacy Assessments and Procedures Link to objective endpoint or estimand |
| Value   |  |
| Business rules  | Value Allowed: potential controlled terminology                            |
|   | Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 | Repeat for each procedure  |

### **8.3 Safety Assessments and Procedures**

| Term (Variable)  | Safety Assessments and Procedures  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  | <ul> <li>This section describes safety assessments and procedures in this section. Level 3 headings can be added as needed.</li> <li>Identify any non-investigator party responsible for evaluation of laboratory or other safety assessments (for example, Sponsor or external Independent Data Monitoring Committee).</li> <li>Include guidelines for the management of relevant laboratory or other safety assessment abnormalities.</li> </ul> |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Assessment and Procedures  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  | Efficacy Assessments and Procedures  |
| Business rules   | Value Allowed: Yes   |
|  | Relationship: n/a  |
|  | Concept: n/a   |
| Duplicate field in other sections  |  |

| Term (Variable)   | Safety Assessments and Procedures  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | <ul> <li>This section describes safety assessments and procedures in this section. Level 3 headings can be added as needed.</li> <li>Identify any non-investigator party responsible for evaluation of laboratory or other safety assessments (for example, Sponsor or external Independent Data Monitoring Committee).</li> <li>Include guidelines for the management of relevant laboratory or other safety assessment abnormalities.</li> </ul> |
| Conformance   |  |
|   | Optional/ Repeated   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessment and Procedures  |
| Relationship  | Safety Assessments and Procedures  |
| (reference to high level conceptual model)                        | Link to objective endpoint or estimand   |
| Value   |  |
| Business rules  | Value Allowed: Potential controlled terminology Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 | Repeat for each procedure  |

# **8.3.1 Physical Examination**

| Term (Variable)  | Physical Examination             |
|--|----------------------------------|
| Data Type  | Text                             |
| Topic, Value or<br>Header  | Н                                |
| Definition   | Section heading                  |
| User Guidance  |                                  |
| Conformance  | Required                         |
| Cardinality  |                                  |
| Relationship content from ToC representing the protocol hierarchy Relationship | Trial Assessments and Procedures |
| (reference to high level conceptual model)                                     |                                  |
| Value  | Physical Examination             |
| Business rules   | Value Allowed: Yes               |
|  | Relationship: n/a                |
|  | Concept: n/a                     |
| Duplicate field in other sections  |                                  |

| Term (Variable)                     | Physical Examination   |
|-------------------------------------|--|
| Data Type                           | Text   |
| Topic, Value or                     | D  |
| Header                              |  |
| Definition                          |  |
| User Guidance                       | Include any specific instructions with respect to the collection and |
|                                     | interpretation of physical examinations.                             |
| Conformance                         |  |
|                                     | Optional/Repeated  |
| Cardinality                         |  |
| Relationship content                | Trial Assessments and Procedures                                     |
| from ToC                            |  |
| representing the                    |  |
| protocol hierarchy                  |  |
| Relationship                        | Physical Examination   |
| (reference to high level conceptual | Link to objective endpoint or estimand                               |
| model)                              |  |
| Value                               |  |
| Business rules                      | Value Allowed: Potential controlled terminology                      |
|                                     | Relationship: n/a  |
|                                     | Concept: n/a   |
| Duplicate field in other sections   | Repeat for each procedure  |

# **8.3.2** Vital Signs

| Term (Variable)  | Vital Signs                      |
|--|----------------------------------|
| Data Type  | Text                             |
| Topic, Value or<br>Header  | Н                                |
| Definition   | Section Heading                  |
| User Guidance  |                                  |
| Conformance  | Required                         |
| Cardinality  |                                  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship<br>(reference to high | Trial Assessments and Procedures |
| level conceptual model)  |                                  |
| Value  | Vital Signs                      |
| Business rules   | Value Allowed: Yes               |
|  | Relationship: n/a                |
|  | Concept: n/a                     |
| Duplicate field in other sections  |                                  |

| Term (Variable)   | Vital Signs  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | <ul> <li>Carefully consider which vital signs (if any) should be measured to ensure that only essential data are collected</li> <li>Include any specific instructions with respect to the collection and interpretation of vital signs (for example, order). If orthostatic vital signs will be assessed, include instructions for supine and standing blood pressure and pulse measurements</li> <li>Select the standard methods of vital sign collection as appropriate for the countries in which the trial will be conducted</li> <li>For studies requiring sensitive blood pressure monitoring (for example, if blood pressure decrease or increase is an anticipated effect), include details on device calibration requirements or frequency of measuring.</li> </ul> |
| Conformance   | Optional/Repeated  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures   |
| Relationship<br>(reference to high<br>level conceptual            | Vital signs Link to objective endpoint or estimand   |
| model) Value  |  |
| Business rules  | Value Allace de redecido eschalla de terrain de re   |
| Dusiliess luies   | Value Allowed: potential controlled terminology  |
|   | Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 | Repeat for each procedure  |

### **8.3.3 Electrocardiograms**

| Term (Variable)  | Electrocardiograms               |
|--|----------------------------------|
| Data Type  | Text                             |
| Topic, Value or<br>Header  | Н                                |
| Definition   | Section Heading                  |
| User Guidance  |                                  |
| Conformance  | Required                         |
| Cardinality  |                                  |
| Relationship content from ToC representing the protocol hierarchy Relationship | Trial Assessments and Procedures |
| (reference to high level conceptual model)                                     |                                  |
| Value  | Electrocardiograms               |
| Business rules   | Value Allowed: Yes               |
|  | Relationship: n/a                |
|  | Concept: n/a                     |
| Duplicate field in other sections  |                                  |

| Term (Variable)   | Electrocardiograms  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | <ul> <li>Specify if the ECG is for screening purposes only.</li> <li>Include any specific instructions for the collection, interpretation, and archiving of ECGs (for example, time points relative to dosing with trial treatment or other evaluations).</li> <li>Indicate whether single or triplicate ECGs will be collected at each time point. If triplicate ECGs will be collected, provide necessary details.</li> <li>Indicate whether ECGs will be analysed at a central or local laboratory.</li> </ul> |
|   | High-quality ECG data should be collected if the goal is to assess the effects of trial treatment on ECG intervals such as the QT interval. Such ECG data may be required to meet regulatory authority expectations for a thorough ECG assessment (for example, as outlined in ICH E14) or to better assess a cardiac conduction signal from previous nonclinical or clinical studies.  |
| Conformance   | Optional/Repeated   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures  |
| Relationship  | Electrocardiograms  |
| (reference to high level conceptual model)                        | Link to objective endpoint or estimand  |
| Value   |   |
| Business rules  | Value Allowed: Potential controlled terminology   |
|   | Relationship: n/a   |
|   | Concept: n/a  |
| Duplicate field in other sections                                 | Repeat for each procedure   |

**8.3.4** Clinical Laboratory Assessments

| U.D. T  | abol atoly 1135c55ments          |
|---|----------------------------------|
| Term (Variable)   | Clinical Laboratory Assessments  |
| Data Type   | Text                             |
| Topic, Value or<br>Header   | Н                                |
| Definition  | Section Heading                  |
| User Guidance   |                                  |
| Conformance   | Required                         |
| Cardinality   |                                  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                  |
| Value   | Clinical Laboratory Assessments  |
| Business rules  | Value Allowed: Yes               |
|   | Relationship: n/a                |
|   | Concept: n/a                     |
| Duplicate field in other sections                                 |                                  |

| Term (Variable)   | Clinical Laboratory Assessments  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | <ul> <li>For multicenter studies in participants who are patients, make every effort to ensure routine laboratory safety assessments are performed by a central laboratory. If local laboratory assessments are required, these must be stated clearly in the protocol. Provisions should be in place to allow for the acceptance of local laboratory data (even if a central laboratory is used). Sponsor databases should be set up appropriately for the reporting of data from both central and local laboratories. Consult with the data management representative for language to be included on how data should be reported to the sponsor if a local laboratory is used.</li> <li>Specify if the use of local laboratories is allowed in cases where initiation of trial treatment or safety follow-up is time-sensitive and the central laboratory results will not be available before the need to begin trial treatment or other actions that need to be taken for safety reasons.</li> <li>Specify any special instructions for screening samples.</li> <li>Specify which laboratory parameters should be included in each panel (for example, for hematology, chemistry, urinalysis). List only those that will be analysed for the trial. Confirm lists and blood volumes before finalising the protocol.</li> </ul> |
| Conformance   | Optional/Repeated  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  | Clinical Laboratory Assessments Link to objective endpoint or estimand   |
| Value   |  |
| Business rules  | Value Allowed: potential controlled terminology Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 | Repeat for each procedure  |

### **8.3.5** Suicidal Ideation and Behaviour Risk Monitoring

| Term (Variable)   | Suicidal Ideation and Behaviour Risk Monitoring |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Section Heading                                 |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures                |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Suicidal Ideation and Behaviour Risk Monitoring |
| Business rules  | Value Allowed: Yes                              |
|   | Relationship: n/a                               |
|   | Concept: n/a                                    |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Suicidal Ideation and Behaviour Risk Monitoring  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | If clinical trials meet any of the criteria requiring suicidal ideation and behavior risk monitoring by the guidance/guideline in each region, include any specific instructions with respect to the collection and interpretation of the assessment.  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | [Trial Intervention] is considered to be central nervous system (CNS)-active. In addition, there have been some reports of {suicidal ideation or behavior as reported in the product label} when it has been given to some participants with {certain conditions}. The sponsor considers it important to monitor for such events before and during this clinical trial. OR [Trial Intervention] is considered to be an {antidepressant/ antiepileptic/ CNS-active trial treatment}. There has been some concern that {antidepressants/ antiepileptics/ some CNS-active trial treatments} may be associated with an increased risk of suicidal ideation or behavior when given to some participants with {major depressive disorder/ bipolar disorder/ epilepsy/ certain conditions}. Although this trial treatment or other similar drugs in this class have not been shown to be associated with an increased risk of suicidal thinking or behavior when given to {healthy volunteers/this participant population}, the sponsor considers it important to monitor for such events before or during this clinical trial. |
| Business rules  | Value Allowed: Potential controlled terminology Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |  |

### **8.4** Adverse Events and Serious Adverse Events

|                         | T   |
|-------------------------|---|
| Term (Variable)         | Adverse Events and Serious Adverse Events |
| Data Type               | Text                                      |
| Topic, Value or         | Н   |
| Header                  |   |
| Definition              |   |
| User Guidance           |   |
| Conformance             | Required                                  |
| Cardinality             |   |
| Relationship content    | Trial Assessments and Procedures          |
| from ToC                |   |
| representing the        |   |
| protocol hierarchy      |   |
| Relationship            |   |
| (reference to high      |   |
| level conceptual model) |   |
| Value                   | Advance Events and Corious Advance Events |
|                         | Adverse Events and Serious Adverse Events |
| Business rules          | Value Allowed: Yes                        |
|                         | Relationship: n/a                         |
|                         | Concept: n/a                              |
| Duplicate field in      |   |
| other sections          |   |

### **8.4.1 Definitions of AE and SAE**

| Term (Variable)                       | Definition of Advance Fronts and Conince Advance Fronts |
|---------------------------------------|---|
| · · · · · · · · · · · · · · · · · · · | Definition of Adverse Events and Serious Adverse Events |
| Data Type                             | Text  |
| Topic, Value or                       | Н   |
| Header                                |   |
| Definition                            |   |
| User Guidance                         |   |
| Conformance                           | Required  |
| Cardinality                           |   |
| Relationship content                  |   |
| from ToC                              |   |
| representing the                      |   |
| protocol hierarchy                    |   |
| Relationship                          |   |
| (reference to high                    |   |
| level conceptual                      |   |
| model)                                |   |
| Value                                 | Definition of Adverse Events and Serious Adverse Events |
| Business rules                        | Value Allowed: Yes                                      |
|                                       | Relationship: n/a                                       |
|                                       | Concept: n/a  |
| Duplicate field in                    |   |
| other sections                        |   |

| Term (Variable)      | [AE Definition]             |
|----------------------|-----------------------------|
| Data Type            | Text                        |
| Topic, Value or      | D                           |
| Header               |                             |
| Definition           |                             |
| User Guidance        |                             |
| Conformance          | Required                    |
| Cardinality          |                             |
| Relationship content |                             |
| from ToC             |                             |
| representing the     |                             |
| protocol hierarchy   |                             |
| Relationship         |                             |
| (reference to high   |                             |
| level conceptual     |                             |
| model)<br>Value      |                             |
|                      | Definition of Adverse Event |
| Business rules       | Value Allowed: Yes          |
|                      | Relationship: n/a           |
|                      | Concept: n/a                |
| Duplicate field in   |                             |
| other sections       |                             |

|   | <del>-</del>                                      |
|---|---|
| Term (Variable)   | [SAE Definition]                                  |
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy Relationship (reference to high level conceptual model) |   |
| Value   | Definition of Serious Adverse Event               |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections   |   |

| Term (Variable)  | Additional details and clarifications for AEs and SAEs are in Appendices               |
|--|--|
|  | 12.1 and 12.2  |
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content from ToC representing the protocol hierarchy Relationship |  |
| (reference to high<br>level conceptual<br>model)                               |  |
| Value  | Additional details and clarifications for AEs and SAEs are in Appendices 12.1 and 12.2 |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a                                      |
| Duplicate field in other sections  |  |

# **8.4.2** Time Period and Frequency for Collecting AE and SAE Information

| Term (Variable)      | Time Period and Frequency for collection AE and SAE Information |
|----------------------|---|
| Data Type            | · · ·   |
| , ·                  | Text  |
| Topic, Value or      | H   |
| Header               |   |
| Definition           |   |
| User Guidance        |   |
| Conformance          | Required  |
| Cardinality          |   |
| Relationship content | Trial Assessments and Procedures                                |
| from ToC             |   |
| representing the     |   |
| protocol hierarchy   |   |
| Relationship         |   |
| (reference to high   |   |
| level conceptual     |   |
| model)               |   |
| Value                | Time Period and Frequency for collection AE and SAE Information |
| Business rules       | Value Allowed: Yes  |
|                      | Relationship: n/a   |
|                      | Concept: n/a  |
| Duplicate field in   |   |
| other sections       |   |

| Term (Variable)   | Time period and frequency for collecting AEs and SAEs  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Specify the start and ending time periods for collecting AEs and SAEs. Consider the following factors when deciding on the collection time period: |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

### **8.4.3 Identifying AEs and SAEs**

| Term (Variable)                   | Identifying AEs and SAEs         |
|-----------------------------------|----------------------------------|
| Data Type                         | Text                             |
| Topic, Value or                   | Н                                |
| Header                            |                                  |
| Definition                        |                                  |
| User Guidance                     |                                  |
| Conformance                       | Required                         |
| Cardinality                       |                                  |
| Relationship content              | Trial Assessments and Procedures |
| from ToC                          |                                  |
| representing the                  |                                  |
| protocol hierarchy                |                                  |
| Relationship                      |                                  |
| (reference to high                |                                  |
| level conceptual                  |                                  |
| model)                            |                                  |
| Value                             | Identifying AEs and SAEs         |
| Business rules                    | Value Allowed: Yes               |
|                                   | Relationship: n/a                |
|                                   | Concept: n/a                     |
| Duplicate field in other sections |                                  |

| Tarre (Variable)  |  |
|---|--|
| Term (Variable)   | Identifying AEs and SAEs   |
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Specifies the method(s) used to identify AEs and SAEs.   |
| User Guidance   | To avoid bias, Open-ended and non leading verbal questioning of the participant is the preferred method. However, for studies in which the participants are not always able to provide valid verbal responses to open ended questions, another method may be required. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

### **8.4.4 Recording of AEs and SAEs**

| Term (Variable)   | Recording of AEs and SAEs                         |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Duplicate field in other sections                                 |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Recording of AEs and SAEs                         |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Recording of AEs and SAEs   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  | Specifies the Investigator's actions for recording AEs, including the final AE outcome. |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Duplicate field in other sections                                 |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a                                       |
| Duplicate field in other sections                                 |   |

| Term (Variable)                     | Further details are accessing accessing and accessing of AFE and CAFE are   |
|-------------------------------------|---|
| Term (variable)                     | Further details on assessing severity and causality of AEs and SAEs are     |
|                                     | in Appendices 12.3 and 12.4   |
| Data Type                           | Text  |
| Topic, Value or                     | D   |
| Header                              |   |
| Definition                          | Specifies the Investigator's actions for recording AEs, including the final |
|                                     | AE outcome.   |
| User Guidance                       |   |
| Conformance                         | Required  |
| Cardinality                         |   |
| Duplicate field in                  |   |
| other sections                      |   |
| Relationship content                | Trial Assessments and Procedures  |
| from ToC                            |   |
| representing the                    |   |
| protocol hierarchy                  |   |
| Relationship                        |   |
| (reference to high level conceptual |   |
| model)                              |   |
| Value                               | Further details on assessing severity and causality of AEs and SAEs are     |
|                                     | in Appendices 12.3 and 12.4   |
| Business rules                      | Value Allowed: n/a  |
|                                     | Relationship: n/a   |
|                                     | Concept: n/a  |
| Duplicate field in                  | -   |
| other sections                      |   |

### **8.4.5** Follow-up of AEs and SAEs

| Term (Variable)   | Follow-up of AEs and SAEs        |
|---|----------------------------------|
| Data Type   | Text                             |
| Topic, Value or<br>Header   | Н                                |
| Definition  |                                  |
| User Guidance   |                                  |
| Conformance   | Required                         |
| Cardinality   |                                  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                  |
| Value   | Follow-up of AEs and SAEs        |
| Business rules  | Value Allowed: Yes               |
|   | Relationship: n/a                |
|   | Concept: n/a                     |
| Duplicate field in other sections                                 |                                  |

| Term (Variable)   | Follow-up of AEs and SAEs  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Specify the procedures for follow-up of AEs and SAEs until they are resolved or considered stable. Include the assessment tools that will be used to monitor the events and the duration of follow-up after appearance of the events. Specify any procedures to be used for studies in which death is not an endpoint. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

### **8.4.6** Reporting of SAEs

| Term (Variable)   | Reporting of SAEs                                 |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Duplicate field in other sections                                 |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Reporting of SAEs                                 |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 | -   |

| Term (Variable)   | Reporting of SAEs   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Specify the SAE reporting method (e.g., an electronic data collection tool or a paper CRF). |
| Conformance   | Required  |
| Cardinality   |   |
| Duplicate field in other sections                                 |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

### **8.4.7 Regulatory Reporting Requirements for SAEs**

| Term (Variable)  | Regulatory Reporting Requirements for SAEs        |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content from ToC representing the protocol hierarchy Relationship | Trial Assessments and Procedures                  |
| (reference to high<br>level conceptual<br>model)                               |   |
| Value  | Regulatory Reporting Requirements for SAEs        |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections  | •   |

| Term (Variable)   | Regulatory Reporting   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Specify:  The Sponsor's legal/regulatory responsibilities to report SAEs to regulatory authorities, ethics committees, and investigators.  The investigators' responsibilities for promptly reporting SAEs to the Sponsor to allow the Sponsor to meet their responsibilities. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

#### 

# **8.4.8** Serious and Unexpected Adverse Reaction Reporting

| Term (Variable)  | Serious and Unexpected Adverse Reaction Reporting |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content from ToC representing the protocol hierarchy Relationship | Trial Assessment and Procedures                   |
| (reference to high level conceptual model)                                     |   |
| Value  | Serious and Unexpected Adverse Reaction Reporting |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections  |   |

| Term (Variable)      | Serious and Unexpected Adverse Reaction Reporting |
|----------------------|---|
| Data Type            | Text  |
| Topic, Value or      | D   |
| Header               |   |
| Definition           |   |
| User Guidance        | Include this section, if applicable.              |
| Conformance          | Required  |
| Cardinality          |   |
| Relationship content | Trial Assessment and Procedures                   |
| from ToC             |   |
| representing the     |   |
| protocol hierarchy   |   |
| Relationship         |   |
| (reference to high   |   |
| level conceptual     |   |
| model)               |   |
| Value                |   |
| Business rules       | Value Allowed: n/a                                |
|                      | Relationship: n/a                                 |
|                      | Concept: n/a                                      |
| Duplicate field in   |   |
| other sections       |   |

# **8.4.9 Adverse Events of Special Interest**

| Term (Variable)  | Adverse Events of Special Interest |
|--|------------------------------------|
| Data Type  | Text                               |
| Topic, Value or<br>Header  | Н                                  |
| Definition   |                                    |
| User Guidance  |                                    |
| Conformance  | Required                           |
| Cardinality  |                                    |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Assessment and Procedures    |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |                                    |
| Value  | Adverse Events of Special Interest |
| Business rules   | Value Allowed: Yes                 |
|  | Relationship: n/a                  |
|  | Concept: n/a                       |
| Duplicate field in other sections  |                                    |

| Term (Variable)  | Adverse Events of Special Interest   |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | Include this section, if applicable.  Specify any Adverse Events of Special Interest (AESI):  Other events that merit reporting to the Sponsor, trial leadership, IRB, and regulatory agencies (for example, secondary malignancies in oncology studies).  Other reportable events not already included in the previous sections, such as cardiovascular and death events, medical device incidents (including malfunctions), laboratory test abnormalities, and trial intervention overdose.  Include the following for each AESI:  The definition of the event. Specify the MedDRA preferred terms to use to report the AESI.  If it is a measurable quantity, specify how will the measurement be done.  If it is a clinical event, specify how will it be confirmed. |
| Conformance  | Required   |
| Cardinality  | ·  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Assessment and Procedures  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  |  |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections  |  |

# 8.4.10 Disease-related Events or Outcomes Not Qualifying as AEs or SAEs

| Term (Variable)   | Disease-related Events or Outcomes Not Qualifying as AEs or SAEs |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures                                 |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Disease-related Events or Outcomes Not Qualifying as AEs or SAEs |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a                |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | Disease-related Events or Outcomes Not Qualifying as AEs or SAEs   |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | Specify any Disease-Related Events (DREs), disease-related outcomes, or both that will not be reported as AEs or SAEs (for example, seizures in anticonvulsant studies). |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content from ToC representing the protocol hierarchy Relationship | Trial Assessment and Procedures  |
| (reference to high level conceptual model)                                     |  |
| Value  |  |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections  |  |

### **8.5 Pregnancy and Postpartum Information**

| Term (Variable)   | Pregnancy and Postpartum Information              |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures                  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Pregnancy and Postpartum Information              |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 | •   |

### **8.5.1** Participants Who Become Pregnant During the Trial

| Term (Variable)      | Participants Who Rocomo Prognant During Trial |
|----------------------|---|
| , ,                  | Participants Who Become Pregnant During Trial |
| Data Type            | Text  |
| Topic, Value or      | H   |
| Header               |   |
| Definition           |   |
| User Guidance        |   |
| Conformance          | Optional                                      |
| Cardinality          |   |
| Relationship content | Trial Assessment and Procedures               |
| from ToC             |   |
| representing the     |   |
| protocol hierarchy   |   |
| Relationship         |   |
| (reference to high   |   |
| level conceptual     |   |
| model)               |   |
| Value                | Participants Who Become Pregnant During Trial |
| Business rules       | Value Allowed: Yes                            |
|                      | Relationship: n/a                             |
|                      | Concept: n/a                                  |
| Duplicate field in   |   |
| other sections       |   |

| Term (Variable)   | Participants Who Become Pregnant During Trial  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Specify the assessments to be performed, type and duration of monitoring, and what information will be collected for a participant who becomes pregnant during the trial (for example, recording and reporting to the Sponsor, postpartum follow-up, trial intervention discontinuation or continuation, or trial withdrawal). For postpartum follow-up, include the time period (for example, initial child development) with the justification.  If exposure to trial intervention during breastfeeding is applicable, specify the assessments to be performed, type and duration of monitoring, and what information will be collected for both the participant and child.  Specify that pregnancy is not an AE, unless a negative or consequential outcome occurs in the participant or child/foetus. If the negative event meets the seriousness criteria, then this is considered an SAE (for example, spontaneous abortion, foetal death, stillbirth, congenital anomalies, ectopic pregnancy, or pre-eclampsia) and reported per Section 8.1.5, Reporting of SAEs. |
| Conformance   | Optional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

### **8.5.2 Participants Whose Partners Become Pregnant**

| Term (Variable)   | Participants Whose Partners Become Pregnant |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Optional                                    |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures            |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Participants Whose Partners Become Pregnant |
| Business rules  | Value Allowed: Yes                          |
|   | Relationship: n/a                           |
|   | Concept: n/a                                |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Participants Whose Partners Become Pregnant   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Specify:  If the Investigator will attempt to collect pregnancy information for a participant's partner, who becomes pregnant while the participant is in the trial.  The assessments to be performed, type and duration of monitoring, and what information will be collected. |
| Conformance   | Optional  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy         | Trial Assessments and Procedures  |
| Relationship<br>(reference to high<br>level conceptual<br>model)<br>Value |   |
| Business rules  | Value Allowed: n/a  |
|   | Relationship: n/a Concept: n/a  |
| Duplicate field in other sections   |   |

# 8.6 Medical Device Product Complaints for Drug/Device Combination Products

| Term (Variable)  | Medical Device Product Complaints for Drug/Device Combination          |
|--|--|
|  | Products   |
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  |  |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content from ToC                                    | Trial Assessments and Procedures                                       |
| representing the protocol hierarchy                              |  |
| Relationship<br>(reference to high<br>level conceptual<br>model) |  |
| Value  | Medical Device Product Complaints for Drug/Device Combination Products |
| Business rules   | Value Allowed: Yes   |
|  | Relationship: n/a  |
|  | Concept: n/a   |
| Duplicate field in other sections                                |  |

#### 

#### **8.6.1** Definition of Medical Device Product Complaints

| Term (Variable)      | D.C. W. C. C. M. P. J. D. C. C. C. L. L. C. |
|----------------------|---|
|                      | Definition of Medical Device Complaints     |
| Data Type            | Text  |
| Topic, Value or      | Н   |
| Header               |   |
| Definition           |   |
| User Guidance        |   |
| Conformance          | Optional                                    |
| Cardinality          |   |
| Relationship content | Trial Assessment and Procedures             |
| from ToC             |   |
| representing the     |   |
| protocol hierarchy   |   |
| Relationship         |   |
| (reference to high   |   |
| level conceptual     |   |
| model)               |   |
| Value                |   |
| Business rules       | Value Allowed: Yes                          |
|                      | Relationship: n/a                           |
|                      | Concept: n/a                                |
| Duplicate field in   |   |
| other sections       |   |

| Term (Variable)                     | Definition of Medical Device Compliance                                  |
|-------------------------------------|--|
| Data Type                           | Text   |
| Topic, Value or<br>Header           | D  |
| Definition                          |  |
| User Guidance                       | Add this section for drug/device combination products; otherwise, omit   |
|                                     | it.  |
| Conformance                         | Optional   |
| Cardinality                         |  |
| Relationship content from ToC       | Trial Assessments and Procedures   |
| representing the                    |  |
| protocol hierarchy                  |  |
| Relationship                        |  |
| (reference to high level conceptual |  |
| model)                              |  |
| Value                               | The definitions and procedures in this section comply with ISO 14155     |
|                                     | and European Medical Device Regulation (MDR) 2017/745 for clinical       |
|                                     | device research (if applicable).   |
|                                     | Both the Investigator and the Sponsor will comply with all local medical |
| Barata a sanata a                   | device product complaint reporting requirements.                         |
| Business rules                      | Value Allowed: Yes   |
|                                     | Relationship: n/a  |
| <b>D</b> II ( 0 111                 | Concept: n/a   |
| Duplicate field in other sections   |  |
| Other Sections                      |  |

491

#### **8.6.2 Recording of Medical Device Product Complaints**

| 0.0.2 Recording      | of Medical Device I roduct Complaints          |
|----------------------|--|
| Term (Variable)      | Recording of medical Device Product Complaints |
| Data Type            | Text   |
| Topic, Value or      | Н  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          | Optional                                       |
| Cardinality          |  |
| Relationship content | Trial Assessments and Procedures               |
| from ToC             |  |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                | Recording of Medical Device Product Complaints |
| Business rules       | Value Allowed: Yes                             |
|                      | Relationship: n/a                              |
|                      | Concept: n/a                                   |
| Duplicate field in   |  |
| other sections       |  |

| Term (Variable)   | Recording of Medical Device Product Complaints   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Optional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | When a product compliant occurs, the Investigator will review relevant documentation (for example, diary cards, memory aids, hospital progress notes, laboratory reports, and diagnostics reports) related to the event. |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

# 8.6.3 Time Period and Frequency for Collecting Medical Device Product Complaints

| Term (Variable)   | Time Period and Frequency for Collecting Medical Device Product            |
|---|--|
|   | Complaints   |
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Optional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Time Period and Frequency for Collecting Medical Device Product Complaints |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a                          |
| Duplicate field in other sections                                 |  |

497

| Term (Variable)      | Time Period and Frequency for Collection Medical Device Product |
|----------------------|---|
| reilli (Variable)    | Complaints  |
| Data Type            |   |
|                      | Text  |
| Topic, Value or      | D   |
| Header               |   |
| Definition           |   |
| User Guidance        |   |
| Conformance          | Optional  |
| Cardinality          |   |
| Relationship content | Trial Assessments and Procedures                                |
| from ToC             |   |
| representing the     |   |
| protocol hierarchy   |   |
| Relationship         |   |
| (reference to high   |   |
| level conceptual     |   |
| model)               |   |
| Value                | Time Period and Frequency for Collection Medical Device Product |
|                      | Complaints  |
| Business rules       | Value Allowed: Yes  |
|                      | Relationship: n/a   |
|                      | Concept: n/a  |
| Duplicate field in   |   |
| other sections       |   |

#### **8.6.4 Follow-Up of Medical Device Product Complaints**

| Term (Variable)   | Follow-up of Medical Device Product Complaints |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Optional                                       |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures               |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Follow-up of Medical Device Product Complaints |
| Business rules  | Value Allowed: Yes                             |
|   | Relationship: n/a                              |
|   | Concept: n/a                                   |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Follow up of Modical Davisa Product Complaints   |
|---|--|
| • • •   | Follow-up of Medical Device Product Complaints   |
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Specify how medical device product complaints will be followed until resolved or considered stable. Specify the procedures for their follow-up, including what assessment tools will be used to monitor the events and the duration of follow-up after appearance of the events. |
| Conformance   | Optional   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

# 8.6.5 Regulatory Reporting Requirements for Medical Device Product Complaints

| Term (Variable)   | Regulatory Reporting Requirements for Medical Device Product            |
|---|---|
|   | Complaints  |
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Optional  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessment and Procedures   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Regulatory Reporting Requirements for Medical Device Product Complaints |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a                       |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Regulatory Reporting Requirements for Medical Device Product  |
|---|---|
|   | Complaints  |
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | This section addresses the Investigators' responsibilities for reporting Medical Device Product Complaints (e.g., within 24 hours). Sponsors have additional regulatory responsibilities that are not described in this template. |
| Conformance   | Optional  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessment and Procedures   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a  |
| Duplicate field in other sections                                 | Concept: n/a  |

#### 

#### **8.7 Pharmacokinetics**

| Term (Variable)  | Pharmacokinetics                 |
|--|----------------------------------|
| Data Type  | Text                             |
| Topic, Value or<br>Header  | Н                                |
| Definition   | Section Heading                  |
| User Guidance  |                                  |
| Conformance  | Required                         |
| Cardinality  |                                  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Assessments and Procedures |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |                                  |
| Value  | Pharmacokinetics                 |
| Business rules   | Value Allowed: Yes               |
|  | Relationship: n/a                |
|  | Concept: n/a                     |
| Duplicate field in other sections  |                                  |

| Term (Variable)  | Pharmacokinetics  |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  | <ul> <li>Insert text as appropriate for this trial. If population PK will be included, provide appropriate text. If PK will not be part of the trial, include a statement to this effect.</li> <li>Describe any trial treatment concentrations to be measured and the sample collection times relative to dosing. Samples of plasma, urine, or other fluids may be taken for the purpose of measuring compliance, adjusting dose, or determining if a therapeutic "window" exists. This section of the protocol will be written in collaboration with the appropriate PK representatives and will contain information about sampling times, sample volume, sample handling procedures, assay methods, etc. Specific sample collection and processing including retention time instructions can be described in an Appendix and cross-referenced.</li> <li>Indicate definitions for the PK parameters (for example, area under the curve [AUC], maximum observed concentration [Cmax], time to Cmax [Tmax], half-life [T½], volume of distribution [Vd], clearance [CL]) of interest and how they will be calculated. Consult with the PK representative for this information</li> <li>Describe sampling time relative to ingestion of food, posture, and possible effects of concomitant medications/alcohol/caffeine/nicotine.</li> <li>Describe the biological sample(s) collected (blood, urine, or other such as breath, saliva, biopsies, etc.), the handling of samples, and the assay method including references to published and/or internal assay validation documentation.</li> <li>Specify other factors that are important in assessing the PK of the trial treatment (for example, soluble circulating receptors, renal or heavier function) and the plan for measuring these factors.</li> </ul> |
| Canfarmanaa  | hepatic function) and the plan for measuring these factors.   |
| Conformance  | Optional/Repeated   |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Assessments and Procedures  |
| Relationship   | Pharmacokinetics  |
| (reference to high level conceptual  | Assessments and Procedures  |
| model)   | Link to objective endpoint or estimand  |
| Value  |   |
| Business rules   | Value Allowed: potential controlled terminology   |
| <del>-</del>   | Relationship: n/a   |
|  | Concept: n/a  |
| Duplicate field in   |   |
| other sections   | Repeat for each assessment  |

#### **8.8 Genetics**

| Term (Variable)   | Genetics                         |
|---|----------------------------------|
| Data Type   | Text                             |
| Topic, Value or<br>Header   | Н                                |
| Definition  | Section Heading                  |
| User Guidance   |                                  |
| Conformance   | Required                         |
| Cardinality   |                                  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                  |
| Value   | Genetics                         |
| Business rules  | Value Allowed: Yes               |
|   | Relationship: n/a                |
|   | Concept: n/a                     |
| Duplicate field in other sections                                 |                                  |

| Term (Variable)  | Genetics   |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | Refer to ICH E15 and E18 as needed.  Contact the appropriate sponsor functional area representatives to ensure that appropriate pharmacogenomic trial design text is included throughout the protocol.  See the appropriate guidelines/templates from the sponsor functional area representatives (for example, standard attachments for shipping and handling of laboratory samples). Dependent upon the volume of these attachments, they may be added to the protocol in an additional section or provided in supplementary documents that will accompany the protocol. |
| Conformance  | Optional/Repeated  |
| Cardinality  | operation, respective  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Trial Assessments and Procedures   |
| Relationship   | Genetic Assessments and Procedures   |
| (reference to high level conceptual model)                                 | Link to objective endpoint or estimand   |
| Value  |  |
| Business rules   | Value Allowed: potential controlled terminology Relationship: n/a Concept: n/a   |
| Duplicate field in other sections  | Repeat for each analysis   |

#### **8.9 Biomarkers**

| Term (Variable)   | Biomarkers                       |
|---|----------------------------------|
| Data Type   | Text                             |
| Topic, Value or<br>Header   | Н                                |
| Definition  | Section Heading                  |
| User Guidance   |                                  |
| Conformance   | Required                         |
| Cardinality   |                                  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |                                  |
| Value   | Biomarkers                       |
| Business rules  | Value Allowed: Yes               |
|   | Relationship: n/a                |
|   | Concept: n/a                     |
| Duplicate field in other sections                                 |                                  |

| Term (Variable)                     | Biomarkers  |
|-------------------------------------|---|
| Data Type                           | Text  |
| Topic, Value or                     | D   |
| Header Definition                   |   |
| User Guidance                       | Defends ICH E1E and E1O as moreled  |
| Oser Guidance                       | Refer to ICH E15 and E18 as needed.   |
|                                     | If biomarkers will be evaluated:  |
|                                     | Include analyses (e.g, ribonucleic acid [RNA], serum, plasma, or  |
|                                     | other soluble markers).   |
|                                     | Indicate any additional analyses, such as flow cytometry,  histology, sorology, immunogonisity, or histochomical analyses.                                  |
|                                     | <ul> <li>histology, serology, immunogenicity, or histochemical analyses.</li> <li>Ensure language describing how long the samples will be stored</li> </ul> |
|                                     | and how they will be destroyed is included in an ICF and any sample   |
|                                     | handling manuals.   |
|                                     | If instructions for collection of samples are complex, then   |
|                                     | consider including them in an appendix rather than the main text of   |
|                                     | protocol.   |
|                                     | <ul> <li>Specify whether optional or required (both here and in the SoA).</li> </ul>  |
|                                     | Required samples must be based on a protocol objective.   |
|                                     | To distinguish between different types of biomarker samples,  |
|                                     | include the following for each sample, as appropriate:  |
|                                     | o Indicate if residual samples.   |
|                                     | o Indicate the type of sample (e.g., serum, plasma, tissue, bone  |
|                                     | marrow aspirate) and volume of fluid or sample amount required and  |
|                                     | any other special instructions  |
|                                     | o Indicate the purpose of the sample (e.g., participant eligibility,  |
|                                     | exploratory research, RNA analysis).  |
|                                     | o Indicate the timing of collection (e.g., screening, disease   |
|                                     | progression); do not give specific time points (e.g., Week 4 or Cycle 4)  |
|                                     | as this information will be provided in the SoA.  |
|                                     | o Indicate the biomarkers that will be studied.   |
| Conformance                         | Optional/Repeated   |
| Cardinality                         |   |
| Relationship content from ToC       | Trial Assessments and Procedures  |
| representing the                    |   |
| protocol hierarchy                  |   |
| Relationship                        | Biomarker Assessments and Procedures  |
| (reference to high level conceptual | Link to objective endpoint or estimand  |
| model)                              |   |
| Value                               |   |
| Business rules                      | Value Allowed: potential controlled terminology   |
|                                     | Relationship: n/a   |
|                                     | Concept: n/a  |
| Duplicate field in                  | Repeat for each biomarker   |
| other sections                      |   |

## **8.10 Immunogenicity Assessments**

| Term (Variable)   | Immunogenicity Assessments   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Section Heading  |
| User Guidance   | Include any specific instructions for the collection of samples and interpretation of immunogenicity. If immunogenicity assessments are included within Efficacy Assessments or Safety Assessments, cross-reference to that section. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Immunogenicity Assessments   |
| Business rules  | Value Allowed: Yes   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Immunogenicity Assessments  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Optional/Repeated   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  | Immunogenicity Assessments and Procedures Link to objective endpoint and estimand |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a                                 |
| Duplicate field in other sections                                 | Repeat for each procedure   |

#### **8.11 Medical Resource Utilisation and Health Economics**

| Term (Variable)      | Medical Resource Utilization and Health Economics |
|----------------------|---|
| , ,                  |   |
| Data Type            | Text  |
| Topic, Value or      | H   |
| Header               |   |
| Definition           | Section Heading                                   |
| User Guidance        |   |
| Conformance          | Required/Required                                 |
| Cardinality          |   |
| Relationship content | Trial Assessments and Procedures                  |
| from ToC             |   |
| representing the     |   |
| protocol hierarchy   |   |
| Relationship         |   |
| (reference to high   |   |
| level conceptual     |   |
| model)               |   |
| Value                | Medical Resource Utilization and Health Economics |
| Business rules       | Value Allowed: Yes                                |
|                      | Relationship: n/a                                 |
|                      | Concept: n/a                                      |
| Duplicate field in   |   |
| other sections       |   |

| Term (Variable)   | Medical Resource Utilization and Health Economics   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  | Describes the health outcome measures, collection method (for example, diary, physician interview), and participant burden.   |
| User Guidance   | If this section is not applicable, include a statement to this effect. "Health Economics/Medical Resource Utilization and Health Economics parameters are not evaluated in this trial." This section does not apply to Patient Reported Outcomes [PROs] (for PROs cross reference the instructions in the efficacy and safety sections). Include this section only for any value evidence and outcomes assessment not included in either the efficacy or safety sections. |
| Conformance   | Optional/ Repeated  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Trial Assessments and Procedures  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  | Medical Resource Utilisation and Health Economics Assessments and Procedures Link to objective endpoint or estimand   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 | Repeat for each evidence and outcome  |

#### 521 9. Statistical Considerations

| Term (Variable)   | Statistical Considerations   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Section Heading  |
| User Guidance   | Ensure that the data analysis complies with ICH E9 and ICH E9(R1). |
| Conformance   | Required   |
| Cardinality   | ·  |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Statistical Considerations   |
| Business rules  | Value Allowed: Y Relationship: n/a Concept: n/a                    |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Statistical Considerations  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  | Section Heading   |
| User Guidance   | Ensure that the data analysis complies with ICH E9 and ICH E9(R1).  |
|   | In general, all relevant data collected in the trial should be considered in this statistical considerations section.   |
|   | Provide a statement with regard to when the primary analyses will be conducted. For example: The analysis will be conducted on all subject data at the time the trial ends. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Statistical Considerations  |
| Business rules  | Value Allowed: n/a  |
|   | Relationship: n/a   |
|   | Concept: n/a  |
| Duplicate field in other sections                                 |   |

## 524 9.1 Analysis Sets

| Term (Variable)   | Analysis Sets   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Section Heading   |
| User Guidance   | Analysis sets to support each analysis will be specified here and described in the Statistical Analysis Plan. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Analysis Sets   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Analysis Sets   |
| Business rules  | Value Allowed: Yes  |
|   | Relationship: n/a   |
|   | Concept: n/a  |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Analysis Datasets   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  | Detailed description of all efficacy assessments presented in the SoA   |
| User Guidance   | Analysis sets to support each analysis will be specified here and described in the Statistical Analysis Plan. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Analysis Sets   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

## **9.2** Analyses Supporting Primary Objective(s)

| Term (Variable)   | Analysis Supporting Primary Objective(s)   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Section Heading  |
| User Guidance   | This section introduces the Statistical Analysis Plan, with the detail to be provided in the subsequent subsections. This includes describing the methods for defining the estimate in alignment with how the estimands are defined. Sensitivity analyses should be aligned with how the estimands and estimators are defined. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Analysis Supporting Primary Objective(s)   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Analysis Supporting Primary Objective(s)   |
| Business rules  | Value Allowed: Yes   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Analysis Supporting Primary Objective(s)   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | This section introduces the Statistical Analysis Plan, with the detail to be provided in the subsequent subsections. This includes describing the methods for defining the estimate in alignment with how the estimands are defined. Sensitivity analyses should be aligned with how the estimands and estimators are defined. |
| User Guidance   | Analysis sets to support each analysis will be specified here and described in the Statistical Analysis Plan.  |
| Conformance   | Required/Repeated  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Analysis Supporting Primary Objective(s)   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

#### **9.2.1** Statistical Model, Hypothesis, and Method of Analysis

|   | viouci, ily potnesis, and viction of renarysis   |
|---|--|
| Term (Variable)   | Statistical Model, Hypothesis, and Method of Analysis  |
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   | Ensure that the statistical hypothesis/model (and corresponding assumptions)/analysis is aligned with the primary estimand(s). For all applicable objectives (e.g. primary, secondary), under the appropriate header, state the null and alternative hypotheses, including the pre-planned type 1 error, or alternative criteria to define trial success and relevant operating characteristics if appropriate. Describe the statistical model used and the factors that will be included (covariates and interactions) and any rules for handling these factors (for example, pooling of centres). If applicable, state and discuss any adjustments to account for multiplicity. If modelling and simulation methods are to be used, please describe the model (inputs and outputs), the underlying assumptions, and the method of model fitting. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations/Analyses Supporting Primary Objective(s)/Statistical Model, Hypothesis, and Method of Analysis  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: yes<br>Relationship: n/a<br>Concept: n/a  |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Statistical Model, Hypothesis, and Method of Analysis  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Ensure that the statistical hypothesis/model (and corresponding assumptions)/analysis is aligned with the primary estimand(s). For all applicable objectives (e.g. primary, secondary), under the appropriate header, state the null and alternative hypotheses, including the pre-planned type 1 error, or alternative criteria to define trial success and relevant operating characteristics if appropriate. Describe the statistical model used and the factors that will be included (covariates and interactions) and any rules for handling these factors (for example, pooling of centres). If applicable, state and discuss any adjustments to account for multiplicity. If modelling and simulation methods are to be used, please describe the model (inputs and outputs), the underlying assumptions, and the method of model fitting. |
| Conformance   | Required/Repeated  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations/Analyses Supporting Primary Objective(s)/Statistical Model, Hypothesis, and Method of Analysis  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  | For each primary estimand as related to secondary endpoint combination   |
| Value   | Statistical Model, Hypothesis, and Method of Analysis  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 | •  |

| Term (Variable)   | Statistical Model, Hypothesis, and Method of Analysis   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Ensure that the statistical hypothesis/model (and corresponding assumptions)/analysis is aligned with the primary estimand(s). For all applicable objectives (e.g. primary, secondary), under the appropriate header, state the null and alternative hypotheses, including the pre-planned type 1 error, or alternative criteria to define trial success and relevant operating characteristics if appropriate. Describe the statistical model used and the factors that will be included (covariates and interactions) and any rules for handling these factors (for example, pooling of centres). If applicable, state and discuss any adjustments to account for multiplicity.  If modelling and simulation methods are to be used, please describe the model (inputs and outputs), the underlying assumptions, and the method of model fitting. |
| Conformance   | Required/Repeated   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations/Analyses Supporting Primary Objective(s)/Statistical Model, Hypothesis, and Method of Analysis   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  | For all applicable primary objectives sate the null state the null and alternative hypotheses, including the pre-planned type 1 error, or alternative criteria to define Trial success and relevant operating characteristics if appropriate. Describe the statistical model used and the factors that will be included (covariates and interactions) and any rules for handling these factors (for example, pooling of centres). If applicable, state and discuss any adjustments to account for multiplicity.   |
| Value   | Statistical Model, Hypothesis, and Method of Analysis   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Statistical Model, Hypothesis, and Method of Analysis   |
|---|---|
| Data Type   | Text  |
| Topic, Value or   | D   |
| Header  |   |
| Definition  |   |
| User Guidance   | Ensure that the statistical hypothesis/model (and corresponding assumptions)/analysis is aligned with the primary estimand(s). For all applicable objectives (e.g. primary, secondary), under the appropriate header, state the null and alternative hypotheses, including the pre-planned type 1 error, or alternative criteria to define trial success and relevant operating characteristics if appropriate. Describe the statistical model used and the factors that will be included (covariates and interactions) and any rules for handling these factors (for example, pooling of centres). If applicable, state and discuss any adjustments to account for multiplicity.  If modelling and simulation methods are to be used, please describe the model (inputs and outputs), the underlying assumptions, and the method of model fitting. |
| Conformance   | Optional/Repeated   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations/Analyses Supporting Primary Objective(s)/Statistical Model, Hypothesis, and Method of Analysis   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  | Modelling and simulation methods are to be used, please describe the model (inputs and outputs), the underlying assumptions, and the method of model fitting  |
| Value   | Statistical Model, Hypothesis, and Method of Analysis   |
| Business rules  | Value Allowed: n/a  |
|   | Relationship: n/a   |
|   | Concept: n/a  |
| Duplicate field in other sections                                 |   |

## **9.2.2** Handling of Intercurrent Events of Primary Estimand(s)

| Term (Variable)  | Handling of Intercurrent Events of Primary Estimand(s)   |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   |  |
| User Guidance  | For each intercurrent event of the primary estimand(s) (Section 3.1, Estimand[s] for the Primary Objective[s]), explain how data will be handled for the statistical analysis in line with the primary estimand. The handling of intercurrent events in statistical analysis should be aligned with the specific estimand strategies being used. |
|  | This section should avoid repetition with prior sections with more detail here on rationale and handling the data rather than repeating the guidance from the preceding sections.  |
| Conformance  | Required   |
| Cardinality  | ·  |
| Relationship<br>content from ToC<br>representing the<br>protocol hierarchy | Statistical Considerations/Analyses Supporting Primary Objective(s / Handling of Intercurrent Events of Primary Estimand(s)  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  |  |
| <b>Business rules</b>  | Value Allowed: Yes<br>Relationship: n/a<br>Concept: n/a  |
| Duplicate field in other sections  |  |

| Term (Variable)  | Handling of Intercurrent Events of Primary Estimand(s)   |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | For each intercurrent event of the primary estimand(s) (Section 3.1, Estimand[s] for the Primary Objective[s]), explain how data will be handled for the statistical analysis in line with the primary estimand. The handling of intercurrent events in statistical analysis should be aligned with the specific estimand strategies being used. |
|  | This section should avoid repetition with prior sections with more detail here on rationale and handling the data rather than repeating the guidance from the preceding sections.  |
| Conformance  | Required/Repeated  |
| Cardinality  |  |
| Relationship<br>content from ToC<br>representing the<br>protocol hierarchy | Statistical Considerations/Analyses Supporting Primary Objective(s / Handling of Intercurrent Events of Primary Estimand(s)  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  |  |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections  |  |

## **9.2.3 Handling of Missing Data**

| Term (Variable)   | Handling of Missing Data   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   | This section should describe how missing data will be dealt with. Refer to the E9(R1) addendum when estimand framework is used.  The protocol should describe how missing data will be handled (for example, type of imputation technique, if any, and provide justification)  In cases where the Primary Objective is related to safety, this section should also be completed. It may also be helpful to include additional statements regarding handling of missing data in general for other important efficacy or safety endpoints or this information can be included in the analysis of secondary endpoint section below. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations/Analyses Supporting Primary Objective(s / Handling of Missing Data  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: yes<br>Relationship: n/a<br>Concept: n/a  |
| Duplicate field in other sections                                 | For each estimand  |

| Term (Variable)   | Handling of Missing Data  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | This section should describe how missing data will be dealt with. Refer to the E9(R1) addendum when estimand framework is used.  The protocol should describe how missing data will be handled (for   |
|   | example, type of imputation technique, if any, and provide justification)   |
|   | In cases where the Primary Objective is related to safety, this section should also be completed. It may also be helpful to include additional statements regarding handling of missing data in general for other important efficacy or safety endpoints or this information can be included in the analysis of secondary endpoint section below. |
| Conformance   | Required/Repeated   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations/Analyses Supporting Primary Objective(s / Handling of Missing Data   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

#### 540 **9.2.4 Sensitivity Analysis**

| Term (Variable)   | Sensitivity Analysis   |
|---|--|
| Data Type   | Text   |
| Topic, Value or   | Н  |
| Header  |  |
| Definition  |  |
| User Guidance   | Sensitivity analyses are a series of analyses conducted with the intent to explore the robustness of inferences from the main estimator to deviations from its underlying modelling assumptions and limitations in the data. |
| Conformance   | Required   |
| Cardinality   | - 1  |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations/Analyses Supporting Primary Objective(s)/Sensitivity Analysis   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |

| Business rules                    | Value Allowed: yes Relationship: n/a Concept: n/a |
|-----------------------------------|---|
| Duplicate field in other sections |   |

| Term (Variable)   | Sensitivity Analysis   |
|---|--|
| Data Type   | Text   |
| Topic, Value or   | D  |
| Header  |  |
| Definition  |  |
| User Guidance   | Sensitivity analyses are a series of analyses conducted with the intent to explore the robustness of inferences from the main estimator to deviations from its underlying modelling assumptions and limitations in the data. |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations/Analyses Supporting Primary Objective(s)/Sensitivity Analysis   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

#### **9.2.5** Supplementary Analysis

| Term (Variable)      | Supplementary Analysis                                 |
|----------------------|--|
| Data Type            | Text   |
| Topic, Value or      | H  |
| Header               |  |
| Definition           |  |
| User Guidance        | Describe any supplementary analysis if applicable.     |
| Conformance          | Required   |
| Cardinality          |  |
| Relationship content | Statistical Considerations/Analyses Supporting Primary |
| from ToC             | Objective(s)/Supplementary Analysis                    |
| representing the     |  |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)<br>Value      | Cupplementany Analysis                                 |
| Business rules       | Supplementary Analysis                                 |
| business rules       | Value Allowed: yes                                     |
|                      | Relationship: n/a                                      |
|                      | Concept: n/a   |
|                      |  |
|                      |  |

| Duplicate field in |  |
|--------------------|--|
| other sections     |  |

| Term (Variable)                   | Supplementary Analysis                                 |
|-----------------------------------|--|
| Data Type                         | Text   |
| Topic, Value or                   | D  |
| Header                            |  |
| Definition                        |  |
| User Guidance                     | Describe any supplementary analysis if applicable.     |
| Conformance                       | Required   |
| Cardinality                       |  |
| Relationship content              | Statistical Considerations/Analyses Supporting Primary |
| from ToC                          | Objective(s)/Supplementary Analysis                    |
| representing the                  |  |
| protocol hierarchy                |  |
| Relationship                      |  |
| (reference to high                |  |
| level conceptual                  |  |
| model)                            |  |
| Value                             |  |
| Business rules                    | Value Allowed: n/a                                     |
|                                   | Relationship: n/a                                      |
|                                   | Concept: n/a   |
| Duplicate field in other sections |  |

## 545 9.3 Analysis Supporting Secondary Objective(s)

| Term (Variable)   | Analysis Supporting Secondary Objective(s)  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Section Heading   |
| User Guidance   | This section should focus on estimands for Secondary Objectives.  |
|   | In this section describe the statistical analysis, handling of intercurrent events, handling of missing data, and if applicable, sensitivity analysis corresponding to each secondary estimand. |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations/Analysis Supporting Secondary Objective(s)   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Analysis Supporting Secondary Objective(s)  |
| Business rules  | Value Allowed: Yes  |
|   | Relationship: n/a   |
|   | Concept: n/a  |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Statistical Models, Hypothesis and method Analysis  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | This section should focus on estimands for Secondary Objectives.  |
|   | In this section describe the statistical analysis, handling of intercurrent events, handling of missing data, and if applicable, sensitivity analysis corresponding to each secondary estimand. |
| Conformance   | Required/Repeated   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Analysis Supporting Secondary Objective(s)  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  | For each secondary estimand each statistcal hypothese/model (and corresponding assumptions)/analysis  |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

| Term (Variable)                     | Statistical Models, Hypothesis and method Analysis   |
|-------------------------------------|--|
| Data Type                           | Text   |
| Topic, Value or                     | D  |
| Header                              |  |
| Definition                          |  |
| User Guidance                       | This section should focus on estimands for Secondary Objectives.   |
|                                     | In this section describe the statistical analysis, handling of intercurrent  |
|                                     | events, handling of missing data, and if applicable, sensitivity analysis  |
|                                     | corresponding to each secondary estimand.  |
| Conformance                         | Required/Repeated  |
| Cardinality                         |  |
| Relationship content                | Analysis Supporting Secondary Objective(s)   |
| from ToC                            |  |
| representing the protocol hierarchy |  |
| Relationship                        | For all applicable Secondary objectives sate the null state the null and   |
| (reference to high                  | alternative hypotheses, including the pre-planned type 1 error, or   |
| level conceptual                    | alternative criteria to define Trial success and relevant operating  |
| model)                              | characteristics if appropriate. Describe the statistical model used and the  |
|                                     | factors that will be included (covariates and interactions) and any rules  |
|                                     | for handling these factors (for example, pooling of centres). If   |
|                                     |  |
| Value                               | applicable, state and discuss any adjustments to account for multiplicity.   |
| Business rules                      | Value Allowed: n/a   |
|                                     | , and the second |
|                                     | Relationship: n/a  |
| Danilla da Caldia                   | Concept: n/a   |
| Duplicate field in other sections   |  |
| OUIG 3600013                        |  |

| Term (Variable)   | Handling of Intercurrent events and Method Analysis   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | This section should focus on estimands for Secondary Objectives.  |
|   | In this section describe the statistical analysis, handling of intercurrent events, handling of missing data, and if applicable, sensitivity analysis corresponding to each secondary estimand. |
| Conformance   | Required/Repeatable   |
|   | Optional/Repeatable   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Analysis Supporting Secondary Objective(s)  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Statistical Models, Hypothesis and method Analysis  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | This section should focus on estimands for Secondary Objectives.  In this section describe the statistical analysis, handling of intercurrent events, handling of missing data, and if applicable, sensitivity analysis corresponding to each secondary estimand. |
| Conformance   | Optional/Repeated   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Analysis Supporting Secondary Objective(s)  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  | Secondary modelling and simulation methods are to be used, please describe the model (inputs and outputs), the underlying assumptions, and the method of model fitting  |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Handling of Intercurrent events and Method Analysis   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | This section should focus on estimands for Secondary Objectives.  |
|   | In this section describe the statistical analysis, handling of intercurrent events, handling of missing data, and if applicable, sensitivity analysis corresponding to each secondary estimand. |
| Conformance   | Required/Repeated   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Analysis Supporting Secondary Objective(s)  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Handling of Missing Data  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | This section should focus on estimands for Secondary Objectives.  |
|   | In this section describe the statistical analysis, handling of intercurrent events, handling of missing data, and if applicable, sensitivity analysis corresponding to each secondary estimand. |
| Conformance   | Required/Repeated   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Analysis Supporting Secondary Objective(s)  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

# 553 9.4 Analysis of Exploratory Objective(s)

| Term (Variable)   | Analysis of Exploratory Objectives                              |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Section Heading   |
| User Guidance   | Analyses Supporting Tertiary/Exploratory Endpoint(s)            |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations/ Analysis of Exploratory Endpoint(s) |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Analysis of Exploratory Endpoint(s)                             |
| Business rules  | Value Allowed: Yes  |
|   | Relationship: n/a   |
|   | Concept: n/a  |
| Duplicate field in other sections                                 |   |

| Term (Variable)  | Analysis Supporting Tertiary/Exploratory Objectives(s)  |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  | This section should focus on estimands for Secondary Objectives.  In this section describe the statistical analysis, handling of intercurrent |
|  | events, handling of missing data, and if applicable, sensitivity analysis corresponding to each secondary estimand.                           |
| Conformance  | Required/Repeated   |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Analysis Supporting Tertiary/Exploratory Objective(s)   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           | Exploratory endpoint combination  |
| Value  |   |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections  | Repeat as related to tertiary/exploratory endpoint combination  |

# **9.5 Safety Analyses**

| Term (Variable)   | Safety Analyses                              |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required                                     |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations / Safety Analyses |
| Relationship (reference to high level conceptual model)  Value    |  |
| Business rules  | Value Allowed: Yes                           |
|   | Relationship: n/a Concept: n/a               |
| Duplicate field in other sections                                 | • •  |

| Term (Variable)   | Safety Analyses                              |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required                                     |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations / Safety Analyses |
| Relationship (reference to high level conceptual model) Value     |  |
|   |  |
| Business rules  | Value Allowed: n/a                           |
|   | Relationship: n/a                            |
|   | Concept: n/a                                 |
| Duplicate field in other sections                                 |  |

# **9.6** Other Analyses

| Term (Variable)   | Other Analyses                                    |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations / Other Analyses       |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Other Analyses                                    |
| Business rules  | Value Allowed: yes Relationship: n/a Concept: n/a |
| Duplicate field in other sections                                 |   |

| Term (Variable)      | Other Analyses                              |
|----------------------|---|
| Data Type            | Text  |
| Topic, Value or      | D   |
| Header               |   |
| Definition           |   |
| User Guidance        |   |
| Conformance          | Required                                    |
| Cardinality          |   |
| Relationship content | Statistical Considerations / Other Analyses |
| from ToC             |   |
| representing the     |   |
| protocol hierarchy   |   |
| Relationship         |   |
| (reference to high   |   |
| level conceptual     |   |
| model)               |   |
| Value                |   |
| Business rules       | Value Allowed: n/a                          |
|                      | Relationship: n/a                           |
|                      | Concept: n/a                                |
| Duplicate field in   |   |
| other sections       |   |

## **9.7 Interim Analyses**

| Term (Variable)  | Interim Analyses                              |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Required                                      |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Statistical Considerations / Interim Analyses |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  | Interim Analyses                              |
| Business rules   | Value Allowed: yes                            |
|  | Relationship: n/a                             |
|  | Concept: n/a                                  |
| Duplicate field in other sections  |   |

| T (\( / ! -   -   -   -   -   -   -   -                           |   |
|---|---|
| Term (Variable)   | Interim Analyses                              |
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   |   |
| Conformance   | Required/Repeated                             |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations / Interim Analyses |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a                            |
|   | Relationship: n/a                             |
|   | Concept: n/a                                  |
| Duplicate field in other sections                                 | For each interim                              |

# 9.8 Sample Size Determination

| Term (Variable)   | Sample Size Determination  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   | This section should detail the methods used for the determination of the sample size and a reference to tables or statistical software used to carry out the calculation. Sufficient information should be provided so that the sample size calculation can be reproduced or described. If the planned sample size is not derived statistically, then this should be explicitly stated along with a rationale for the intended sample size (for example, exploratory nature of pilot studies; pragmatic considerations for trials in rare diseases). |
| Conformance   | Required   |
| Cardinality   | ·  |
| Relationship content from ToC representing the protocol hierarchy | Statistical Considerations / Sample Size Determination   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Sample Size Determination  |
| Business rules  | Value Allowed: yes   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

## **9.9 Protocol Deviations**

| Term (Variable)                   | Protocol Deviations                                    |
|-----------------------------------|--|
| Data Type                         | Text   |
| Topic, Value or                   | Н  |
| Header                            |  |
| Definition                        |  |
| User Guidance                     |  |
| Conformance                       | Required   |
| Cardinality                       |  |
| Relationship content              | Statistical Considerations / Sample Size Determination |
| from ToC                          |  |
| representing the                  |  |
| protocol hierarchy                |  |
| Relationship                      |  |
| (reference to high                |  |
| level conceptual                  |  |
| model)                            |  |
| Value                             | Protocol Deviations                                    |
| Business rules                    | Value Allowed: yes                                     |
|                                   | Relationship: n/a                                      |
|                                   | Concept: n/a   |
| Duplicate field in other sections |  |

| Tarm (Variable)   |  |
|---|--|
| Term (Variable)   | Protocol Deviations Plans                              |
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy         | Statistical Considerations / Sample Size Determination |
| Relationship<br>(reference to high<br>level conceptual<br>model)<br>Value |  |
| Business rules  | Value Allowed: yes                                     |
| 245.11990 14100   | Value Allowed: yes Relationship: n/a Concept: n/a      |
| Duplicate field in other sections   | Concept. Hyd   |

## 570 10. General Considerations: Regulatory, Ethical, and Trial Oversight

| Term (Variable)   | General Considerations: Regulatory, Ethical, and Trial Oversight Considerations |
|---|---|
| Data Type   |   |
| Topic, Value or<br>Header   |   |
| Definition  |   |
| User Guidance   |   |
| Conformance   |   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy |   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed:  |
|   | Relationship: Concept:  |
| Duplicate field in other sections                                 |   |

# **10.1 Regulatory and Ethical Considerations**

| Term (Variable)   | Regulatory and Ethical Considerations  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Section Heading  |
| User Guidance   | List the prevailing ethical, legal, and regulatory guidelines that will be applied throughout the trial.   |
|   | This trial will be conducted in accordance with the protocol and with the following:   |
|   | Consensus ethical principles derived from international guidelines including the Declaration of Helsinki and Council for International Organizations of Medical Sciences (CIOMS) International Ethical Guidelines  ICH Good Clinical Practice (CCR) Cuidelines |
|   | <ul><li>ICH Good Clinical Practice (GCP) Guidelines</li><li>Applicable laws and regulations</li></ul>  |
|   | {insert additional as needed}  |
|   | List the investigators' and sponsor's responsibilities in this regard.   |
|   | Investigator Responsibilities  |
|   | [Investigator Responsibilities]  |
|   | Sponsor Responsibilities   |
|   | [Sponsor Responsibilities]   |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | General Considerations: Regulatory, Ethical, and Trial Oversight Considerations  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Regulatory and Ethical Considerations  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a  |
| <b>.</b>  | Concept: n/a   |
| Duplicate field in other sections                                 |  |

| Term (Variable)  | Regulatory and Ethical Considerations  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | List the prevailing ethical, legal, and regulatory guidelines that will be applied throughout the trial.   |
|  | This trial will be conducted in accordance with the protocol and with the following:   |
|  | <ul> <li>Consensus ethical principles derived from international guidelines including the Declaration of Helsinki and Council for International Organizations of Medical Sciences (CIOMS) International Ethical Guidelines</li> <li>ICH Good Clinical Practice (GCP) Guidelines</li> <li>Applicable laws and regulations</li> <li>{insert additional as needed}</li> </ul> |
|  | List the investigators' and sponsor's responsibilities in this regard.   |
|  | Investigator Responsibilities  |
|  | [Investigator Responsibilities]  |
|  | Sponsor Responsibilities   |
|  | [Sponsor Responsibilities]   |
| Conformance  | Required/Repeatable Required/Repeatable  |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | General Considerations: Regulatory, Ethical, and Trial Oversight Considerations / Regulatory and Ethical Considerations  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  |  |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in   | Note: This field can contain a text value  |
| other sections   |  |

| Term (Variable)   |  |
|---|--|
|   | Investigator Responsibilities  |
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   | List the prevailing ethical, legal, and regulatory guidelines that will be applied throughout the trial.   |
|   | This trial will be conducted in accordance with the protocol and with the following:   |
|   | <ul> <li>Consensus ethical principles derived from international guidelines including the Declaration of Helsinki and Council for International Organizations of Medical Sciences (CIOMS) International Ethical Guidelines</li> <li>ICH Good Clinical Practice (GCP) Guidelines</li> <li>Applicable laws and regulations</li> <li>{insert additional as needed}</li> </ul> |
|   | List the investigators' and sponsor's responsibilities in this regard.   |
|   | Investigator Responsibilities  |
|   | [Investigator Responsibilities]  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | General Considerations: Regulatory, Ethical, and Trial Oversight<br>Considerations / Regulatory and Ethical Considerations   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Investigator Responsibilities  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

| Term (Variable)  |  |
|--|--|
| ,  | Investigator Responsibilities  |
| Data Type  | Text   |
| Topic, Value or<br>Header  | D  |
| Definition   |  |
| User Guidance  | List the prevailing ethical, legal, and regulatory guidelines that will be applied throughout the trial.   |
|  | This trial will be conducted in accordance with the protocol and with the following:   |
|  | <ul> <li>Consensus ethical principles derived from international guidelines including the Declaration of Helsinki and Council for International Organizations of Medical Sciences (CIOMS) International Ethical Guidelines</li> <li>ICH Good Clinical Practice (GCP) Guidelines</li> <li>Applicable laws and regulations</li> <li>{insert additional as needed}</li> </ul> |
|  | List the investigators' and sponsor's responsibilities in this regard.   |
|  | Investigator Responsibilities  |
|  | [Investigator Responsibilities]  |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | General Considerations: Regulatory, Ethical, and Trial Oversight<br>Considerations / Regulatory and Ethical Considerations   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  |  |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections  |  |

| Term (Variable)   |  |
|---|--|
| ,   | Sponsor Responsibilities   |
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   | List the prevailing ethical, legal, and regulatory guidelines that will be applied throughout the trial.   |
|   | This trial will be conducted in accordance with the protocol and with the following:   |
|   | <ul> <li>Consensus ethical principles derived from international guidelines including the Declaration of Helsinki and Council for International Organizations of Medical Sciences (CIOMS) International Ethical Guidelines</li> <li>ICH Good Clinical Practice (GCP) Guidelines</li> <li>Applicable laws and regulations</li> <li>{insert additional as needed}</li> </ul> |
|   | List the investigators' and sponsor's responsibilities in this regard.   |
|   | Sponsor Responsibilities   |
|   | [Sponsor Responsibilities]   |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | General Considerations: Regulatory, Ethical, and Trial Oversight<br>Considerations / Regulatory and Ethical Considerations   |
| Relationship (reference to high level conceptual model)           |  |
| Value   | Sponsor Responsibilities   |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

| Term (Variable)   |  |
|---|--|
| ,   | Sponsor Responsibilities   |
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | List the prevailing ethical, legal, and regulatory guidelines that will be applied throughout the trial.   |
|   | This trial will be conducted in accordance with the protocol and with the following:   |
|   | <ul> <li>Consensus ethical principles derived from international guidelines including the Declaration of Helsinki and Council for International Organizations of Medical Sciences (CIOMS) International Ethical Guidelines</li> <li>ICH Good Clinical Practice (GCP) Guidelines</li> <li>Applicable laws and regulations</li> <li>{insert additional as needed}</li> </ul> |
|   | List the investigators' and sponsor's responsibilities in this regard.   |
|   | Sponsor Responsibilities   |
|   | [Sponsor Responsibilities]   |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | General Considerations: Regulatory, Ethical, and Trial Oversight<br>Considerations / Regulatory and Ethical Considerations   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

#### **10.2 Committees**

| Term (Variable)   | Committees   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   | Briefly describe the administrative structure for the trial (for example, Internal Review Committee/Internal Review Forum, Steering Committee, Expert Advisory Committee, Data Monitoring Committee or Data Safety Monitoring Board). Note that specific details are not required.  [Committees Structure] |
| Conformance   | Required   |
| Cardinality   | ·  |
| Relationship content from ToC representing the protocol hierarchy | General Considerations: Regulatory, Ethical, and Trial Oversight<br>Considerations / Committees Structure  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Committees   |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
|   | Specific details are not required  |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Committees Structure   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Briefly describe the administrative structure for the trial (for example, Internal Review Committee/Internal Review Forum, Steering Committee, Expert Advisory Committee, Data Monitoring Committee or Data Safety Monitoring Board). Note that specific details are not required. |
|   | [Committees Structure]   |
| Conformance   | Required/Repeated  |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | General Considerations: Regulatory, Ethical, and Trial Oversight Considerations / Committees Structure   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
|   | Specific details are not required  |
| Duplicate field in other sections                                 | For each committee   |

## 10.3 Informed Consent Process

| Term (Variable)  | Informed Consent Process   |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   | Section Heading  |
| User Guidance  | Include the primary ethical concerns of this trial. Consider the key elements of the informed consent process, including any special concerns and how addressed (for example, assent, capacity, legally acceptable representative).  [Informed Consent Process]  If enrolment in the trial may occur during an emergency in which the participant or their legally authorised representative is not able or available to give consent, describe the consent process.  [Emergency Consent Process]  Rescreening  If participants can be rescreened, add the text to state whether the participant needs to complete a new consent. Screen failure and rescreening should be clearly defined in the protocol, with cross-reference to those definitions.  [Consent Requirements for Rescreening]  If participants will be asked to consent to optional exploratory research using the remainder of mandatory samples, include text that addresses the use of remaining samples for optional exploratory research.  [Additional ICF text for Use of Remaining Samples in Optional Exploratory Research] |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship | General Considerations: Regulatory, Ethical, and Trial Oversight<br>Considerations / Informed Consent Process  |
| (reference to high level conceptual model)   |  |
| Value  | Informed Consent Process   |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections  | Concept. 11/a  |

| Term (Variable)  | Informed Consent Process  |
|--|---|
| Data Type  |   |
| Topic, Value or  | Text  |
| Header   | D   |
| Definition   |   |
| User Guidance  | Include the primary ethical concerns of this trial. Consider the key elements of the informed consent process, including any special concerns and how addressed (for example, assent, capacity, legally acceptable representative).  [Informed Consent Process]-Required/Required  If enrollment in the trial may occur during an emergency in which the participant or their legally authorised representative is not able or available to give consent, describe the consent process. |
|  | [Emergency Consent Process]-Required/Required   |
|  | [Rescreening]-Required/Required Value-Rescreening   |
|  | If participants can be rescreened, add the text to state whether the participant needs to complete a new consent. Screen failure and rescreening should be clearly defined in the protocol, with cross-reference to those definitions.  |
|  | [Consent Requirements for Rescreening]Required/Required If participants will be asked to consent to optional exploratory research using the remainder of mandatory samples, include text that addresses the use of remaining samples for optional exploratory research.   |
|  | [Additional ICF text for Use of Remaining Samples in Optional   |
| Conformance  | Exploratory Research]   |
| Cardinality  | Required  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | General Considerations: Regulatory, Ethical, and Trial Oversight<br>Considerations / Informed Consent Process   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  |   |
| Business rules   | Value Allowed: yes Relationship: n/a Concept: n/a  Note: This field can contain a text value  |
| Duplicate field in   | Note. This held can contain a text value  |
| other sections   |   |
|  | 1   |

#### 10.4 Data Protection

| Term (Variable)   | Data Protection   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   | Include all measures to be taken to comply with the applicable rules on protection of personal data and any relevant information on measures to be taken in case of a data security breach  [Data Protection] |
| Conformance   |   |
|   | Optional  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | General Considerations: Regulatory, Ethical, and Trial Oversight Considerations / Data Protection   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Data Protection   |
| Business rules  | Value Allowed: Yes  |
|   | Relationship: n/a   |
|   | Concept: n/a  |
|   | Note: This field can contain a text value   |
| Duplicate field in other sections                                 |   |

# **10.5 Early Site Closure or Trial Termination**

| Term (Variable)                     | Early Site Closure orTrial Termination                           |
|-------------------------------------|--|
| Data Type                           | Text   |
| Topic, Value or                     | Н  |
| Header                              |  |
| Definition                          |  |
| User Guidance                       |  |
| Conformance                         | Required   |
| Cardinality                         |  |
| Relationship content                | General Considerations: Regulatory, Ethical, and Trial Oversight |
| from ToC                            | Considerations / Data Protection                                 |
| representing the protocol hierarchy |  |
| Relationship                        |  |
| (reference to high                  |  |
| level conceptual                    |  |
| model)                              |  |
| Value                               |  |
| Business rules                      | Value Allowed: n/a   |
|                                     | Relationship: n/a  |
|                                     | Concept: n/a   |
|                                     | Note: This field can contain a text value                        |
| Duplicate field in                  |  |
| other sections                      |  |
| Duplicate field in                  |  |
| other sections                      |  |

| Term (Variable)                     | Decision Rights for Site Closure and Trial Termination           |
|-------------------------------------|--|
| Data Type                           | Text   |
| Topic, Value or                     | D  |
| Header                              |  |
| Definition                          |  |
| User Guidance                       |  |
| Conformance                         | Required   |
| Cardinality                         |  |
| Relationship content                | General Considerations: Regulatory, Ethical, and Trial Oversight |
| from ToC                            | Considerations / Data Protection                                 |
| representing the protocol hierarchy |  |
| Relationship                        |  |
| (reference to high                  |  |
| level conceptual                    |  |
| model)                              |  |
| Value                               |  |
| Business rules                      | Value Allowed: n/a   |
|                                     | Relationship: n/a  |
|                                     | Concept: n/a   |
|                                     | Note: This field can contain a text value                        |
| Duplicate field in                  |  |
| other sections                      |  |
| Duplicate field in                  |  |
| other sections                      |  |

| Criteria for Early Closure   |
|--|
| Text   |
| D  |
|  |
|  |
| Required   |
|  |
| General Considerations: Regulatory, Ethical, and Trial Oversight<br>Considerations / Data Protection |
|  |
|  |
| Value Allowed: n/a   |
| Relationship: n/a  |
| Concept: n/a   |
| Note: This field can contain a text value  |
|  |
|  |
|  |
|  |

| Term (Variable)      | Responsibilities Following Termination or Suspension             |
|----------------------|--|
| Data Type            | ·  |
|                      | Text   |
| Topic, Value or      | D  |
| Header               |  |
| Definition           |  |
| User Guidance        |  |
| Conformance          | Required   |
| Cardinality          |  |
| Relationship content | General Considerations: Regulatory, Ethical, and Trial Oversight |
| from ToC             | Considerations / Data Protection                                 |
| representing the     | Considerations / Bata Frotestion                                 |
| protocol hierarchy   |  |
| Relationship         |  |
| (reference to high   |  |
| level conceptual     |  |
| model)               |  |
| Value                |  |
| Business rules       | Value Allowed: n/a   |
|                      | Relationship: n/a  |
|                      | Concept: n/a   |
|                      | Note: This field can contain a text value                        |
| Duplicate field in   |  |
| other sections       |  |
| Duplicate field in   |  |
| other sections       |  |

## 592 11. General Considerations: Risk Management and Quality Assurance

| Term (Variable)  | General Considerations: Risk Management and Quality Assurance |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   | Section Heading   |
| User Guidance  |   |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | General Considerations: Risk Management and Quality Assurance |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  | General Considerations: Risk Management and Quality Assurance |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a             |
| Duplicate field in other sections  |   |

## 593 **11.1 Quality Tolerance Limits**

| Term (Variable)  | Quality Tolerance Limits   |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   | Section Heading  |
| User Guidance  |  |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | General Considerations: Risk Management and Quality Assurance<br>/Quality by Design and Quality Tolerance Limits |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  | Quality Tolerance Limits   |
| Business rules   | Value Allowed: Yes   |
|  | Relationship: n/a  |
|  | Concept: n/a   |
| Duplicate field in other sections  |  |

| Term (Variable)   | Quality Tolerance Limits  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Indicate aspects of the trial design which attend to the principles of Quality by Design, such as clear trial objectives, meaningful endpoints, and selection of appropriate trial population. Indicate where Quality Tolerance Limits will be predefined, how they will be monitored during the trial, and expected discussion in the clinical trial report. |
|   | [QTL]   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | General Considerations: Risk Management and Quality Assurance<br>/Quality by Design and Quality Tolerance Limits  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a  |
|   | Relationship: n/a   |
|   | Concept: n/a  |
|   | Note: This field can contain a text value   |
| Duplicate field in other sections                                 |   |

## **11.2 Data Quality Assurance**

| Term (Variable)   | Data Quality Assurance  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  | Section Heading   |
| User Guidance   | Delineate the responsibilities of the Sponsor and Investigator with respect to data quality assurance.  [Sponsor or Designee Responsibilities for Data Quality Assurance] |
|   | [Investigator Responsibilities for Data Quality Assurance]  |
| Conformance   | Required  |
| Cardinality   | ·   |
| Relationship content from ToC representing the protocol hierarchy | General Considerations: Risk Management and Quality Assurance /Data Quality Assurance   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Data Quality Assurance  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a   |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Data Quality Assurance  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   | Delineate the responsibilities of the Sponsor and Investigator with respect to data quality assurance. [Sponsor or Designee Responsibilities for Data Quality Assurance] [Investigator Responsibilities for Data Quality Assurance] |
| Conformance   | Required  |
| Cardinality   | ·   |
| Relationship content from ToC representing the protocol hierarchy | General Considerations: Risk Management and Quality Assurance /Data Quality Assurance   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Data Quality Assurance  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a Note: This field can contain a text value   |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Data Quality Assurance  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Delineate the responsibilities of the Sponsor and Investigator with respect to data quality assurance.  [Sponsor or Designee Responsibilities for Data Quality Assurance] |
|   | [Investigator Responsibilities for Data Quality Assurance]  |
| Conformance   | Required  |
| Cardinality   | ·   |
| Relationship content from ToC representing the protocol hierarchy | General Considerations: Risk Management and Quality Assurance /Data Quality Assurance   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a  |
|   | Concept: n/a  |
|   | Note: This field can contain a text value   |
| Duplicate field in other sections                                 | Note. This field can contain a text value   |

#### 600 11.3 Source Data

| Term (Variable)  | Source Data   |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   | Section Heading   |
| User Guidance  | Establish the importance of source data and expectation for traceability of transcribed information back to source. Delineate expectations for Investigators and trial monitors. Define what constitutes source data and its origin or provide a reference to the location of these definitions, if contained in a separate document, such as a monitoring guideline or source data acknowledgement). |
|  | [Source Data Introduction] - Required/Required  |
|  | [Investigator Expectations for Source Data]- Required/Required  |
|  | [Trial Monitor Expectations for Source Data] - Required/Required  |
|  | [Definition of Source Data]- Required/Required  |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | General Considerations: Risk Management and Quality Assurance<br>/Source Data   |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| ,  |   |
| Value  | Source Data   |
| ,  | Source Data  Value Allowed: Yes   |
| Value  |   |
| Value  | Value Allowed: Yes  |

| Term (Variable)   | Source Data Introduction  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  | Procedures for the identification of data to be recorded directly on the CRF considered as source data.   |
| User Guidance   | Establish the importance of source data and expectation for traceability of transcribed information back to source. Delineate expectations for Investigators and trial monitors. Define what constitutes source data and its origin or provide a reference to the location of these definitions, if contained in a separate document, such as a monitoring guideline or source data acknowledgement). |
|   | [Source Data Introduction] - Required/Required  |
|   | [Investigator Expectations for Source Data] - Required/Required   |
|   | [Trial Monitor Expectations for Source Data] - Required/Required  |
|   | [Definition of Source Data]- Required/Required  |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | General Considerations: Risk Management and Quality Assurance /Source Data  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a Note: This field can contain a text value   |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Investigator Expectations for Source Data   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  | Procedures for the identification of data to be recorded directly on the CRF considered as source data.   |
| User Guidance   | Establish the importance of source data and expectation for traceability of transcribed information back to source. Delineate expectations for Investigators and trial monitors. Define what constitutes source data and its origin or provide a reference to the location of these definitions, if contained in a separate document, such as a monitoring guideline or source data acknowledgement). |
|   | [Source Data Introduction] - Required/Required  |
|   | [Investigator Expectations for Source Data]- Required/Required  |
|   | [Trial Monitor Expectations for Source Data]- Required/Required   |
|   | [Definition of Source Data]- Required/Required  |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | General Considerations: Risk Management and Quality Assurance /Source Data  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a Note: This field can contain a text value   |
| Duplicate field in other sections                                 |   |

| Term (Variable)   | Trial Monitor Expectations for Source Data  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  | Procedures for the identification of data to be recorded directly on the CRF considered as source data.   |
| User Guidance   | Establish the importance of source data and expectation for traceability of transcribed information back to source. Delineate expectations for Investigators and trial monitors. Define what constitutes source data and its origin or provide a reference to the location of these definitions, if contained in a separate document, such as a monitoring guideline or source data acknowledgement). |
|   | [Source Data Introduction]- Required/Required   |
|   | [Investigator Expectations for Source Data]- Required/Required  |
|   | [Trial Monitor Expectations for Source Data]- Required/Required   |
|   | [Definition of Source Data]- Required/Required  |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | General Considerations: Risk Management and Quality Assurance /Source Data  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a Note: This field can contain a text value   |
| Duplicate field in other sections                                 |   |

| Term (Variable)  | Definition of Source Data   |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   | Procedures for the identification of data to be recorded directly on the CRF considered as source data.   |
| User Guidance  | Establish the importance of source data and expectation for traceability of transcribed information back to source. Delineate expectations for Investigators and trial monitors. Define what constitutes source data and its origin or provide a reference to the location of these definitions, if contained in a separate document, such as a monitoring guideline or source data acknowledgement). |
|  | [Source Data Introduction]- Required  |
|  | [Investigator Expectations for Source Data]- Required   |
|  | [Trial Monitor Expectations for Source Data] - Required   |
|  | [Definition of Source Data]- Required   |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | General Considerations: Risk Management and Quality Assurance /Source Data  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  |   |
| Business rules   | Value Allowed: n/a Relationship: n/a Concept: n/a Note: This field can contain a text value   |
| Duplicate field in other sections  |   |

# 12. Appendix: Adverse Events and Serious Adverse Events-Definitions, Severity, and Causality

| Term (Variable)      | Appendix / Appendix 12 Adverse Frents and Corious Adverse Frents  |
|----------------------|---|
| Term (Variable)      | Appendix / Appendix 12 Adverse Events and Serious Adverse Events- |
|                      | Definitions, Severity, and Causality                              |
| Data Type            | Text  |
| Topic, Value or      | Н   |
| Header               |   |
| Definition           | Section Heading   |
| User Guidance        |   |
| Conformance          | Required  |
| Cardinality          |   |
| Relationship content | Appendix / Appendix 12 Adverse Events and Serious Adverse Events- |
| from ToC             | Definitions, Severity, and Causality                              |
| representing the     |   |
| protocol hierarchy   |   |
| Relationship         |   |
| (reference to high   |   |
| level conceptual     |   |
| model)               |   |
| Value                | Appendix / Appendix 12 Adverse Events and Serious Adverse Events- |
|                      | Definitions, Severity, and Causality                              |
| Business rules       | Value Allowed: Yes  |
|                      | Relationship: n/a   |
|                      | Concept: n/a  |
| Duplicate field in   |   |
| other sections       |   |

## 12.1 Further Details and Clarifications on the AE Definition

| Term (Variable)  | Further Details and Clarifications on the AE Definition  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   | Any untoward medical occurrence in a patient or clinical investigation subject administered a pharmaceutical product and which does not necessarily have a causal relationship with this treatment. An adverse event (AE) can therefore be any unfavourable and unintended sign (including an abnormal laboratory finding), symptom, or disease temporally associated with the use of a medicinal (investigational) product, whether or not related to the medicinal (investigational) product (see the ICH Guideline for Clinical Safety Data Management: Definitions and Standards for Expedited Reporting). |
| User Guidance  | <ul> <li>Specify:         <ul> <li>The AE definition. The standard definition is below is from ICH</li> <li>E2A Clinical Safety Data Management: Definitions and Standards for</li> <li>Expedited Reporting. Note that clarifications of events that do and do not meet the definition are not standard and may need to be customised for the trial.</li> <li>Any relevant regional requirements.</li> <li>Events that meet and do not meet the AE definition.</li> <li>Any trial-specific clarifications.</li> </ul> </li> </ul>  |
| Conformance  | Required   |
| Cardinality  | -4   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Appendix / Appendix 12 Adverse Events and Serious Adverse Events-<br>Definitions, Severity, and Causality/Definition of Adverse Event  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |  |
| Value  | Further Details and Clarifications on the AE Definition  |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections  |  |

| Term (Variable)   | Further Details and Clarifications on the AE Definition  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  | Any untoward medical occurrence in a patient or clinical investigation subject administered a pharmaceutical product and which does not necessarily have a causal relationship with this treatment. An adverse event (AE) can therefore be any unfavourable and unintended sign (including an abnormal laboratory finding), symptom, or disease temporally associated with the use of a medicinal (investigational) product, whether or not related to the medicinal (investigational) product (see the ICH Guideline for Clinical Safety Data Management: Definitions and Standards for Expedited Reporting). |
| User Guidance   | <ul> <li>Specify:</li> <li>The AE definition. The standard definition is below is from ICH E2A Clinical Safety Data Management: Definitions and Standards for Expedited Reporting. Note that clarifications of events that do and do not meet the definition are not standard and may need to be customised for the trial.</li> <li>Any relevant regional requirements.</li> <li>Events that meet and do not meet the AE definition.</li> <li>Any trial-specific clarifications.</li> </ul>  |
| Conformance   | Required   |
| Cardinality   | Trequired  |
| Relationship content from ToC representing the protocol hierarchy | Appendix / Appendix 12 Adverse Events and Serious Adverse Events-<br>Definitions, Severity, and Causality/Definition of Adverse Event  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

### **12.2** Further Details and Clarifications on the SAE Definition

| Term (Variable)   | Further Details and Clarifications on the SAE Definition   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Section heading  |
| User Guidance   | <ul> <li>Specify:</li> <li>The SAE definition. The standard definition is in ICH E2A.</li> <li>Any relevant regional requirements.</li> <li>Events that meet and do not meet the SAE definition.</li> <li>Any trial-specific clarifications.</li> </ul> [Further Details and Clarifications on the SAE Definition] |
| Conformance   | Required   |
| Cardinality   | ·  |
| Relationship content from ToC representing the protocol hierarchy | Appendix / Appendix 12 Adverse Events and Serious Adverse Events-<br>Definitions, Severity, and Causality/Further Details and Clarifications on<br>the SAE Definition  |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Further Details and Clarifications on the SAE Definition   |
| Business rules  | Value Allowed: Yes   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | Further Details and Clarifications on the SAE Definition  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  User Guidance   | A SAE is any untoward medical occurrence that, at any dose:  a. Results in death  b. Is life-threatening  c. Requires hospitalisation or prolongation of existing hospitalisation  d. Results in persistent disability or incapacity  e. Is a congenital anomaly or birth defect  f. Is another important medical event that may not result in death,  be life-threatening, or require hospitalisation, but is considered serious  when, based upon appropriate medical judgment, it may jeopardise the  participant and may require medical or surgical intervention to prevent  one of the outcomes listed above.  Specify:  The SAE definition. The standard definition is in ICH E2A. |
|   | <ul> <li>Any relevant regional requirements.</li> <li>Events that meet and do not meet the SAE definition.</li> <li>Any trial-specific clarifications.</li> <li>[Further Details and Clarifications on the SAE Definition]</li> </ul>   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Appendix / Appendix 12 Adverse Events and Serious Adverse Events-<br>Definitions, Severity, and Causality/Further Details and Clarifications on<br>the SAE Definition   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |

| Value              | A SAE is any untoward modical occurrence that at any doce.  |
|--------------------|---|
| Value              | A SAE is any untoward medical occurrence that, at any dose:  Results in death                             |
|                    |   |
|                    | Is life-threatening      Requires begainstication or prelengation of existing begainstication.            |
|                    | a. Requires hospitalisation or prolongation of existing hospitalisation                                   |
|                    | b. Results in persistent disability or incapacity   |
|                    | c. Is a congenital anomaly or birth defect  |
|                    | d. Is another important medical event that may not result in death,                                       |
|                    | be life-threatening, or require hospitalisation, but is considered serious                                |
|                    | when, based upon appropriate medical judgment, it may jeopardise the                                      |
|                    | participant and may require medical or surgical intervention to prevent one of the outcomes listed above. |
|                    | Examples include intensive treatment in an emergency room or at home                                      |
|                    | for allergic bronchospasm, blood dyscrasias or convulsions that do not                                    |
|                    | result in hospitalisation, or development of drug dependency or drug                                      |
|                    | abuse.  |
|                    | dbuse.  |
|                    | Clarifications of the SAE definition:   |
|                    | 1) An event is life-threatening if its occurrence places the participant                                  |
|                    | at immediate risk of death. It does not include an event that, had it                                     |
|                    | occurred in a more severe form, might have caused death.  |
|                    | 2) An event is serious if it is not appropriate to administer treatment                                   |
|                    | in a physician's office or an outpatient setting, and it requires   |
|                    | hospitalisation. An event is also serious if it prolongs hospitalisation.                                 |
|                    | When in doubt as to whether "hospitalisation" occurred or was   |
|                    | necessary, the event is considered serious.   |
|                    | 3) Hospitalisation for elective treatment of a pre-existing condition                                     |
|                    | that did not worsen from baseline is not an AE.   |
|                    | 4) Disability is a substantial or significant disruption of a person's                                    |
|                    | ability to conduct normal life functions.   |
|                    | 5) The investigator may deem as an SAE any other important  |
|                    | medical event that did not result in any of the outcomes listed in this                                   |
| Business rules     | section due to medical or surgical intervention   |
| business rules     | Value Allowed: n/a  |
|                    | Relationship: n/a   |
| Duplicate field in | Concept: n/a  |
| other sections     |   |
|                    |   |

## **12.3** Severity

| Term (Variable)   | Severity   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Section heading  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy Relationship (reference to high level conceptual model) | Appendix / Appendix 12 Adverse Events and Serious Adverse Events-<br>Definitions, Severity, and Causality/Severity |
| Value   | Severity   |
| Business rules  | Value Allowed: Yes   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections   |  |

| Term (Variable)   | Severity   |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   | Specify the rating categories/scale to be used in the trial to assess severity. Example scales are in [document name]. Considerations for assessing severity are discussed in ICH E2A.  [Severity] |
| Conformance   | Required   |
| Cardinality   | ·  |
| Relationship content from ToC representing the protocol hierarchy | Appendix / Appendix 12 Adverse Events and Serious Adverse Events-<br>Definitions, Severity, and Causality/Severity   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a  |
| Duplicate field in other sections                                 |  |

# **12.4** Causality

| Term (Variable)  | Causality  |
|--|--|
| Data Type  | Text   |
| Topic, Value or<br>Header  | Н  |
| Definition   | Section heading  |
| User Guidance  |  |
| Conformance  | Required   |
| Cardinality  |  |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy<br>Relationship | Appendix / Appendix 12 Adverse Events and Serious Adverse Events-<br>Definitions, Severity, and Causality/Severity |
| (reference to high level conceptual model)   |  |
| Value  | Causality  |
| Business rules   | Value Allowed: Yes   |
|  | Relationship: n/a  |
|  | Concept: n/a   |
| Duplicate field in other sections  |  |

| Term (Variable)  | Causality   |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   | Defines the relationship of an AE to a trial intervention   |
| User Guidance  | Specify the causality categories/scale that the investigator will use for his/her assessment. Considerations for assessing causality are discussed in ICH E2A. Evaluation of relatedness must consider temporality and biologic plausibility as well as etiologies such as natural history of the underlying disease, concurrent illness, concomitant therapy, trial-related procedures, accidents, and other external factors. In a clinical trial, the trial intervention must always be suspect. The Investigator's assessment of an AE's relationship to trial intervention is not a factor in determining what is or is not reported in the trial. If there is any doubt as to whether a clinical observation is an AE, the event should be reported.  [Causality] |
| Conformance  | Required  |
| Cardinality  | ·   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Appendix / Appendix 12 Adverse Events and Serious Adverse Events-<br>Definitions, Severity, and Causality/Severity  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  |   |
| Business rules   | Value Allowed: n/a  |
|  | Relationship: n/a   |
|  | Concept: n/a  |
| Duplicate field in other sections  |   |

### **13.** Appendix: Definitions and Supporting Operational Details

| Term (Variable)   | Appendix: Definitions and Supporting Operational Details |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Section Heading  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Appendix: Definitions and Supporting Operational Details |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Appendix: Definitions and Supporting Operational Details |
| Business rules  | Value Allowed: n/a Relationship: n/a Concept: n/a        |
| Duplicate field in other sections                                 | •  |

#### 622 13.1 Contraception and Pregnancy Testing

| Term (Variable)   | Contraception and Pregnancy Testing  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  | Section Heading  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy Relationship (reference to high level conceptual model) | Appendix 13: Definitions and Supporting Operational Details/ Contraception and Pregnancy Testing |
| Value   | Contraception and Pregnancy Testing  |
| Business rules  | Value Allowed: Yes Relationship: n/a Concept: n/a  |
| Duplicate field in other sections   | • •  |

#### 623 **13.1.1 Definitions Related to Childbearing Potential**

| Term (Variable)  | Definitions for Contraception and Pregnancy Testing   |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  |   |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Appendix: Definitions and Supporting Operational Details/ Contraception and Pregnancy Testing/Definitions for Contraception and Pregnancy Testing |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  |   |
| Business rules   | Value Allowed: n/a  |
|  | Relationship: n/a   |
|  | Concept: n/a  |
| Duplicate field in other sections  |   |

624 13.1.2 Contraception

| 15.1.2 Contracep                    | uon  |
|-------------------------------------|--|
| Term (Variable)                     | Contraception  |
| Data Type                           | Text   |
| Topic, Value or<br>Header           | Н  |
| Definition                          |  |
| User Guidance                       | Optional section to specify the:                             |
|                                     | Contraceptive methods required                               |
|                                     | Duration of use  |
|                                     | [Contraception]  |
|                                     |  |
| Conformance                         | Required   |
| Cardinality                         |  |
| Relationship content                | Appendix 13: Definitions and Supporting Operational Details/ |
| from ToC representing the           | Contraception and Pregnancy Testing/Contraception            |
| protocol hierarchy                  |  |
| Relationship                        |  |
| (reference to high level conceptual |  |
| model)                              |  |
| Value                               | Contraception  |
| Business rules                      | Value Allowed: Yes   |
|                                     | Relationship: n/a  |
|                                     | Concept: n/a   |
| Duplicate field in other sections   |  |
| other sections                      |  |

| Term (Variable)   | Contraception   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Optional section to specify the:  |
|   | Contraceptive methods required  |
|   | Duration of use   |
|   | [Contraception]   |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Appendix: Definitions and Supporting Operational Details/ Contraception and Pregnancy Testing/Contraception |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  | Value Allowed: n/a  |
|   | Relationship: n/a   |
|   | Concept: n/a  |
| Duplicate field in other sections                                 |   |

**13.1.3 Pregnancy Testing** 

| 13.1.3 Tregnancy   | resting   |
|--|---|
| Term (Variable)  | Pregnancy Testing   |
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   |   |
| User Guidance  | Optional section to specify pregnancy testing requirements.  [Pregnancy Testing]                                |
| Conformance  | Required  |
| Cardinality  | ·   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Appendix: Definitions and Supporting Operational Details/ Contraception and Pregnancy Testing/Pregnancy Testing |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  | Pregnancy Testing   |
| Business rules   | Value Allowed: Yes Relationship: n/a Concept: n/a   |
| Duplicate field in other sections  |   |

| Term (Variable)   | Pregnancy Testing   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | D   |
| Definition  |   |
| User Guidance   | Optional section to specify pregnancy testing requirements.  [Pregnancy Testing]                                |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Appendix: Definitions and Supporting Operational Details/ Contraception and Pregnancy Testing/Pregnancy Testing |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   |   |
| Business rules  Duplicate field in                                | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| other sections  |   |

## **13.2 Clinical Laboratory Tests**

| Term (Variable)  | Clinical Laboratory Tests   |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   | Section Heading   |
| User Guidance  | Provide additional information, if needed, about clinical laboratory tests, such as  • whether they will be performed by a central or local laboratory (if important to distinguish)  • specific analytes or parameters included in a panel  • equations and references for locally calculated labs  • acceptability of additional tests deemed necessary by the Investigator or local regulations  • instructions for situations in which central laboratory results are not available in time for trial intervention and/or response evaluation, or in the event of a severe disruption (for example, a pandemic or natural disaster)  • treatment algorithms for results out of normal range.  A tabular presentation for such information is common.  [Clinical Laboratory Tests] |
| Conformance  | Required  |
| Cardinality  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Appendix: Definitions and Supporting Operational Details/Clinical Laboratory Tests  |
| Relationship<br>(reference to high<br>level conceptual<br>model)           |   |
| Value  | Clinical Laboratory Tests   |
| Business rules   | Value Allowed: Yes  |
|  | Relationship: n/a   |
| Dunlingto field in   | Concept: n/a  |
| Duplicate field in other sections  | Repeat for lab values   |

| Term (Variable)  | Clinical Laboratory Tests   |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  | Provide additional information, if needed, about clinical laboratory tests, such as  • whether they will be performed by a central or local laboratory (if important to distinguish)  • specific analytes or parameters included in a panel  • equations and references for locally calculated labs  • acceptability of additional tests deemed necessary by the Investigator or local regulations  • instructions for situations in which central laboratory results are not available in time for trial intervention and/or response evaluation, or in the event of a severe disruption (for example, a pandemic or natural disaster)  • treatment algorithms for results out of normal range.  A tabular presentation for such information is common.  [Clinical Laboratory Tests] |
| Conformance  | Required/Repeatable (for lab values)  |
| Cardinality  | , i i i i i i i i i i i i i i i i i i i   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy | Appendix: Definitions and Supporting Operational Details/Clinical Laboratory Test   |
| Relationship<br>(reference to high<br>level conceptual<br>model)<br>Value  |   |
| Business rules   | No. 1 1 /   |
| Dusiliess lules  | Value Allowed: n/a Relationship: n/a Concept: n/a   |
| Duplicate field in other sections  |   |

# **13.3 Country/Region-Specific Differences**

| Term (Variable)   | Country-Specific Differences  |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   | Although global clinical trial practices are increasingly harmonised, some country- and region-specific differences in requirements do exist (for example, document retention periods, contraception requirements). Where differences in requirements cannot be reconciled, sponsors should explain how they will document and communicate country-specific differences (for example, by country-specific amendments or addenda). |
|   | An alternative to country- or region-specific amendments is to list the specific differences by country or countries in this section, including a reference to the relevant section of the protocol where the differing requirement applies.  |
|   | [Country-specific Differences]  |
| Conformance   | Required  |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Appendix: Definitions and Supporting Operational Details/Country-<br>Specific Differences   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Country-Specific Differences  |
| Business rules  | Value Allowed: Yes  |
|   | Relationship: 0 to many   |
|   | Concept: n/a  |
| Duplicate field in  |   |

| Term (Variable)   | Country   |
|---|---|
| Data Type   | Text  |
| Topic, Value or<br>Header   | Н   |
| Definition  |   |
| User Guidance   | Although global clinical trial practices are increasingly harmonised, some country- and region-specific differences in requirements do exist (for example, document retention periods, contraception requirements). Where differences in requirements cannot be reconciled, sponsors should explain how they will document and communicate country-specific differences (for example, by country-specific amendments or addenda). |
|   | An alternative to country- or region-specific amendments is to list the specific differences by country or countries in this section, including a reference to the relevant section of the protocol where the differing requirement applies.  |
|   | [Country]   |
| Conformance   | Required/Repeatable   |
| Cardinality   |   |
| Relationship content from ToC representing the protocol hierarchy | Appendix: Definitions and Supporting Operational Details/Country-<br>Specific Differences/Country   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |   |
| Value   | Country   |
| Business rules  | Value Allowed: n/a  |
|   | Relationship: 0 to many   |
|   | Concept: n/a  |
| Duplicate field in other sections                                 |   |

| Term (Variable)  | Header of Protocol Section to be Changed for the Country  |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | Н   |
| Definition   |   |
| User Guidance  | Although global clinical trial practices are increasingly harmonised, some country- and region-specific differences in requirements do exist (for example, document retention periods, contraception requirements). Where differences in requirements cannot be reconciled, sponsors should explain how they will document and communicate country-specific differences (for example, by country-specific amendments or addenda). |
|  | An alternative to country- or region-specific amendments is to list the specific differences by country or countries in this section, including a reference to the relevant section of the protocol where the differing requirement applies.  |
|  | [Header of Protocol Section to be Changed for the Country]  |
| Conformance  | Required/Repeatable   |
| Cardinality  |   |
| Relationship content   |   |
| from ToC representing the protocol hierarchy   | Appendix: Definitions and Supporting Operational Details/Country-<br>Specific Differences/Country/Header of Protocol Section to be Changed<br>for the Country   |
| from ToC representing the protocol hierarchy Relationship (reference to high level conceptual model)       | Specific Differences/Country/Header of Protocol Section to be Changed   |
| from ToC representing the protocol hierarchy Relationship (reference to high level conceptual model) Value | Specific Differences/Country/Header of Protocol Section to be Changed   |
| from ToC representing the protocol hierarchy Relationship (reference to high level conceptual model)       | Specific Differences/Country/Header of Protocol Section to be Changed for the Country   |
| from ToC representing the protocol hierarchy Relationship (reference to high level conceptual model) Value | Specific Differences/Country/Header of Protocol Section to be Changed for the Country  Header of Protocol Section to be Changed for the Country   |
| from ToC representing the protocol hierarchy Relationship (reference to high level conceptual model) Value | Specific Differences/Country/Header of Protocol Section to be Changed for the Country  Header of Protocol Section to be Changed for the Country  Value Allowed: n/a   |

| Term (Variable)  | [Change-depends on Section]   |
|--|---|
| Data Type  | Text  |
| Topic, Value or<br>Header  | D   |
| Definition   |   |
| User Guidance  | Although global clinical trial practices are increasingly harmonised, some country- and region-specific differences in requirements do exist (for example, document retention periods, contraception requirements). Where differences in requirements cannot be reconciled, sponsors should explain how they will document and communicate country-specific differences (for example, by country-specific amendments or addenda). |
|  | An alternative to country- or region-specific amendments is to list the specific differences by country or countries in this section, including a reference to the relevant section of the protocol where the differing requirement applies.  |
|  | [Header of Protocol Section to be Changed for the Country]  |
| Conformance  | Optional (follows original section)   |
| Cardinality  | ,   |
|  |   |
| Relationship content<br>from ToC<br>representing the<br>protocol hierarchy   | Appendix: Definitions and Supporting Operational Details/Country-<br>Specific Differences/Country/Header of Protocol Section to be Changed<br>for the Country   |
| Relationship content from ToC representing the protocol hierarchy Relationship (reference to high level conceptual model)        | Specific Differences/Country/Header of Protocol Section to be Changed   |
| Relationship content from ToC representing the protocol hierarchy Relationship (reference to high level conceptual model)  Value | Specific Differences/Country/Header of Protocol Section to be Changed   |
| Relationship content from ToC representing the protocol hierarchy Relationship (reference to high level conceptual model)        | Specific Differences/Country/Header of Protocol Section to be Changed   |
| Relationship content from ToC representing the protocol hierarchy Relationship (reference to high level conceptual model)  Value | Specific Differences/Country/Header of Protocol Section to be Changed for the Country   |
| Relationship content from ToC representing the protocol hierarchy Relationship (reference to high level conceptual model)  Value | Specific Differences/Country/Header of Protocol Section to be Changed for the Country  Value Allowed: n/a   |

#### 13.4 Prior Protocol Amendments

| Term (Variable)   | Prior Protocol Amendments  |
|---|--|
| Data Type   | Text   |
| Topic, Value or<br>Header   | Н  |
| Definition  |  |
| User Guidance   | Choose the appropriate text.   |
|   | {This protocol has not been amended.}  |
|   | or   |
|   | {The Protocol Amendment Summary of Changes for the current amendment is located directly before the Table of Contents. Details of prior amendments are presented below, beginning with the most recent}.   |
|   | See the instructions in the Protocol Amendment Summary of Changes located before the Table of Contents. Move all Protocol Amendment Summaries of Changes for previous amendments to this section in reverse chronological order (most recent first). |
|   | Amendment {amendment number}: ({date})   |
|   | {Amendment details from this amendment}  |
|   | Add additional amendments/details as protocol amendments   |
|   | accrue.  |
|   | Amendment {amendment number}: ({date}) {Amendment details from this amendment}   |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Appendix: Definitions and Supporting Operational Details/Prior Protocol Amendments   |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   | Prior Protocol Amendments  |
| Business rules  | Value Allowed: Yes   |
|   | Relationship: 0 to many  |
| Dunlingto field in  | Concept: n/a   |
| Duplicate field in other sections                                 |  |

| Term (Variable)   | [Statement]  |
|---|--|
| Data Type   | List   |
| Topic, Value or<br>Header   | D  |
| Definition  |  |
| User Guidance   |  |
| Conformance   | Required   |
| Cardinality   |  |
| Relationship content from ToC representing the protocol hierarchy | Appendix: Definitions and Supporting Operational Details/Prior Protocol Amendments/Statement |
| Relationship<br>(reference to high<br>level conceptual<br>model)  |  |
| Value   |  |
| Business rules  | Value Allowed: n/a   |
|   | Relationship: n/a  |
|   | Concept: n/a   |
| Duplicate field in other sections                                 |  |

| T                    |   |
|----------------------|---|
| Term (Variable)      | [Protocol Amendment Summary]  |
| Data Type            | Text  |
| Topic, Value or      | D   |
| Header               |   |
| Definition           |   |
| User Guidance        |   |
| Conformance          | Required/Repeated   |
| Cardinality          |   |
| Relationship content | Appendix: Definitions and Supporting Operational Details/Prior Protocol   |
| from ToC             | Amendments/Protocol Amendment Summary                                     |
| representing the     | ,   |
| protocol hierarchy   |   |
| Relationship         |   |
| (reference to high   |   |
| level conceptual     |   |
| model)               |   |
| Value                |   |
| Business rules       | Value Allowed: n/a  |
|                      | <b>Relationship:</b> 104 to 144 from preceding amendment list all in most |
|                      | recent order  |
|                      | Concept: n/a  |
| Duplicate field in   |   |
| other sections       |   |